Form 8203
April, 1915

PRICE LIST

OF

PARTS

MACHINES
Nos. 62-25 to 62-32, 62-35 to 62-51 and 62-53

THE SINGER MANUFACTURING COMPANY

INDEX

INDEX—(Continued)

INSTRUCTIONS FOR ORDERING

In ordering from this list, use ONLY the PART number in the FIRST column.

The number stamped on a Sewing Machine part is in every case the number of the single part only.

Every combination of parts sent out as such has its specific number, which, although not stamped on the parts, must be used when ordering the combination.

Each number always indicates the SAME PART in whatever list it appears, or for whatever machine.

The letters after some of the numbers indicate the style of finish only, as follows:

A. Hardened, Polished and Plated.
B. Polished and Plated.
C. Hardened only.
D. Polished only.
E. Soft, not Polished.
F. Hardened and Polished.
G.
H. Blued.
J. Plated only.
K. Hardened and Plated.
L. Brass or Gilt.
M. Oxidized.

These letters MUST BE USED *when* they appear in the list, and AFTER the number *as* in the list.

In this series

1 to 1500 and 50001 to 51500 are Screw Numbers.
1501 to 1800 are Nut Numbers.
1801 to 2000 are Roller Numbers.
2001 to 50000 and 52001 and upward are numbers of Machine Parts.

The figures in the second column refer only to the plates, illustrating the parts, and are NOT TO BE USED in ordering.

Parts marked with an asterisk (*) are furnished only when repairs are made at factory.

When ordering parts which differ as to GAUGE (the distance between seams) the GAUGE as well as the NUMBER MUST BE GIVEN on order.

LIST OF PARTS COMPLETE
FOR
MACHINE NO. 62-25

FOR PLAIN STITCHING UPON LIGHT AND MEDIUM WEIGHT FABRICS, ALSO CLOSING LININGS AND STITCHING TOP FACINGS ON SHOES. ONE NEEDLE, ONE LOOPER

NO.	PLATE	NAME	EACH
*52733	——	Arm, upper and lower (solid)	$20 00
52630	6533	" Oil Tube with 49092, for oiling 46221	20
49092	6533	" " " Packing (felt)	01
46216	6490	" Rock Shaft	1 00
46217	6491	" " " Crank (back) with two 1497c	80
1497c	6491	Arm Rock Shaft Crank (back) Set Screw	05
38412	6491	" " " " (front) with 443c	1 25
23724	6491	" " " " " Pin	01
443c	6491	" " " " " Set Screw	03
46218	6482	" Rotary Shaft	3 00
38329	6491	" " " Collar with two 457c	25
457c	6491	" " " " Set Screw	02
23872	6490	" " " Flanged Bushing	1 00
159F	6493	" " " " " Screw	03
4784	6533	" " " Oil Pad (felt)	01
144D	6534	" " " Screw	08
17509	6490	" Side Cover (lower)	15
286D	6535	" " " " Thumb Screw	10
52554	6490	" " " (upper)	20
9533	6533	" " " " Pin	02
176D	6494	" " " " Screw	03
23873	6482	Balance Wheel with two 430c	80
430c	6534	" " Set Screw	04
38414	6483	Cloth Plate	2 50
691F	6534	" " Screw (left)	04
1094F	6534	" " " (right)	03
38415	——	" " Slide (large) with 1602H	60
38417	6486	Cloth Plate Slide (large) complete, Nos. 38415, two 38416 and four 725H	75
1602H	6535	Cloth Plate Slide (large) Bushing	02
38416	6500	" " " " Spring	05
725H	6500	" " " " " Screw	02
38418	——	" " " (small)	30
38420	6486	Cloth Plate Slide ((small) complete, Nos. 38418, 38419 and two 725H	40

NO.	PLATE	NAME	EACH
38419	6500	Cloth Plate Slide (small) Spring	$ 05
725H	6500	" " " " " Screw	02
38421	——	Cloth Plate complete, Nos. 38414, 38417 and 38420	3 65
46221	6490	Crank Connecting Rod with 46222, 46223 and two each 896E and 1057E	2 00
50069C	6535	Crank Connecting Rod Ball Screw Stud	20
1619E	6535	" " " " " " Nut	05
*46222	——	Crank Connecting Rod Cap (lower)	25
896E	6534	" " " " " Screw	04
*46223	——	" " " " (upper)	35
1057E	6534	" " " " " Screw	04
46225	6533	" " " Washer (fibre)	02
46179	6490	Face Plate	50
46111	6533	" " Pin	02
286D	6535	" " Thumb Screw	10
38425	6490	Feed Bar with 231C and 460C	2 50
23716	6491	" " Bushing	40
23726	6491	" " Hinge Pin	50
231C	6534	" " Set Screw	03
38426	6491	" " Slide Block	50
38427	6490	" Connecting Rod with 1057E, 23865 and two 896E	1 50
*23865	——	Feed Connecting Rod Cap	30
896E	6534	" " " " Screw	04
23866	6491	" " " Hinge Pin (eccentric)	20
1057E	6534	Feed Connecting Rod Hinge Pin Clamping Screw	04
38428	6542	Feed Dog, 15 teeth (16 teeth to the inch).	75
46055	6543	" " for shoe linings	1 50
46180	6542	" " to guide the material 1/16 in. from the needle	75
52552	6542	Feed Dog, 12 teeth (12 teeth to the inch)	75
157D	6534	" " Screw	04
460C	6534	" " Stop Screw	02
*38127	——	" Eccentric	2 50
*23729	——	" " Body	2 50
443C	6491	" " " Set Screw	03
21331	6491	" " Pressure Spring	03
21332	6491	" " " " Cap	10
934D	6491	" " " " " Screw	02
196F	6491	" " Set Screw	02
38128	6491	Feed Eccentric (adjustable) complete, Nos. 196F, 934D, 1103C, 21331, 21332, 23729, 38127 and two 443C	5 00

NO.	PLATE	NAME	EACH
38429	6491	Feed Lifting Eccentric with two 465C	$1 00
46113	6500	" " " Cover	10
335D	6500	" " " " Screw	02
465C	6491	" " " Set Screw	02
1103C	6491	" Regulating Screw	15
38431	6492	" Rocking Frame	1 25
38432	6492	" " " Bracket with two 465C	50
123E	6494	Feed Rocking Frame Bracket Screw	06
38433	6492	" " " Hinge Pin	50
465C	6491	" " " " " Set Screw	02
25618	4846	Guide	15
25876	4846	"	15
286D	6535	" Thumb Screw	10
46335	6493	Looper with 590D and 38393	2 25
46226	6490	" Bell Crank with 1037C	50
38436	6490	" " " Hinge Stud	1 00
443C	6491	" " " " " Set Screw.	03
46227	6492	Looper Bell Crank Pitman complete, Nos. 1706E, 1713E and 46233 to 46235	3 25
50070C	6535	Looper Bell Crank Pitman Ball Screw Stud (upper)	15
1636E	6535	Looper Bell Crank Pitman Ball Screw Stud (upper) Nut	03
46228	6493	Looper Bell Crank Pitman Ball Stud (lower)	30
1037C	6493	Looper Bell Crank Pitman Ball Stud (lower) Set Screw	04
*46229	——	Looper Bell Crank Pitman Cap (lower)	—
171E	6534	" " " " " " Screw	03
*46230	——	Looper Bell Crank Pitman Cap (upper)	—
171E	6534	" " " " " " Screw	03
*46231	——	Looper Bell Crank Pitman End Bearing (lower)	—
*46232	——	Looper Bell Crank Pitman End Bearing (upper)	—
46233	6492	Looper Bell Crank Pitman Head (lower) Nos. 46228, 46229, 46231 and two 171E	1 50
46234	6492	Looper Bell Crank Pitman Head (upper) Nos. 46230, 46232, 50070C and two 171E	1 50
46235	6492	Looper Bell Crank Pitman Rod	20
1706E	6535	" " " " " Nut (lower)	03
1713E	6535	Looper Bell Crank Pitman Rod Nut (upper)	03

NO.	PLATE	NAME	EACH
38439	6493	Looper Carrier with 1143C and two 1147C	$1 50
38440	6493	" " Hinge Pin	20
1147C	6493	" " " " Set Screw	03
46236	6492	Looper Carrier Pitman complete, Nos. 1708E, 1709E and 46241 to 46243	3 25
50070C	6535	Looper Carrier Pitman Ball Screw Stud (right)	15
1636E	6535	Looper Carrier Pitman Ball Screw Stud (right) Nut	03
46237	6493	Looper Carrier Pitman Ball Stud (left)	25
1147C	6493	" " " " " " Set Screw	03
*46238	——	Looper Carrier Pitman Cap (left)	—
171E	6534	" " " " " Screw	03
*46238	——	" " " " (right)	—
171E	6534	" " " " " Screw	03
*46239	——	" " " End Bearing (left)	—
*46240	——	" " " " " (right)	—
46241	6492	" " " Head (left) Nos. 46237 to 46239 and two 171E	1 50
46242	6492	Looper Carrier Pitman Head (right) Nos. 46238, 46240, 50070C and two 171E	1 50
46243	6492	Looper Carrier Pitman Rod	20
1708E	6535	" " " " Nut (left)	03
1709E	6535	" " " " " (right)	03
46244	6533	" " " Washer (fibre)	02
46042	6493	" " Rock Shaft with two 175D	2 50
175D	6493	" " " " Adjusting Screw	02
38450	6493	Looper Carrier Rock Shaft Crank (forked) with 159E	2 00
159E	6493	Looper Carrier Rock Shaft Crank Clamping Screw	03
38451	6493	Looper Carrier Rock Shaft Crank Slide Block	50
46043	6493	Looper Carrier Rock Shaft Hinge Pin	75
1508E	6493	" " " " " " Nut	06
129E	6493	Looper Carrier Rock Shaft Hinge Pin Set Screw	04
38452	6493	Looper Eccentric with two 465C	1 00
465C	6493	" " Set Screw	02
1143C	6493	" Set Screw	03
38453	6494	" Shaft	50
52553	6494	" " Bracket	50
123E	6494	" " " Screw	06
391D	6494	" " Screw	02

NO.	PLATE	NAME	EACH
38393	6493	Looper Thread Guard	$ 03
590D	6493	" " " Screw	02
38455	6492	Needle Bar (hollow) with 857H	1 00
38456	6493	" " Bushing	50
1133E	6493	" " " Set Screw	02
38458	6494	" " Connecting Link	50
38459	6494	" " " " Hinge Stud	30
1520E	6494	Needle Bar Connecting Link Hinge Stud Nut	03
38460	6494	Needle Bar Connecting Stud with two 391E	1 00
391E	6494	Needle Bar Connecting Stud Clamping Screw	02
46050	6494	Needle Guard	75
176D	6494	" " Screw	03
857H	6534	" Set Screw	02
17540	6492	Presser Bar	30
38464	6494	" " Bushing (lower)	80
1133E	6493	" " " " Set Screw	02
38456	6493	" " " (upper)	50
1133E	6493	" " " " Set Screw	02
17541	6494	" " Lifter	20
17542	6494	" " " Hinge Pin	05
38466	6494	" " Lifting Bracket with 453C and 892C	1 00
892C	6494	Presser Bar Lifting Bracket Adjusting Screw	05
453C	6494	Presser Bar Lifting Bracket Set Screw	02
38467	6492	" " Spring (flat)	50
38468	6494	" " " Stud	03
2532	6533	" Foot Hinge Pin per 100	10
38469	——	" " Plate	85
38470	——	" " Shank	65
38471	6544	Presser Foot (hinged) complete, Nos. 2532, 38469 and 38470	1 50
26276	6533	Presser Foot Hinge Pin	01
46056	——	" " Plate	1 40
46057	——	" " Shank	60
46058	6544	Presser Foot (hinged) complete, Nos. 26276, 46056 and 46057	2 00
26276	6533	Presser Foot Hinge Pin	01
46076	——	" " Plate	65
46057	——	" " Shank	60
46077	6544	Presser Foot (hinged) complete for 46055, for glove work, Nos. 26276, 46057 and 46076	1 25

NO.	PLATE	NAME	EACH
26276	6533	Presser Foot Hinge Pin................	$ 01
46098	——	" " Plate.....................	65
46099	——	" " Shank....................	60
46100	6544	Presser Foot (hinged) complete, for drawer finishing, for 46055, Nos. 26276, 46098 and 46099....................	1 25
18055	6533	Presser Foot Hinge Pin................	01
46340	——	" " Plate.....................	3 25
46341	——	" " Shank....................	75
46342	6545	Presser Foot (hinged) complete, grooved on bottom for ready folded top facings in long lengths, Nos. 18055, 46340 and 46341..............................	4 00
18055	6533	Presser Foot Hinge Pin................	01
46368	——	" " Plate.....................	3 25
46341	——	" " Shank....................	75
46369	6545	Presser Foot (hinged) complete, for plain top facings in long lengths, Nos. 18055, 46341 and 46368....................	4 00
26276	6533	Presser Foot Hinge Pin................	01
46181	——	" " Plate.....................	85
46182	——	" " Shank....................	65
46183	6544	Presser Foot (hinged) complete, for 46180, Nos. 26276, 46181 and 46182.........	1 50
52555	6544	Presser Foot (solid)....................	1 00
190D	6496	" " Screw....................	03
574D	6536	Pressure Regulating Thumb Screw......	15
1539D	6535	" " " " Lock Nut..............................	05
1985	6495	Roller, ⅞ in. diam., coarse, with 652D and 1528D for 46252....................	25
1986	6495	Roller, ⅞ in. diam., fine, with 652D and 1528D, for 46253....................	25
46251	6495	Roller Arm..........................	15
440F	6495	" " Adjusting Screw............	03
1547D	6495	" " " " Nut........	03
2206	6495	" " Bracket..................	20
2205	6495	" " Lock Spring..............	04
176D	6495	" " " " Screw..........	03
1549D	6495	" " " " " Nut......	03
316F	6495	" " Screw Centre..............	03
1547D	6495	" " " " Nut...........	03
652D	6495	" Screw.........................	08
1528D	6495	" " Nut....................	03
46252	6495	Roller Presser complete, ⅞ in. coarse roller, Nos. 176D, 440F, 1549D, 1985, 2205, 2206, 46251, two 316F and three 1547D..............................	90

NO.	PLATE	NAME	EACH
46253	——	Roller Presser complete, ⅞ in. fine roller, Nos. 176D, 440F, 1549D, 1986, 2205, 2206, 46251, two 316F and three 1547D.	$ 90
190D	6496	Roller Presser Screw..................	03
46034	6496	Slack Thread Controller...............	05
46035	6496	" " " Clamp.........	10
190D	6496	" " " " Screw....	03
38472	6496	" " Regulator................	1 50
38473	6496	" " " Bracket with 172C and 1823..........................	1 25
172C	6496	Slack Thread Regulator Bracket Clamping Screw..............................	04
38474	6496	Slack Thread Regulator Bushing........	20
1823	6496	" " " Roller and Stud.	18
50062D	6496	" " " Screw..........	07
1620E	6496	" " " " Nut......	03
2102	6496	Tension (under thread) Disc...........	05
1560C	6496	" " " Regulating Thumb Nut..............................	04
916F	6496	Tension (under thread) Screw Stud......	08
10148	6496	" " " Spring..........	03
17547	6496	" " " Thread Guide....	25
2102	6496	" (upper thread) Disc............	05
1560C	6496	" " " Regulating Thumb Nut..............................	04
916F	6496	Tension (upper thread) Screw Stud......	08
2103	6496	" " " Spring..........	03
17547	6496	" " " Thread Guide....	25
38225	6497	Thread (under) Eyelet (back)...........	10
190D	6497	" " " " Screw.....	03
38284	6497	" " " (front)...........	05
46049	6497	" " Nipper Cam with 465C...	50
465C	6497	" " " " Set Screw...	02
38210	6497	" " " Spring (lower)....	15
38211	6497	" " " " (upper)...	25
46247	6497	" " " " " Stop	10
176D	6497	" " " " Screw.....	03
38475	6497	" " Take-up with 465C......	1 00
465C	6497	" " " Set Screw......	02
38478	6497	" " " Staple with two each 590D and 38481................	75
46040	6498	Thread (under) Take-up Staple Bracket with 910C...........................	2 00
690D	6534	Thread (under) Take-up Staple Bracket Screw..............................	05
46041	6497	Thread (under) Take-up Staple Spring	05

NO.	PLATE	NAME	EACH
190D	6497	Thread (under) Take-up Staple Spring Screw	$ 03
910C	6497	Thread (under) Take-up Staple Stop Screw	03
38481	6497	Thread (under) Take-up Staple Thread Guard	10
590D	6497	Thread (under) Take-up Staple Thread Guard Screw	02
38482	6497	Thread (under) Take-up Stripper	60
207D	6497	" " " " Screw	02
38476	6497	" " " Thread Guard (left)	15
207D	6497	Thread (under) Take-up Thread Guard (left) Screw	02
38477	6497	Thread (under) Take-up Thread Guard (right)	20
207D	6497	Thread (under) Take-up Thread Guard (right) Screw	02
38483	6496	Thread (upper) Controller	40
206F	6496	" " " Screw	02
38484	6496	" " Eyelet	25
190D	6496	" " " Screw	03
38485	6496	" " Take-up with 457C	80
457C	6496	" " " Set Screw	02
38486	6542	Throat Plate for 38428 and 52552	1 00
46059	6543	" " " 46055	1 50
46184	6542	" " " 46180	1 00
691F	6534	" " Screw	04

LIST OF PARTS COMPLETE
FOR
MACHINE NO. 62-26

FOR CLOSING SHOES. ONE NEEDLE, ONE LOOPER, ROLLER PRESSER

NO.	PLATE	NAME	EACH
*52733	— —	Arm, upper and lower (solid)	$20 00
52630	6533	" Oil Tube with 49092, for oiling 46221	20
49092	6533	" " " Packing (felt)	04
46216	6490	" Rock Shaft	1 00
46217	6494	" " " Crank (back) with two 1497C	80
1497C	6494	Arm Rock Shaft Crank (back) Set Screw	05
38412	6494	" " " " (front) with 443C	1 25
23724	6494	" " " " " Pin	01
443C	6494	" " " " " Set Screw	03
46218	6482	" Rotary Shaft	3 00
38329	6494	" " " Collar with two 457C	25
457C	6494	" " " " Set Screw	02
23872	6490	" " " Flanged Bushing	1 00
159F	6493	" " " " " Screw	03
4784	6533	" " " Oil Pad (felt)	01
144D	6534	" " " Screw	08
17509	6490	" Side Cover (lower)	15
286D	6535	" " " " Thumb Screw	10
52554	6490	" " " (upper)	20
9533	6533	" " " " Pin	02
176D	6494	" " " " Screw	03
23873	6482	Balance Wheel with two 430C	80
430C	6534	" " Set Screw	04
38414	6483	Cloth Plate	2 50
691F	6534	" " Screw (left)	04
1094F	6534	" " " (right)	03
46254	—	" " Slide (large) with four 1602H	75
46255	6486	Cloth Plate Slide (large) complete, Nos. 46254, two 38416 and four 725H	90
1602H	6535	Cloth Plate Slide (large) Bushing	02
38416	6500	" " " " Spring	05
725H	6500	" " " " " Screw	02
38418	—	" " " (small)	30
38420	6486	Cloth Plate Slide (small) complete, Nos 38418, 38419 and two 725H	40
38419	6500	Cloth Plate Slide (small) Spring	05
725H	6500	" " " " " Screw	02

NO.	PLATE	NAME	EACH
46256	——	Cloth Plate complete, Nos. 38414, 38420 and 46255	$3 65
46221	6490	Crank Connecting Rod with 46222, 46223 and two each 896E and 1057E	2 00
50069C	6535	Crank Connecting Rod Ball Screw Stud	20
1619E	6535	“ “ “ “ “ “ Nut	05
*46222	——	Crank Connecting Rod Cap (lower)	25
896E	6534	“ “ “ “ “ Screw	04
*46223	——	“ “ “ “ (upper)	35
1057E	6534	“ “ “ “ “ Screw	04
46225	6533	“ “ “ Washer (fibre)	02
46179	6490	Face Plate	50
46111	6533	“ “ Pin	02
286D	6535	“ “ Thumb Screw	10
38425	6490	Feed Bar with 231C and 460C	2 50
23716	6491	“ “ Bushing	40
23726	6491	“ “ Hinge Pin	50
231C	6534	“ “ Set Screw	03
38426	6491	“ “ Slide Block	50
38427	6490	“ Connecting Rod with 1057E, 23865 and two 896E	1 50
*23865	——	Feed Connecting Rod Cap	30
896E	6534	“ “ “ “ Screw	04
23866	6491	“ “ “ Hinge Pin (eccentric)	20
1057E	6534	Feed Connecting Rod Hinge Pin Clamping Screw	04
46065	6543	Feed Dog, for shoe closing	1 00
38428	6542	“ “ 15 teeth (16 teeth to the inch) for shoe linings	75
52552	6542	Feed Dog, 12 teeth (12 teeth to the inch)	75
46257	6543	“ “ for closing and facing shoe linings	1 00
157D	6534	Feed Dog Screw	04
460C	6534	“ “ Stop Screw	02
*38127	——	“ Eccentric	2 50
*23729	——	“ “ Body	2 50
443C	6491	“ “ “ Set Screw	03
21331	6491	“ “ Pressure Spring	03
21332	6491	“ “ “ “ Cap	10
934D	6491	“ “ “ “ “ Screw	02
196F	6491	“ “ Set Screw	02
38128	6491	Feed Eccentric (adjustable) complete, Nos. 196F, 934D, 1103C, 21331, 21332, 23729, 38127 and two 443C	5 00
38429	6491	Feed Lifting Eccentric with two 465C	1 00

NO.	PLATE	NAME	EACH
46113	6500	Feed Lifting Eccentric Cover	$ 10
335D	6500	“ “ “ “ Screw	02
465C	6491	“ “ “ Set Screw	02
1103C	6491	“ Regulating Screw	15
38431	6492	“ Rocking Frame	1 25
38432	6492	“ “ “ Bracket with two 465C	50
123E	6494	Feed Rocking Frame Bracket Screw	06
38433	6492	“ “ “ Hinge Pin	50
465C	6491	“ “ “ “ “ Set Screw	02
25876	4846	Guide	15
286D	6535	“ Thumb Screw	10
46066	6499	Looper with 590D and 38393	2 25
46226	6490	“ Bell Crank with 1037C	50
38436	6490	“ “ “ Hinge Stud	1 00
443C	6491	“ “ “ “ “ Set Screw	03
46227	6492	Looper Bell Crank Pitman complete, Nos. 1706E, 1713E and 46233 to 46235	3 25
50070C	6535	Looper Bell Crank Pitman Ball Screw Stud (upper)	15
1636E	6535	Looper Bell Crank Pitman Ball Screw Stud (upper) Nut	03
46228	6493	Looper Bell Crank Pitman Ball Stud (lower)	30
1037C	6493	Looper Bell Crank Pitman Ball Stud (lower) Set Screw	04
*46229	——	Looper Bell Crank Pitman Cap (lower)	—
171E	6534	“ “ “ “ “ “ Screw	03
*46230	——	Looper Bell Crank Pitman Cap (upper)	—
171E	6534	“ “ “ “ “ “ Screw	03
*46231	——	Looper Bell Crank Pitman End Bearing (lower)	—
*46232	——	Looper Bell Crank Pitman End Bearing (upper)	—
46233	6492	Looper Bell Crank Pitman Head (lower) Nos. 46228, 46229, 46231 and two 171E	1 50
46234	6492	Looper Bell Crank Pitman Head (upper) Nos. 46230, 46232, 50070C and two 171E	1 50
46235	6492	Looper Bell Crank Pitman Rod	20
1706E	6535	“ “ “ “ “ Nut (lower)	03
1713E	6535	Looper Bell Crank Pitman Rod Nut (upper)	03
38439	6493	Looper Carrier with 1143C and two 1147C	1 50

NO.	PLATE	NAME	EACH
38440	6493	Looper Carrier Hinge Pin	$ 20
1147c	6493	" " " " Set Screw	03
46236	6492	Looper Carrier Pitman complete, Nos. 1708E, 1709E and 46241 to 46243	3 25
50070c	6535	Looper Carrier Pitman Ball Screw Stud (right)	15
1636E	6535	Looper Carrier Pitman Ball Screw Stud (right) Nut	03
46237	6493	Looper Carrier Pitman Ball Stud (left)	25
1147c	6493	" " " " " " Set Screw	03
*46238	——	Looper Carrier Pitman Cap (left)	—
171E	6534	" " " " " Screw	03
*46238	——	" " " " (right)	—
171E	6534	" " " " " Screw	03
*46239	——	" " " End Bearing (left)	—
*46240	——	Looper Carrier Pitman End Bearing (right)	—
46241	6492	Looper Carrier Pitman Head (left) Nos. 46237 to 46239 and two 171E	1 50
46242	6492	Looper Carrier Pitman Head (right) Nos. 46238, 46240, 50070c and two 171E	1 50
46243	6492	Looper Carrier Pitman Rod	20
1708E	6535	" " " " Nut (left)	03
1709E	6535	" " " " " (right)	03
46244	6533	" " " Washer (fibre)	02
46042	6493	" " Rock Shaft with two 175D	2 50
175D	6493	" " " " Adjusting Screw	02
38450	6493	Looper Carrier Rock Shaft Crank (forked) with 159E	2 00
159E	6493	Looper Carrier Rock Shaft Crank Clamping Screw	03
38451	6493	Looper Carrier Rock Shaft Crank Slide Block	.50
46043	6493	Looper Carrier Rock Shaft Hinge Pin	75
1508E	6493	" " " " " " Nut	06
129E	6493	Looper Carrier Rock Shaft Hinge Pin Set Screw	04
38452	6493	Looper Eccentric with two 465c	1 00
465c	6493	" " Set Screw	02
1143c	6493	" Set Screw	03
38453	6494	" Shaft	50
52553	6494	" " Bracket	50
123E	6494	" " " Screw	06

NO.	PLATE	NAME	EACH
391D	6494	Looper Shaft Screw	$ 02
38393	6493	" Thread Guard	03
590D	6493	" " " Screw	02
38455	6492	Needle Bar (hollow) with 857H	1 00
38456	6493	" " Bushing	50
1133E	6493	" " " Set Screw	02
38458	6494	" " Connecting Link	50
38459	6494	" " " " Hinge Stud	30
1520E	6494	" " " " " " Nut	03
38460	6494	Needle Bar Connecting Stud with two 391E	1 00
391E	6494	Needle Bar Connecting Stud Clamping Screw	02
46050	6494	Needle Guard	75
176D	6494	" " Screw	03
857H	6534	" Set Screw	02
38462	6533	Oil Cup with 38463	20
38463	6533	" " Packing (felt)	02
225F	6533	" " Screw	03
46092	6492	Presser Bar	30
46073	6493	" " Bushing (lower)	80
1133F	6493	" " " " Set Screw	02
38456	6493	" " " (upper)	50
1133E	6493	" " " " Set Screw	02
17541	6494	" " Lifter	20
17542	6494	" " " Hinge Pin	05
38466	6494	" " Lifting Bracket with 453c and 892c	1 00
892c	6494	Presser Bar Lifting Bracket Adjusting Screw	05
453c	6494	Presser Bar Lifting Bracket Set Screw	02
46093	6492	" " Spring (flat)	50
38468	6494	" " " Stud	03
7298	6533	" Foot Hinge Pin ... per 100	10
38047	——	" " Plate	65
38010	——	" " Shank	60
38048	6544	Presser Foot (hinged) complete for 38428 and 52552, Nos. 7298, 38010 and 38047	1 25
190D	6496	Presser Foot Screw	03
574D	6536	Pressure Regulating Thumb Screw	15
1539D	6535	" " " " Lock Nut	05
1923	6495	Roller, 1¼ in. diam., coarse, with 652D and 1528D	40
12257	6495	Roller Arm	15
440F	6495	" " Adjusting Screw	03

NO.	PLATE	NAME	EACH
1547D	6495	Roller Arm Adjusting Screw Nut........	$ 03
46037	6495	" " Bracket..................	20
2205	6495	" " Lock Spring..............	04
176D	6495	" " " " Screw..........	03
1549D	6495	" " " " " Nut......	03
316F	6495	" " Screw Centre.............	03
1547D	6495	" " " " Nut...........	03
652D	6495	" Screw........................	08
1528D	6495	" " Nut....................	03
38012	6495	Roller Presser complete, 1¼in. coarse roller, for 46065, Nos. 176D, 440F, 1549D, 1923, 2205, 12257, 46037, two 316F and three 1547D........................	1 05
190D	6496	Roller Presser Screw..................	03
46034	6496	Slack Thread Controller................	05
46035	6496	" " " Clamp.........	10
190D	6496	" " " " Screw....	03
38472	6496	" " Regulator................	1 50
38473	6496	" " " Bracket with 172c and 1823......................	1 25
172c	6496	Slack Thread Regulator Bracket Clamping Screw............................	04
38474	6496	Slack Thread Regulator Bushing........	20
1823	6496	" " " Roller and Stud.	18
50062D	6496	" " " Screw..........	07
1620E	6496	" " " " Nut......	03
2102	6496	Tension (under thread) Disc...........	05
1560c	6496	" " " Regulating Thumb Nut.............................	04
916F	6496	Tension (under thread) Screw Stud......	08
10148	6496	" " " Spring..........	03
17547	6496	" " " Thread Guide....	25
2102	6496	" (upper thread) Disc...........	05
1560c	6496	" " " Regulating Thumb Nut...	04
916F	6496	Tension (upper thread) Screw Stud......	08
2103	6496	" " " Spring..........	03
17547	6496	" " " Thread Guide....	25
38225	6497	Thread (under) Eyelet (back)...........	10
190D	6497	" " " " Screw.....	03
38284	6497	" " " (front)..........	05
46049	6497	" " Nipper Cam with 465c...	50
465c	6497	" " " " Set Screw...	02
38210	6497	" " " Spring (lower)....	15
38211	6497	" " " " (upper)...	25
46247	6497	" " " " " Stop	10
176D	6497	" " " " Screw.....	03

NO.	PLATE	NAME	EACH
38475	6497	Thread (under) Take-up with 465c......	$1 00
465c	6497	" " " Set Screw......	02
38478	6497	" " " Staple with two each 590D and 38481................	75
46040	6498	Thread (under) Take-up Staple Bracket with 910c..........................	2 00
690D	6534	Thread (under) Take-up Staple Bracket Screw.............................	05
46041	6497	Thread (under) Take-up Staple Spring	05
190D	6497	" " " " " Screw.............................	03
910c	6497	Thread (under) Take-up Staple Stop Screw.............................	03
38481	6497	Thread (under) Take-up Staple Thread Guard............................	10
590D	6497	Thread (under) Take-up Staple Thread Guard Screw.......................	02
38482	6497	Thread (under) Take-up Stripper.......	60
207D	6497	" " " " Screw..	02
38476	6497	" " " Thread Guard (left).............................	15
207D	6497	Thread (under) Take-up Thread Guard (left) Screw........................	02
38477	6497	Thread (under) Take-up Thread Guard (right)............................	20
207D	6497	Thread (under) Take-up Thread Guard (right) Screw......................	02
38483	6496	Thread (upper) Controller.............	40
206F	6496	" " " Screw........	02
38484	6496	" " Eyelet................	25
190D	6496	" " " Screw...........	03
38485	6496	" " Take-up with 457c......	80
457c	6496	" " " Set Screw......	02
46094	6543	Throat Plate with 665D and 46075, for 46065............................	1 50
46095	6542	Throat Plate with 665D and 46075, for 38428 and 52552..................	1 50
46258	6543	Throat Plate with 665D and 46075, for 46257............................	1 50
691F	6534	Throat Plate Screw....................	04
46075	6542	" " Thread Retainer..........	10
665D	6542	" " " " Screw.....	02

LIST OF PARTS COMPLETE
FOR
MACHINE NO. 62-27

FOR CLOTH OR LEATHER. CLOSING SHOES, STITCHING GLOVES, ETC.
ONE NEEDLE, ONE LOOPER, ALTERNATING PRESSERS

NO.	PLATE	NAME	EACH
*52734	——	Arm, upper and lower (solid)	$20 00
52630	6533	" Oil Tube with 49092, for oiling 46221	20
49092	6533	" " " Packing (felt)	01
46291	6498	" Rock Shaft	1 00
46217	6491	" " " Crank (back) with two 1497c	80
1497c	6491	Arm Rock Shaft Crank (back) Set Screw.	05
46280	6499	" " " " (front) with 443c.	1 25
23724	6491	" " " " " Pin	01
443c	6491	" " " " " Set Screw.	03
46218	6482	" Rotary Shaft	3 00
38329	6491	" " " Collar with two 457c.	25
457c	6491	" " " " Set Screw	02
23872	6490	" " " Flanged Bushing	1 00
159F	6493	" " " " " Screw	03
4784	6533	" " " Oil Pad (felt)	01
144D	6534	" " " Screw	08
17509	6490	" Side Cover (lower)	15
286D	6535	" " " " Thumb Screw	10
52554	6490	" " " (upper)	20
9533	6533	" " " " Pin	02
176D	6494	" " " " Screw	03
23873	6482	Balance Wheel with two 430c	80
430c	6534	" " Set Screw	04
38414	6483	Cloth Plate	2 50
691F	6534	" " Screw (left)	04
1094F	6534	" " " (right)	03
46254	——	" " Slide (large) with four 1602H.	75
46255	6486	Cloth Plate Slide (large) complete, Nos. 46254, two 38416 and four 725H	90
1602H	6535	Cloth Plate Slide (large) Bushing	02
38416	6500	" " " " Spring	05
725H	6500	" " " " " Screw	02
38418	——	" " " (small)	30
38420	6486	Cloth Plate Slide (small) complete, Nos. 38418, 38419 and two 725H	40

NO.	PLATE	NAME	EACH
38419	6500	Cloth Plate Slide (small) Spring	$ 05
725H	6500	" " " " " Screw	02
46256	——	Cloth Plate complete, Nos. 38414, 38420 and 46255	3 65
46221	6490	Crank Connecting Rod with 46222, 46223 and two each 896E and 1057E	2 00
50069c	6535	Crank Connecting Rod Ball Screw Stud	20
1619E	6535	" " " " " " Nut	05
*46222	——	Crank Connecting Rod Cap (lower)	25
896E	6534	" " " " " Screw	04
*46223	——	" " " " (upper)	35
1057E	6534	" " " " " Screw.	04
46225	6533	" " " Washer (fibre)	02
46281	6507	Face Plate with 735c and 46289	75
171D	6534	" " Screw	03
38425	6490	Feed Bar with 231c and 460c	2 50
23716	6491	" " Bushing	40
23726	6491	" " Hinge Pin	50
231c	6534	" " Set Screw	03
38426	6491	" " Slide Block	50
38427	6490	" Connecting Rod with 1057E, 23865 and two 896E	1 50
*23865	——	Feed Connecting Rod Cap	30
896E	6534	" " " " Screw	04
23866	6491	" " " Hinge Pin (eccentric)	20
1057E	6534	Feed Connecting Rod Hinge Pin Clamping Screw	04
38428	6542	Feed Dog, 15 teeth (16 teeth to the inch)	75
898D	6534	" " Screw	04
460c	6534	" " Stop Screw	02
*38127	——	" Eccentric	2 50
*23729	——	" " Body	2 50
443c	6491	" " " Set Screw	03
21331	6491	" " Pressure Spring	03
21332	6491	" " " " Cap	10
934D	6491	" " " " " Screw	02
196F	6491	" " Set Screw	02
38128	6491	Feed Eccentric (adjustable) complete, Nos. 196F, 934D, 1103c, 21331, 21332, 23729, 38127 and two 443c	5 00
38429	6491	Feed Lifting Eccentric with two 465c	1 00
46113	6500	" " " Cover	10
335D	6500	" " " " Screw	02
465c	6491	" " " Set Screw	02
1103c	6491	" Regulating Screw	15

NO.	PLATE	NAME	EACH
38431	6492	Feed Rocking Frame	$1 25
38432	6492	" " " Bracket with two 465c	50
123E	6494	Feed Rocking Frame Bracket Screw	06
38433	6492	" " " Hinge Pin	50
465c	6491	" " " " " Set Screw	02
46072	6498	Lifting Presser Bar	30
46073	6493	" " " Bushing (lower)	80
1133E	6493	" " " " " Set Screw	02
38456	6493	Lifting Presser Bar Bushing (upper)	50
1133E	6493	" " " " " Set Screw	02
17541	6494	Lifting Presser Bar Lifter	20
17542	6494	" " " " Hinge Pin	05
46282	6499	" " " Lifting Bracket with 704c and 892c	2 50
892c	6494	Lifting Presser Bar Lifting Bracket Adjusting Screw	05
704c	6499	Lifting Presser Bar Lifting Bracket Clamping Screw	04
38467	6492	Lifting Presser Bar Spring (flat)	50
38468	6494	" " " " Stud	03
46310	6544	" " Foot	80
190D	6496	" " " Screw	03
46066	6499	Looper with 590D and 38393	2 25
46226	6490	" Bell Crank with 1037c	50
38436	6490	" " " Hinge Stud	1 00
443c	6491	" " " " " Set Screw	03
46227	6492	Looper Bell Crank Pitman complete, Nos. 1706E, 1713E and 46233 to 46235	3 25
50070c	6535	Looper Bell Crank Pitman Ball Screw Stud (upper)	15
1636E	6535	Looper Bell Crank Pitman Ball Screw Stud (upper) Nut	03
46228	6493	Looper Bell Crank Pitman Ball Stud (lower)	30
1037c	6493	Looper Bell Crank Pitman Ball Stud (lower) Set Screw	04
*46229	—	Looper Bell Crank Pitman Cap (lower)	—
171E	6534	" " " " " " Screw	03
*46230	—	Looper Bell Crank Pitman Cap (upper)	—
171E	6534	" " " " " " Screw	03

NO.	PLATE	NAME	EACH
*46231	—	Looper Bell Crank Pitman End Bearing (lower)	$ —
*46232	—	Looper Bell Crank Pitman End Bearing (upper)	—
46233	6492	Looper Bell Crank Pitman Head (lower) Nos. 46228, 46229, 46231 and two 171E	1 50
46234	6492	Looper Bell Crank Pitman Head (upper) Nos. 46230, 46232, 50070c and two 171E	1 50
46235	6492	Looper Bell Crank Pitman Rod	20
1706E	6535	" " " " " Nut (lower)	03
1713E	6535	Looper Bell Crank Pitman Rod Nut (upper)	03
38439	6493	Looper Carrier with 1143c and two 1147c	1 50
38440	6493	" " Hinge Pin	20
1147c	6493	" " " " Set Screw	03
46236	6492	Looper Carrier Pitman complete, Nos. 1708E, 1709E and 46241 to 46243	3 25
50070c	6535	Looper Carrier Pitman Ball Screw Stud (right)	15
1636E	6535	Looper Carrier Pitman Ball Screw Stud (right) Nut	03
46237	6493	Looper Carrier Pitman Ball Stud (left)	25
1147c	6493	" " " " " " Set Screw	03
*46238	—	Looper Carrier Pitman Cap (left)	—
171E	6534	" " " " " Screw	03
*46238	—	" " " " (right)	—
171E	6534	" " " " " Screw	03
*46239	—	" " " End Bearing (left)	—
*46240	—	Looper Carrier Pitman End Bearing (right)	—
46241	6492	Looper Carrier Pitman Head (left) Nos. 46237 to 46239 and two 171E	1 50
46242	6492	Looper Carrier Pitman Head (right) Nos. 46238, 46240, 50070c and two 171E	1 50
46243	6492	Looper Carrier Pitman Rod	20
1708E	6535	" " " " Nut (left)	03
1709E	6535	" " " " " (right)	03
46244	6533	" " " Washer (fibre)	02
46042	6493	" " Rock Shaft with two 175D	2 50
175D	6493	" " " " Adjusting Screw	02
38450	6493	Looper Carrier Rock Shaft Crank (forked) with 159E	2 00
159E	6493	Looper Carrier Rock Shaft Crank Clamping Screw	03

NO.	PLATE	NAME	EACH
38451	6493	Looper Carrier Rock Shaft Crank Slide Block	$ 50
46043	6493	Looper Carrier Rock Shaft Hinge Pin	75
1508E	6493	" " " " " " Nut	06
129E	6493	Looper Carrier Rock Shaft Hinge Pin Set Screw	04
38452	6493	Looper Eccentric with two 465C	1 00
465C	6493	" " Set Screw	02
46104	6499	" Needle Guard with 46105	40
46105	6499	" " " Pin	04
229D	6499	" " " Screw	02
1143C	6493	" Set Screw	03
38453	6494	" Shaft	50
52553	6494	" " Bracket	50
123E	6494	" " " Screw	06
391D	6494	" " Screw	02
38393	6493	" Thread Guard	03
590D	6493	" " " Screw	02
38455	6492	Needle Bar (hollow) with 857H	1 00
38456	6493	" " Bushing	50
1133E	6493	" " " Set Screw	02
38458	6494	" " Connecting Link	50
38459	6494	" " " " Hinge Stud	30
1520E	6494	" " " " " " Nut	03
38460	6494	Needle Bar Connecting Stud with two 391E	1 00
391E	6494	Needle Bar Connecting Stud Clamping Screw	02
46050	6494	Needle Guard	75
176D	6494	" " Screw	03
857H	6534	" Set Screw	02
38462	6533	Oil Cup with 38463	20
38463	6533	" " Packing (felt)	02
225F	6533	" " Screw	03
574D	6536	Pressure Regulating Thumb Screw	15
1539D	6535	" " " " Lock Nut	05
46169	6500	Slack Thread Controller	05
193F	6500	" " " Set Screw	03
2102	6496	Tension (under thread) Disc	05
1560C	6496	" " " Regulating Thumb Nut	04
916F	6496	Tension (under thread) Screw Stud	08
10148	6496	" " " Spring	03

NO.	PLATE	NAME	EACH
17547	6496	Tension (under thread) Thread Guide	$ 25
2102	6496	" (upper thread) Disc	05
1560C	6496	" " " Regulating Thumb Nut	04
916F	6496	Tension (upper thread) Screw Stud	08
13710	6496	" " " Spring	03
17547	6496	" " " Thread Guide	25
38225	6497	Thread (under) Eyelet (back)	10
190D	6497	" " " " Screw	03
38284	6497	" " " (front)	05
46049	6497	" " Nipper Cam with 465C	50
465C	6497	" " " " Set Screw	02
38210	6497	" " " Spring (lower)	15
38211	6497	" " " " (upper)	25
46247	6497	" " " " " Stop	10
176D	6497	" " " " Screw	03
38475	6497	" " Take-up with 465C	1 00
465C	6497	" " " Set Screw	02
38478	6497	" " " Staple with two each 590D and 38481	75
46040	6498	Thread (under) Take-up Staple Bracket with 910C	2 00
690D	6534	Thread (under) Take-up Staple Bracket Screw	05
46041	6497	Thread (under) Take-up Staple Spring	05
190D	6497	" " " " " Screw	03
910C	6497	Thread (under) Take-up Staple Stop Screw	03
38481	6497	Thread (under) Take-up Staple Thread Guard	10
590D	6497	Thread (under) Take-up Staple Thread Guard Screw	02
38482	6497	Thread (under) Take-up Stripper	60
207D	6497	" " " " Screw	02
38476	6497	" " " Thread Guard (left)	15
207D	6497	Thread (under) Take-up Thread Guard (left) Screw	02
38477	6497	Thread (under) Take-up Thread Guard (right)	20
207D	6497	Thread (under) Take-up Thread Guard (right) Screw	02
38483	6496	Thread (upper) Controller	40
206F	6496	" " " Screw	02
46311	6500	" " Eyelet	25
190D	6500	" " " Screw	03

NO.	PLATE	NAME	EACH
46312	6500	Thread (upper) Take-up with 223D......	$ 80
223D	6500	" " " Clamping Screw.	02
46095	6542	Throat Plate with 665D and 46075, for 38428............................	1 50
691F	6534	Throat Plate Screw....................	04
46075	6542	" " Thread Retainer..........	10
665D	6542	" " " " Screw.....	02
46286	6499	Vibrating Presser Bar.................	75
212F	6499	" " " Cap Screw........	04
46287	6499	" " " Lifting Bell Crank	1 50
212F	6499	" " " " " " Cap Screw........................	04
46284	6499	Vibrating Presser Bar Lifting Bell Crank Driving Arm with 157D, 602D and 1989	1 25
157D	6499	Vibrating Presser Bar Lifting Bell Crank Driving Arm Clamping Screw........	04
1989	6499	Vibrating Presser Bar Lifting Bell Crank Driving Arm Roller (roller only)......	10
602D	6499	Vibrating Presser Bar Lifting Bell Crank Driving Arm Roller Cap Screw.......	02
46288	6499	Vibrating Presser Bar Spring...........	02
46289	6499	" " " Stop (raw hide)...	01
735C	6499	" " " " Adjusting Screw............................	02
46313	6544	Vibrating Presser Foot.................	80
203D	6534	" " " Screw...........	03

LIST OF PARTS COMPLETE

FOR

MACHINE NO. 62-28

FOR STITCHING BUTTON STAYS ON KNIT UNDERWEAR. ONE NEEDLE, ONE LOOPER, TRANSVERSE TUBULAR BINDER AND AUXILIARY FEED

NO.	PLATE	NAME	EACH
*46430	----	Arm, upper and lower (solid) with 129D, 965D and 46445....................	$20 00
52630	6533	Arm Oil Tube with 49092, for oiling 46221	20
49092	6533	" " " Packing (felt)...........	01
46216	6490	" Rock Shaft......................	1 00
46217	6491	" " " Crank (back) with two 1497C............................	80
1497C	6491	Arm Rock Shaft Crank (back) Set Screw.	05
38412	6491	" " " " (front) with 443C.	1 25
23724	6491	" " " " " Pin.......	01
443C	6491	" " " " " Set Screw.	03
46218	6182	" Rotary Shaft....................	3 00
38329	6491	" " " Collar with two 457C..	25
457C	6491	" " " " Set Screw.....	02
23872	6490	" " " Flanged Bushing.....	1 00
159F	6493	" " " " " Screw	03
4784	6533	" " " Oil Pad (felt)........	01
144D	6534	" " " Screw...............	08
17509	6490	" Side Cover (lower)...............	15
286D	6535	" " " " Thumb Screw...	10
52554	6490	" " " (upper)...............	20
9533	6533	" " " " Pin............	02
176D	6494	" " " " Screw..........	03
23873	6482	Balance Wheel with two 430C...........	80
430C	6534	" " Set Screw.............	04
46431	6183	Cloth Plate...........................	6 00
46432	6487	" " Bracket...................	50
691F	6534	" " " Screw.............	04
691F	6534	" " Screw......................	04
46433	----	" " Slide (large)...............	1 75
46435	6487	Cloth Plate Slide (large) complete, Nos. 38416, 46433, 46434 and four 725H....	2 00
46434	6500	Cloth Plate Slide (large) Spring (left)	05
725H	6500	" " " " " " Screw............................	02

NO.	PLATE	NAME	EACH
38416	6500	Cloth Plate Slide (large) Spring (right)	$ 05
725H	6500	" " " " " " Screw	02
46436	——	Cloth Plate Slide (small)	30
46437	6487	Cloth Plate Slide (small) complete, Nos. 38419, 46436 and two 725H	40
38419	6500	Cloth Plate Slide (small) Spring	05
725H	6500	" " " " " Screw	02
46438	——	Cloth Plate complete, Nos. 46431, 46435 and 46437	8 40
46221	6490	Crank Connecting Rod with 46222, 46223 and two each 896E and 1057E	2 00
50069c	6535	Crank Connecting Rod Ball Screw Stud	20
1619E	6535	" " " " " " Nut	05
*46222	——	Crank Connecting Rod Cap (lower)	25
896E	6534	" " " " " Screw	04
*46223	——	" " " " (upper)	35
1057E	6534	" " " " " Screw	04
46225	6533	" " " Washer (fibre)	02
46179	6490	Face Plate	50
46111	6533	" " Pin	02
286D	6535	" " Thumb Screw	10
38425	6490	Feed (back) Bar with 231c and 460c	2 50
23716	6491	" " " Bushing	40
23726	6491	" " " Hinge Pin	50
231c	6534	" " " Set Screw	03
38426	6491	" " " Slide Block	50
38427	6490	" " Connecting Rod with 1057E, 23865 and two 896E	1 50
*23865	——	Feed (back) Connecting Rod Cap	30
896E	6534	" " " " " Screw	04
23866	6491	" " " " Hinge Pin (eccentric)	20
46439	6502	Feed (back) Connecting Rod Hinge Pin Bushing	50
178F	6502	Feed (back) Connecting Rod Hinge Pin Bushing Clamping Screw	03
1057E	6534	Feed (back) Connecting Rod Hinge Pin Clamping Screw	04
46440	6546	Feed (back) Dog	1 25
704c	6531	" " " Screw	04
460c	6534	" " " Stop Screw	02
38429	6491	" " Lifting Eccentric with two 465c	1 00
46113	6500	Feed (back) Lifting Eccentric Cover	10
335D	6500	" " " " " Screw	02

NO.	PLATE	NAME	EACH
465c	6491	Feed (back) Lifting Eccentric Set Screw	$ 02
46441	6501	" (front) Bar with 174D	1 00
50109F	6535	" " " Hinge Screw	15
46442	6501	" " Connecting Rod with two 174D	1 00
174D	6534	Feed (front) Connecting Rod Adjusting Screw	02
1131c	6535	Feed (front) Connecting Rod Hinge Screw	10
174D	6534	" " " " " " Clamping Screw	02
46443	6546	Feed (front) Dog	1 25
207D	6497	" " " Screw	02
46444	6501	" " Lifting Rock Shaft	60
*46445	——	" " " " " Bracket	75
129D	6534	" " " " " " Screw (back)	04
965D	6534	Feed (front) Lifting Rock Shaft Bracket Screw (front)	04
46446	6501	Feed (front) Lifting Rock Shaft Crank (back) forked, with 647D	1 50
647D	6534	Feed (front) Lifting Rock Shaft Crank (back) Clamping Screw	03
46447	6502	Feed (front) Lifting Rock Shaft Crank (back) Slide Block	1 00
46448	6501	Feed (front) Lifting Rock Shaft Crank (front) with two each 178D and 197D	1 00
197D	6532	Feed (front) Lifting Rock Shaft Crank (front) Adjusting Screw	02
178D	6502	Feed (front) Lifting Rock Shaft Crank (front) Clamping Screw	03
50110c	6502	Feed (front) Regulating Stud	15
1701c	6502	" " " " Nut	10
46449	6502	" " " " Sleeve	50
*46450	——	" Eccentric	2 50
50043c	6502	" " Adjusting Screw	04
24691	6502	" " " " Plate	35
641D	6502	" " " " " Screw	03
*46451	——	Feed Eccentric Body with two 443c	3 50
443c	6491	" " " Set Screw	03
196F	6491	" " Set Screw	02
46452	6502	Feed Eccentric and Feed (front) Lifting Eccentric (adjustable) complete, Nos. 196F, 641D, 24691, 46450, 46451 and 50043c	6 50
46453	6502	Feed Eccentric Collar with two 451c	25
454c	6502	" " " Set Screw	02

NO.	PLATE	NAME	EACH
46454	6501	Feed Rocking Frame with 178F	$2 50
38432	6492	“ “ “ Bracket with two 465C	50
123E	6494	Feed Rocking Frame Bracket Screw	06
38433	6492	“ “ “ Hinge Pin	50
465C	6491	“ “ “ “ “ Set Screw	02
46335	6493	Looper with 590D and 38393	2 25
46226	6490	“ Bell Crank with 1037C	50
38436	6490	“ “ “ Hinge Stud	1 00
443C	6491	“ “ “ “ “ Set Screw	03
46227	6492	Looper Bell Crank Pitman complete, Nos. 1706E, 1713E and 46233 to 46235	3 25
50070C	6535	Looper Bell Crank Pitman Ball Screw Stud (upper)	15
1636E	6535	Looper Bell Crank Pitman Ball Screw Stud (upper) Nut	03
46228	6493	Looper Bell Crank Pitman Ball Stud (lower)	30
1037C	6493	Looper Bell Crank Pitman Ball Stud (lower) Set Screw	04
*46229	——	Looper Bell Crank Pitman Cap (lower)	—
171E	6534	“ “ “ “ “ “ Screw	03
*46230	——	Looper Bell Crank Pitman Cap (upper)	—
171E	6534	“ “ “ “ “ “ Screw	03
*46231	——	Looper Bell Crank Pitman End Bearing (lower)	—
*46232	——	Looper Bell Crank Pitman End Bearing (upper)	—
46233	6492	Looper Bell Crank Pitman Head (lower) Nos. 46228, 46229, 46231 and two 171E	1 50
46234	6492	Looper Bell Crank Pitman Head (upper) Nos. 46230, 46232, 50070C and two 171E	1 50
46235	6492	Looper Bell Crank Pitman Rod	20
1706E	6535	“ “ “ “ “ Nut (lower)	03
1713E	6535	Looper Bell Crank Pitman Rod Nut (upper)	03
38439	6493	Looper Carrier with 1143C and two 1147C	1 50
38440	6493	“ “ Hinge Pin	20
1147C	6493	“ “ “ “ Set Screw	03
46236	6492	Looper Carrier Pitman complete, Nos. 1708E, 1709E and 46241 to 46243	3 25
50070C	6535	Looper Carrier Pitman Ball Screw Stud (right)	15

NO.	PLATE	NAME	EACH
1636E	6535	Looper Carrier Pitman Ball Screw Stud (right) Nut	$ 03
46237	6493	Looper Carrier Pitman Ball Stud (left)	25
1147C	6493	“ “ “ “ “ “ Set Screw	03
*46238	——	Looper Carrier Pitman Cap (left)	—
171E	6534	“ “ “ “ “ Screw	03
*46238	——	“ “ “ “ (right)	—
171E	6534	“ “ “ “ “ Screw	03
*46239	——	“ “ “ End Bearing (left)	—
*46240	——	Looper Carrier Pitman End Bearing (right)	—
46241	6492	Looper Carrier Pitman Head (left) Nos. 46237 to 46239 and two 171E	1 50
46242	6492	Looper Carrier Pitman Head (right) Nos. 46238, 46240, 50070C and two 171E	1 50
46243	6492	Looper Carrier Pitman Rod	20
1708E	6535	“ “ “ “ Nut (left)	03
1709E	6535	“ “ “ “ “ (right)	03
46244	6533	“ “ “ Washer (fibre)	02
46042	6493	“ “ Rock Shaft with two 175D	2 50
175D	6493	“ “ “ “ Adjusting Screw	02
38450	6493	Looper Carrier Rock Shaft Crank (forked) with 159E	2 00
159E	6493	Looper Carrier Rock Shaft Crank Clamping Screw	03
38451	6493	Looper Carrier Rock Shaft Crank Slide Block	50
46043	6493	Looper Carrier Rock Shaft Hinge Pin	75
1508E	6493	“ “ “ “ “ “ Nut	06
129E	6493	Looper Carrier Rock Shaft Hinge Pin Set Screw	04
38452	6493	Looper Eccentric with two 465C	1 00
465C	6493	“ “ Set Screw	02
46104	6499	“ Needle Guard with 46105	40
46105	6499	“ “ “ Pin	01
229D	6499	“ “ “ Screw	02
1143C	6493	“ Set Screw	03
38453	6494	“ Shaft	50
52553	6494	“ “ Bracket	50
123E	6494	“ “ “ Screw	06
391D	6494	“ “ Screw	02
38393	6493	“ Thread Guard	03
590D	6493	“ “ “ Screw	02

NO.	PLATE	NAME	EACH
38455	6492	Needle Bar (hollow) with 857H	$1 00
38456	6493	" " Bushing	50
1133E	6493	" " " Set Screw	02
38458	6494	" " Connecting Link	50
38459	6494	" " " " Hinge Stud	30
1520E	6494	" " " " " " Nut	03
38460	6494	Needle Bar Connecting Stud with two 391E	1 00
391E	6494	Needle Bar Connecting Stud Clamping Screw	02
46050	6494	Needle Guard	75
190D	6496	" " Screw	03
857H	6534	" Set Screw	02
17540	6492	Presser Bar	30
38464	6494	" " Bushing (lower)	80
1133E	6493	" " " " Set Screw	02
38456	6493	" " " (upper)	50
1133E	6493	" " " " Set Screw	02
17541	6494	" " Lifter	20
17542	6494	" " " Hinge Pin	05
38466	6494	" " Lifting Bracket with 453C and 892C	1 00
892C	6494	Presser Bar Lifting Bracket Adjusting Screw	05
453C	6494	Presser Bar Lifting Bracket Set Screw	02
38467	6492	" " Spring (flat)	50
38468	6494	" " " Stud	03
26276	6533	" Foot Hinge Pin	01
46455	——	" " Plate	3 00
46456	——	" " Shank	75
46457	6546	Presser Foot (hinged) complete, Nos. 26276, 46455 and 46456	3 75
176D	6494	Presser Foot Screw	03
574D	6536	Pressure Regulating Thumb Screw	15
1539D	6535	" " " " Lock Nut	05
46034	6496	Slack Thread Controller	05
46035	6496	" " " Clamp	10
190D	6496	" " " " Screw	03
38472	6496	" " Regulator	1 50
38473	6496	" " " Bracket with 172C and 1823	1 25
172C	6496	SlackThread Regulator Bracket Clamping Screw	04
38474	6496	Slack Thread Regulator Bushing	20
1823	6496	" " " Roller and Stud	18

NO.	PLATE	NAME	EACH
50062D	6496	Slack Thread Regulator Screw	$ 07
1620E	6496	" " " " Nut	03
2102	6496	Tension (under thread) Disc	05
1560C	6496	" " " Regulating Thumb Nut	04
916F	6496	Tension (under thread) Screw Stud	08
10148	6496	" " " Spring	03
17547	6496	" " " Thread Guide	25
2102	6496	" (upper thread) Disc	05
1560C	6496	" " " Regulating Thumb Nut	04
916F	6496	Tension (upper thread) Screw Stud	08
13710	6496	" " " Spring	03
17547	6496	" " " Thread Guide	25
38225	6497	Thread (under) Eyelet (back)	10
190D	6497	" " " " Screw	03
38284	6497	" " " " (front)	05
46049	6497	" " Nipper Cam with 465C	50
465C	6497	" " " " Set Screw	02
38210	6497	" " " Spring (lower)	15
38211	6497	" " " " (upper)	25
46247	6497	" " " " " Stop	10
176D	6497	" " " " Screw	03
38475	6497	" " Take-up with 465C	1 00
465C	6497	" " " Set Screw	02
38478	6497	" " " Staple with two each 590D and 38481	75
46040	6498	Thread (under) Take-up Staple Bracket with 910C	2 00
690D	6534	Thread (under) Take-up Staple Bracket Screw	05
46041	6497	Thread (under) Take-up Staple Spring	05
190D	6497	" " " " " Screw	03
910C	6497	Thread (under) Take-up Staple Stop Screw	03
38481	6497	Thread (under) Take-up Staple Thread Guard	10
590D	6497	Thread (under) Take-up Staple Thread Guard Screw	02
38482	6497	Thread (under) Take-up Stripper	60
207D	6497	" " " " Screw	02
38476	6497	" " " Thread Guard (left)	15
207D	6497	Thread (under) Take-up Thread Guard (left) Screw	02

NO.	PLATE	NAME	EACH
38477	6497	Thread (under) Take-up Thread Guard (right)	$ 20
207D	6497	Thread (under) Take-up Thread Guard (right) Screw	02
38483	6496	Thread (upper) Controller	40
206F	6496	“ “ “ Screw	02
38484	6496	“ “ Eyelet	25
190D	6496	“ “ “ Screw	03
38485	6496	“ “ Take-up with 457c	80
457c	6496	“ “ “ Set Screw	02
46458	6546	Throat Plate for 46440 and 46443	2 25
691F	6534	“ “ Screw	01

LIST OF PARTS COMPLETE FOR

MACHINE NO. 62-29

FOR CASKET LININGS. HAS POSITIVE RUFFLING MECHANISM FOR FULL OR SCANT RUFFLING, FITTED WITH A COMBINATION EDGE FOLDER AND EDGE GUIDE FOR FOLDING THE EDGE OF THE BACKING, GUIDING AND RUFFLING SILK FACING AND TUBE FOOT FOR LAYING THE BRAID OVER THE FOLDED AND RUFFLED EDGES IN ONE OPERATION

NO.	PLATE	NAME	EACH
*52799	——	Arm, upper and lower (solid) with 52814, 52815 and two each 129E and 190D	$22 00
52630	6533	Arm Oil Tube with 49092 for oiling 46221	20
49092	6533	“ “ “ Packing (felt)	01
46216	6490	“ Rock Shaft	1 00
46217	6491	“ “ “ Crank (back) with two 1497c	80
1497c	6491	Arm Rock Shaft Crank (back) Set Screw	05
38412	6491	“ “ “ “ (front) with 443c	1 25
23724	6491	“ “ “ “ “ Pin	01
443c	6491	“ “ “ “ “ Set Screw	03
46218	6482	“ Rotary Shaft	3 00
38329	6491	“ “ “ Collar with two 457c	25
457c	6491	“ “ “ “ Set Screw	02
23872	6490	“ “ “ Flanged Bushing	1 00
159F	6493	“ “ “ “ “ Screw	03
4784	6533	“ “ “ Oil Pad (felt)	01
144D	6534	“ “ “ Screw	08
17509	6490	“ Side Cover (lower)	15
286D	6535	“ “ “ “ Thumb Screw	10
52554	6490	“ “ “ (upper)	20
9533	6533	“ “ “ “ Pin	02
176D	6494	“ “ “ “ Screw	03
52800	6482	Balance Wheel and Ruffling Eccentric with two 430c	1 50
430c	6534	Balance Wheel and Ruffling Eccentric Set Screw	01
46078	6484	Cloth Plate	2 50
691F	6534	“ “ Screw (left)	04
1094F	6534	“ “ “ (right)	03
46461	——	“ “ Slide (left)	30

NO.	PLATE	NAME	EACH
46462	6486	Cloth Plate Slide (left) complete, Nos. 38419, 46461 and two 725H..........	$ 40
38419	6500	Cloth Plate Slide (left) Spring...........	05
725H	6500	“ “ “ “ “ Screw.....	02
38105H	6486	“ “ “ (right) with 1602H.....	30
1602H	6535	“ “ “ “ Bushing........	02
286D	6535	“ “ “ “ Thumb Screw...	10
46079	——	Cloth Plate complete, Nos. 286D, 1460H, 38105H, 46078, 46082 and 46462......	4 00
46221	6490	Crank Connecting Rod with 46222, 46223 and two each 896E and 1057E........	2 00
50069C	6535	Crank Connecting Rod Ball Screw Stud	20
1619E	6535	“ “ “ “ “ “ Nut..............................	05
*46222	——	Crank Connecting Rod Cap (lower).....	25
896E	6534	“ “ “ “ “ Screw.	04
*46223	——	“ “ “ “ (upper)......	35
1057E	6534	“ “ “ “ “ Screw	04
46225	6533	“ “ “ Washer (fibre)....	02
46179	6490	Face Plate..........................	50
46111	6533	“ “ Pin.........................	02
286D	6535	“ “ Thumb Screw...............	10
38425	6490	Feed Bar with 231C and 460C...........	2 50
23716	6491	“ “ Bushing.....................	40
23726	6491	“ “ Hinge Pin..................	50
231C	6534	“ “ Set Screw..................	03
38426	6491	“ “ Slide Block.................	50
38427	6490	“ Connecting Rod with 1057E, 23865 and two 896E......................	1 50
*23865	——	Feed Connecting Rod Cap.............	30
896E	6534	“ “ “ “ Screw........	04
23866	6491	“ “ “ Hinge Pin (eccentric).........................	20
1057E	6534	Feed Connecting Rod Hinge Pin Clamping Screw.........................	04
52801	6569	Feed Dog..........................	1 00
898D	6534	“ “ Screw......................	04
460C	6534	“ “ Stop Screw................	02
*38127	——	“ Eccentric........................	2 50
*23729	——	“ “ Body.................	2 50
443C	6491	“ “ “ Set Screw.........	03
21331	6491	“ “ Pressure Spring..........	03
21332	6491	“ “ “ “ Cap......	10
934D	6491	“ “ “ “ “ Screw	02
196F	6491	“ “ Set Screw..............	02

NO.	PLATE	NAME	EACH
38128	6491	Feed Eccentric (adjustable) complete, Nos. 196F, 934D, 1103C, 21331, 21332, 23729, 38127 and two 443C.................	$5 00
38429	6491	Feed Lifting Eccentric with two 465C....	1 00
46113	6500	“ “ “ Cover...........	10
335D	6500	“ “ “ “ Screw......	02
465C	6491	“ “ “ Set Screw........	02
1103C	6491	“ Regulating Screw................	15
38431	6492	“ Rocking Frame..................	1 25
38432	6492	“ “ “ Bracket with two 465C.............................	50
123E	6494	Feed Rocking Frame Bracket Screw.....	06
38433	6492	“ “ “ Hinge Pin.........	50
465C	6491	“ “ “ “ “ Set Screw............................	02
46082	6501	Folder Holder Seat Cover..............	50
1460H	6534	“ “ “ “ Screw........	07
46335	6493	Looper with 590D and 38393............	2 25
46226	6490	“ Bell Crank with 1037C..........	50
38436	6490	“ “ “ Hinge Stud..........	1 00
443C	6491	“ “ “ “ “ Set Screw.	03
46227	6492	Looper Bell Crank Pitman complete, Nos. 1706E, 1713E and 46233 to 46235.	3 25
50070C	6535	Looper Bell Crank Pitman Ball Screw Stud (upper).......................	15
1636E	6535	Looper Bell Crank Pitman Ball Screw Stud (upper) Nut..................	03
46228	6493	Looper Bell Crank Pitman Ball Stud (lower)............................	30
1037C	6493	Looper Bell Crank Pitman Ball Stud (lower) Set Screw..................	04
*46229	——	Looper Bell Crank Pitman Cap (iower)	—
171E	6534	“ “ “ “ “ “ Screw............................	03
*46230	——	Looper Bell Crank Pitman Cap (upper)	—
171E	6534	“ “ “ “ “ “ Screw............................	03
*46231	——	Looper Bell Crank Pitman End Bearing (lower)...........................	—
*46232	——	Looper Bell Crank Pitman End Bearing (upper)...........................	—
46233	6492	Looper Bell Crank Pitman Head (lower) Nos. 46228, 46229, 46231 and two 171E	1 50
46234	6492	Looper Bell Crank Pitman Head (upper) Nos. 46230, 46232, 50070C and two 171E	1 50
46235	6492	Looper Bell Crank Pitman Rod.........	20

NO.	PLATE	NAME	EACH
1706E	6535	Looper Bell Crank Pitman Rod Nut (lower)	$ 03
1713E	6535	Looper Bell Crank Pitman Rod Nut (upper)	03
38439	6493	Looper Carrier with 1143c and two 1147c	1 50
38440	6493	" " Hinge Pin	20
1147c	6493	" " " " Set Screw	03
46236	6492	Looper Carrier Pitman complete, Nos. 1708E, 1709E and 46241 to 46243	3 25
50070c	6535	Looper Carrier Pitman Ball Screw Stud (right)	15
1636E	6535	Looper Carrier Pitman Ball Screw Stud (right) Nut	03
46237	6493	Looper Carrier Pitman Ball Stud (left)	25
1147c	6493	" " " " " " Set Screw	03
*46238	——	Looper Carrier Pitman Cap (left)	—
171E	6534	" " " " " Screw	03
*46238	——	" " " " (right)	—
171E	6534	" " " " " Screw	03
*46239	——	Looper Carrier Pitman End Bearing (left)	—
*46240	——	Looper Carrier Pitman End Bearing (right)	—
46241	6492	Looper Carrier Pitman Head (left) Nos. 46237 to 46239 and two 171E	1 50
46242	6492	Looper Carrier Pitman Head (right) Nos. 46238, 46240, 50070c and two 171E	1 50
46243	6492	Looper Carrier Pitman Rod	20
1708E	6535	" " " " Nut (left)	03
1709E	6535	" " " " " (right)	03
46244	6533	" " " Washer (fibre)	02
46042	6493	" " Rock Shaft with two 175D	2 50
175D	6493	" " " " Adjusting Screw	02
38450	6493	Looper Carrier Rock Shaft Crank (forked) with 159E	2 00
159E	6493	Looper Carrier Rock Shaft Crank Clamping Screw	03
38451	6493	Looper Carrier Rock Shaft Crank Slide Block	50
46043	6493	Looper Carrier Rock Shaft Hinge Pin	75
1508E	6493	" " " " " " Nut	06
129E	6493	Looper Carrier Rock Shaft Hinge Pin Set Screw	04
38452	6493	Looper Eccentric with two 465c	1 00

NO.	PLATE	NAME	EACH
465c	6493	Looper Eccentric Set Screw	$ 02
1143c	6493	" Set Screw	03
38453	6494	" Shaft	50
52553	6494	" " Bracket	50
123E	6494	" " " Screw	06
391D	6494	" " Screw	02
38393	6493	" Thread Guard	03
590D	6493	" " " Screw	02
38455	6492	Needle Bar (hollow) with 857H	1 00
38456	6493	" " Bushing	50
1133E	6493	" " " Set Screw	02
38458	6494	" " Connecting Link	50
38459	6494	" " " " Hinge Stud	30
1520E	6494	" " " " " " Nut	03
38460	6494	Needle Bar Connecting Stud with two 391E	1 00
391E	6494	Needle Bar Connecting Stud Clamping Screw	02
46050	6494	Needle Guard	75
190D	6496	" " Screw	03
857H	6534	" Set Screw	02
17540	6492	Presser Bar	30
38464	6494	" " Bushing (lower)	80
1133E	6493	" " " " Set Screw	02
38456	6493	" " " (upper)	50
1133E	6493	" " " " Set Screw	02
17541	6494	" " Lifter	20
17542	6494	" " " Hinge Pin	05
38466	6494	" " Lifting Bracket with 453c and 892c	1 00
892c	6494	Presser Bar Lifting Bracket Adjusting Screw	05
453c	6494	Presser Bar Lifting Bracket Set Screw	02
38467	6492	" " Spring (flat)	50
38468	6494	" " " Stud	03
52802	6569	" Foot	4 00
52803	6569	" " Guide	35
725J	6569	" " " Screw	02
52804	6569	Presser Foot complete, Nos. 197D, 52802, 52810 and two each 725J and 52803	5 00
190D	6496	Presser Foot Screw	03
574D	6536	Pressure Regulating Thumb Screw	15
1539D	6535	" " " " Lock Nut	05
52805	6582	Ruffling Arm (lower)	1 00
38179	6582	" " (upper) with two 190D	1 25

NO.	PLATE	NAME	EACH
175D	6582	Ruffling Arm Adjusting Screw..........	$ 02
2291	6582	“ “ “ “ Washer...	01
190D	6582	“ “ Clamping Screw...........	03
52806	6582	“ “ (adjustable) Nos. 2291, 38179, 52805 and two 175D................	2 30
52807	——	Ruffling Arm (adjustable) complete, Nos. 226D, 1550H, 24203, 24206, 24581, 52806, 52808, 52809 and two 665D...........	3 85
52808	6582	Ruffling Blade........................	40
24203	6582	“ “ Holder..................	75
226D	6582	“ “ “ Cap Screw........	02
24206	6582	“ “ “ Hinge Stud.......	10
1550H	6582	“ “ “ “ “ Nut...	03
24581	6582	“ “ “ Spring...........	05
52809	6582	“ “ “ “ Stop.......	15
665D	6582	“ “ Screw..................	02
52810	6569	“ “ Tripping Arm for 52804...	1 00
197D	6569	“ “ “ “ Screw......	02
52811	6582	“ Regulator with 662D...........	1 50
52812	6583	“ “ Connecting Rod with 38184 and two 896E................	1 00
*38184	——	Ruffling Regulator Connecting Rod Cap	---
896E	6534	“ “ “ “ “ Screw............................	04
2049	6521	Ruffling Regulator Pin................	04
1038C	6582	“ Regulating Screw Stud.........	10
7070	6582	“ “ “ “ Bushing..	10
662D	6582	“ “ “ “ Stop Screw............................	02
1730J	6582	Ruffling Regulating Screw Stud Thumb Nut..............................	10
52813	6583	Ruffling Shaft........................	25
52814	6583	“ “ Bracket (left)...........	40
190D	6496	“ “ “ “ Screw.....	03
52815	6583	“ “ “ (right)..........	75
129E	6534	“ “ “ “ Screw....	04
21506	6582	“ “ Collar with 457C.........	10
457C	6582	“ “ “ Set Screw........	02
46034	6496	Slack Thread Controller................	05
46035	6496	“ “ “ Clamp.........	10
190D	6496	“ “ “ “ Screw....	03
38472	6496	“ “ Regulator................	1 50
38473	6496	“ “ “ Bracket with 172C and 1823.....................	1 25
172C	6496	Slack Thread Regulator Bracket Clamping Screw............................	04
38474	6496	Slack Thread Regulator Bushing........	20

NO.	PLATE	NAME	EACH
1823	6496	Slack Thread Regulator Roller and Stud.	$ 18
50062D	6496	“ “ “ Screw..........	07
1620E	6496	“ “ “ “ Nut......	03
2102	6496	Tension (under thread) Disc............	05
1560C	6496	“ “ “ Regulating Thumb Nut.......................	04
916F	6496	Tension (under thread) Screw Stud......	08
10148	6496	“ “ “ Spring..........	03
17547	6496	“ “ “ Thread Guide....	25
2102	6496	“ (upper thread) Disc............	05
1560C	6496	“ “ “ Regulating Thumb Nut.......................	04
916F	6496	Tension (upper thread) Screw Stud......	08
2103	6496	“ “ “ Spring..........	03
17517	6496	“ “ “ Thread Guide....	25
38225	6497	Thread (under) Eyelet (back)..........	10
190D	6497	“ “ “ “ Screw.....	03
38284	6497	“ “ “ (front)..........	05
46019	6497	“ “ Nipper Cam with 465C...	50
465C	6497	“ “ “ “ Set Screw...	02
38210	6497	“ “ “ Spring (lower)....	15
38211	6497	“ “ “ “ (upper)...	25
46247	6497	“ “ “ “ “ Stop	10
176D	6497	“ “ “ “ Screw....	03
38475	6497	“ “ Take-up with 465C......	1 00
465C	6497	“ “ “ Set Screw......	02
38478	6497	“ “ “ Staple with two each 590D and 38481................	75
46040	6498	Thread (under) Take-up Staple Bracket with 910C..........................	2 00
690D	6534	Thread (under) Take-up Staple Bracket Screw............................	05
46041	6497	Thread (under) Take-up Staple Spring	05
190D	6497	“ “ “ “ “ Screw............................	03
910C	6497	Thread (under) Take-up Staple Stop Screw............................	03
38481	6497	Thread (under) Take-up Staple Thread Guard............................	10
590D	6497	Thread (under) Take-up Staple Thread Guard Screw......................	02
38482	6497	Thread (under) Take-up Stripper.......	60
207D	6497	“ “ “ “ Screw..	02
38476	6497	“ “ “ Thread Guard (left)............................	15
207D	6497	Thread (under) Take-up Thread Guard (left) Screw.......................	02

NO.	PLATE	NAME	EACH
38477	6497	Thread (under) Take-up Thread Guard (right)	$ 20
207D	6497	Thread (under) Take-up Thread Guard (right) Screw	02
38483	6496	Thread (upper) Controller	40
206F	6496	" " " Screw	02
38484	6496	" " Eyelet	25
190D	6496	" " " Screw	03
38485	6496	" " Take-up with 457c	80
457C	6496	" " " Set Screw	02
52816	6569	Throat Plate for 52801	1 25
691F	6534	" " Screw	04

LIST OF PARTS COMPLETE FOR MACHINE NO. 62-30

FOR KNIT GOODS AND OTHER FABRICS. ONE NEEDLE, ONE LOOPER, HAS VERTICAL TRIMMER THAT TRIMS BY COMPRESSION, AND IS ADJUSTABLE TO TRIM $\frac{1}{16}$ IN. TO $\frac{3}{16}$ IN. FROM NEEDLE

NO.	PLATE	NAME	EACH
*52735	——	Arm, upper and lower (solid)	$22 00
52630	6533	" Oil Tube with 49092, for oiling 46221	20
49092	6533	Arm Oil Tube Packing (felt)	01
46216	6490	" Rock Shaft	1 00
46217	6491	" " " Crank (back) with two 1497c	80
1497c	6491	Arm Rock Shaft Crank (back) Set Screw	05
38112	6491	" " " " (front) with 443c	1 25
23724	6491	" " " " " Pin	01
443c	6491	" " " " " Set Screw	03
46218	6482	" Rotary Shaft	3 00
38329	6491	" " " Collar with two 457c	25
457c	6491	" " " " Set Screw	02
23872	6490	" " " Flanged Bushing	1 00
159F	6493	" " " " " Screw	03
4784	6533	" " " Oil Pad (felt)	01
141D	6534	" " " Screw	08
17509	6490	" Side Cover (lower)	15
286D	6535	" " " " Thumb Screw	10
52554	6490	" " " (upper)	20
9533	6533	" " " " Pin	02
176D	6494	" " " " Screw	03
23873	6482	Balance Wheel with two 430c	80
430c	6534	" " Set Screw	04
46321	6483	Cloth Plate	2 50
691F	6534	" " Screw (left)	04
1094F	6534	" " " (right)	03
46322H	——	" " Slide (left)	40
46323H	6488	Cloth Plate Slide (left) complete, Nos. 38419, 46322H and two 725H	50
38419	6500	Cloth Plate Slide (left) Spring	05
725H	6500	" " " " " Screw	02
52631H	6487	" " " (right) with 1602H	40
1602H	6535	" " " " Bushing	02
286D	6535	" " " " Thumb Screw	10

NO.	PLATE	NAME	EACH
46324	——	Cloth Plate complete, Nos. 286D, 46321, 46323H and 52631H	$3 50
46221	6490	Crank Connecting Rod with 46222, 46223 and two each 896E and 1057E	2 00
50069C	6535	Crank Connecting Rod Ball Screw Stud	20
1619E	6535	" " " " " " Nut	05
*46222	——	Crank Connecting Rod Cap (lower)	25
896E	6534	" " " " " Screw.	04
*46223	——	" " " " (upper)	35
1057E	6534	" " " " " Screw	04
46225	6533	" " " Washer (fibre)	02
52780	6503	Cutting Lever	40
52633	6503	" " Adjusting Slide	2 00
190D	6503	" " " " Screw	03
1389F	6503	" " " Screw	03
46327	6503	" " Cap	40
207F	6503	" " " Screw	02
52634	6503	" " Connection	1 25
1247C	6503	" " " Hinge Screw	05
1247C	6503	" " Hinge Screw	05
52781	6503	" Plate	40
1246C	6503	" " Adjusting Screw	12
1643D	6503	" " " " Thumb Nut	06
38152	6503	Cutting Plate Adjusting Slide	2 00
207F	6503	" " " " Screw	02
52635	6503	" " Bracket	6 25
2269	6503	" " " Dowel Pin	01
46330	6503	" " " Holder	60
134D	6503	" " " " Screw	05
176D	6503	" " " Screw (lower)	03
171D	6503	" " " " (upper)	03
38155	6503	" " Friction Plate	25
1247C	6503	" " " " Screw	05
87F	6503	" " Hinge Screw	05
52636	——	Cutting Plate Bracket complete, Nos. 87F, 1246C, 1389F, 1643D, 38152, 38155, 46327, 52633, 52635, 52780, 52781, two each 190D, 1247C and four 207F	12 20
46110	6498	Face Plate	50
46111	6533	" " Pin	02
286D	6535	" " Thumb Screw	10
46332	6498	Feed Bar with 231C	2 50
46333	6502	" " Bushing	40
23726	6491	" " Hinge Pin	50
231C	6534	" " Set Screw	03

NO.	PLATE	NAME	EACH
38426	6491	Feed Bar Slide Block	$ 50
38427	6490	" Connecting Rod with 1057E, 23865 and two 896E	1 50
*23865	——	Feed Connecting Rod Cap	30
896E	6534	" " " " Screw	04
23866	6491	" " " Hinge Pin (eccentric)	20
1057E	6534	Feed Connecting Rod Hinge Pin Clamping Screw	04
52656	6547	Feed Dog	2 50
191C	6534	" " Screw	03
*38127	——	" Eccentric	2 50
*23729	——	" " Body	2 50
443C	6491	" " " Set Screw	03
21331	6491	" " Pressure Spring	03
21332	6491	" " " " Cap	10
934D	6491	" " " " " Screw	02
196F	6491	" " Set Screw	02
38128	6491	Feed Eccentric (adjustable) complete, Nos. 196F, 934D, 1103C, 21331, 21332, 23729, 38127 and two 443C	5 00
38429	6491	Feed Lifting Eccentric with two 465C	1 00
465C	6491	" " " Set Screw	02
1103C	6491	" Regulating Screw	15
38431	6492	" Rocking Frame	1 25
38432	6492	" " " Bracket with two 465C	50
123E	6494	Feed Rocking Frame Bracket Screw	06
38433	6492	" " " Hinge Pin	50
465C	6491	" " " " " Set Screw	02
46335	6493	Looper with 590D and 38393	2 25
46226	6490	" Bell Crank with 1037C	50
38436	6490	" " " Hinge Stud	1 00
443C	6491	" " " " " Set Screw.	03
46227	6492	Looper Bell Crank Pitman complete, Nos. 1706E, 1713E and 46233 to 46235	3 25
50070C	6535	Looper Bell Crank Pitman Ball Screw Stud (upper)	15
1636E	6535	Looper Bell Crank Pitman Ball Screw Stud (upper) Nut	03
46228	6493	Looper Bell Crank Pitman Ball Stud (lower)	30
1037C	6493	Looper Bell Crank Pitman Ball Stud (lower) Set Screw	04
*46229	——	Looper Bell Crank Pitman Cap (lower)	—

NO.	PLATE	NAME	EACH
171E	6534	Looper Bell Crank Pitman Cap (lower) Screw.	$ 03
*46230	——	Looper Bell Crank Pitman Cap (upper)	—
171E	6534	" " " " " " Screw	03
*46231	——	Looper Bell Crank Pitman End Bearing (lower)	—
*46232	——	Looper Bell Crank Pitman End Bearing (upper)	—
46233	6492	Looper Bell Crank Pitman Head (lower) Nos. 46228, 46229, 46231 and two 171E	1 50
46234	6492	Looper Bell Crank Pitman Head (upper) Nos. 46230, 46232, 50070C and two 171E	1 50
46235	6492	Looper Bell Crank Pitman Rod	20
1706E	6535	" " " " " Nut (lower)	03
1713E	6535	Looper Bell Crank Pitman Rod Nut (upper)	03
38439	6493	Looper Carrier with 1143C and two 1147C	1 50
38440	6493	" " Hinge Pin	20
1147C	6493	" " " " Set Screw	03
46236	6492	Looper Carrier Pitman complete, Nos. 1708E, 1709E and 46241 to 46243	3 25
50070C	6535	Looper Carrier Pitman Ball Screw Stud (right)	15
1636E	6535	Looper Carrier Pitman Ball Screw Stud (right) Nut	03
46237	6493	Looper Carrier Pitman Ball Stud (left)	25
1147C	6493	" " " " " " Set Screw	03
*46238	——	Looper Carrier Pitman Cap (left)	—
171E	6534	" " " " " Screw	03
*46238	——	" " " " (right)	—
171E	6534	" " " " " Screw.	03
*46239	——	" " " End Bearing (left)	—
*46240	——	" " " " " (right)	—
46241	6492	" " " Head (left) Nos. 46237 to 46239 and two 171E	1 50
46242	6492	Looper Carrier Pitman Head (right) Nos. 46238, 46240, 50070C and two 171E	1 50
46243	6492	Looper Carrier Pitman Rod	20
1708E	6535	" " " " Nut (left)	03
1709E	6535	" " " " " (right)	03
46244	6533	" " " Washer (fibre)	02
46042	6493	" " Rock Shaft with two 175D	2 50
175D	6493	" " " " Adjusting Screw	02

NO.	PLATE	NAME	EACH
38450	6493	Looper Carrier Rock Shaft Crank (forked) with 159E	$2 00
159E	6493	Looper Carrier Rock Shaft Crank Clamping Screw	03
38451	6493	Looper Carrier Rock Shaft Crank Slide Block	50
46043	6493	Looper Carrier Rock Shaft Hinge Pin	75
1508E	6493	" " " " " " Nut	06
129E	6493	Looper Carrier Rock Shaft Hinge Pin Set Screw	04
38452	6493	Looper Eccentric with two 465C	1 00
46836H	6500	" " Cover	05
335D	6500	" " " Screw	02
465C	6493	" " Set Screw	02
52661	6500	" Needle Guard with 46105	40
46105	6499	" " " Pin	01
229D	6499	" " " Screw	02
1143C	6493	" Set Screw	03
38453	6494	" Shaft	50
52553	6494	" " Bracket	50
123E	6494	" " " Screw	06
391D	6494	" " Screw	02
38393	6493	" Thread Guard	03
590D	6493	" " " Screw	02
38008	6492	Needle Bar (hollow) with 857H	75
38456	6493	" " Bushing	50
1133E	6493	" " " Set Screw	02
38458	6494	" " Connecting Link	50
38459	6494	" " " " Hinge Stud	30
1520E	6494	" " " " " " Nut	03
38460	6494	Needle Bar Connecting Stud with two 391E	1 00
391E	6494	Needle Bar Connecting Stud Clamping Screw	02
46337	6502	Needle Guard	75
176D	6494	" " Screw	03
857H	6534	" Set Screw	02
46092	6492	Presser Bar	30
46338	6502	" " Bushing (lower)	60
1133E	6493	" " " " Set Screw	02
38456	6493	" " " (upper)	50
1133E	6493	" " " " Set Screw	02
17541	6494	" " Lifter	20
17542	6494	" " " Hinge Pin	05

NO.	PLATE	NAME	EACH
38466	6494	Presser Bar Lifting Bracket with 453c and 892c	$1 00
892c	6494	Presser Bar Lifting Bracket Adjusting Screw	05
453c	6494	Presser Bar Lifting Bracket Set Screw	02
38467	6492	" " Spring (flat)	50
38468	6494	" " " Stud	03
15261	6502	" " Stop Collar with 237F	15
237F	6502	" " " " Set Screw	02
11833	6533	" Foot Hinge Pin	01
38043	——	" " Plate	1 00
23907	——	" " Shank	75
38044	6547	Presser Foot (hinged) complete, Nos. 11833, 23907 and 38043	1 75
190D	6496	Presser Foot Screw	03
574D	6536	Pressure Regulating Thumb Screw	15
1539D	6535	" " " " Lock Nut	05
46169	6500	Slack Thread Controller	05
193F	6500	" " " Set Screw	03
2102	6496	Tension (under thread) Disc	05
1560c	6496	" " " Regulating Thumb Nut	04
916F	6496	Tension (under thread) Screw Stud	08
10148	6496	" " " Spring	03
17547	6496	" " " Thread Guide	25
2102	6496	" (upper thread) Disc	05
1560c	6496	" " " Regulating Thumb Nut	04
916F	6496	Tension (upper thread) Screw Stud	08
2103	6496	" " " Spring	03
17547	6496	" " " Thread Guide	25
38225	6497	Thread (under) Eyelet (back)	10
190D	6497	" " " " Screw	03
38284	6497	" " " (front)	05
46049	6497	" " Nipper Cam with 465c	50
465c	6497	" " " " Set Screw	02
38210	6497	" " " Spring (lower)	15
38211	6497	" " " " (upper)	25
46247	6497	" " " " " Stop	10
176D	6497	" " " " Screw	03
38475	6497	" " Take-up with 465c	1 00
465c	6497	" " " Set Screw	02
38478	6497	" " " Staple with two each 590D and 38481	75
46040	6498	Thread (under) Take-up Staple Bracket with 910c	2 00

NO.	PLATE	NAME	EACH
690D	6534	Thread (under) Take-up Staple Bracket Screw	$ 05
46041	6497	Thread (under) Take-up Staple Spring	05
190D	6497	" " " " " Screw	03
910c	6497	Thread (under) Take-up Staple Stop Screw	03
38481	6497	Thread (under) Take-up Staple Thread Guard	10
590D	6497	Thread (under) Take-up Staple Thread Guard Screw	02
38482	6497	Thread (under) Take-up Stripper	60
207D	6497	" " " " Screw	02
38476	6497	" " " Thread Guard (left)	15
207D	6497	Thread (under) Take-up Thread Guard (left) Screw	02
38477	6497	Thread (under) Take-up Thread Guard (right)	20
207D	6497	Thread (under) Take-up Thread Guard (right) Screw	02
38483	6496	Thread (upper) Controller	40
206F	6496	" " " Screw	02
46311	6500	" " Eyelet	25
190D	6500	" " " Screw	03
46312	6500	" " Take-up with 223D	80
223D	6500	" " " Clamping Screw	02
52662	6547	Throat Plate for 52656	1 50
691F	6534	" " Screw	04

LIST OF PARTS COMPLETE
FOR
MACHINE NO. 62-31

FOR KNIT GOODS AND OTHER FABRICS. ONE NEEDLE, ONE LOOPER, VERTICAL SHEAR TRIMMER ADJUSTABLE TO TRIM $\frac{1}{16}$ IN. TO $\frac{3}{16}$ IN. FROM NEEDLE

NO.	PLATE	NAME	EACH
*52735	——	Arm, upper and lower (solid)	$22 00
52630	6533	" Oil Tube with 49092, for oiling 46221	20
49092	6533	Arm Oil Tube Packing (felt)	01
46216	6490	" Rock Shaft	1 00
46217	6491	" " " Crank (back) with two 1497C	80
1497C	6491	Arm Rock Shaft Crank (back) Set Screw.	05
38412	6491	" " " " (front) with 443C.	1 25
23724	6491	" " " " " Pin	01
443C	6491	" " " " " Set Screw.	03
46343	6482	" Rotary Shaft	3 00
38329	6491	" " " Collar with two 457C.	25
457C	6491	" " " " Set Screw	02
23872	6490	" " " Flanged Bushing	1 00
159F	6493	" " " " " Screw	03
4784	6533	" " " Oil Pad (felt)	01
144D	6534	" " " Screw	08
17509	6490	" Side Cover (lower)	15
286D	6535	" " " " Thumb Screw	10
52554	6490	" " " (upper)	20
9533	6533	" " " " Pin	02
176D	6494	" " " " Screw	03
23873	6482	Balance Wheel with two 430C	80
430C	6534	" " Set Screw	04
46321	6483	Cloth Plate	2 50
691F	6534	" " Screw (left)	04
1094F	6534	" " " (right)	03
46322H	——	" " Slide (left)	40
46323H	6488	Cloth Plate Slide (left) complete, Nos. 38419, 46322H and two 725H	50
38419	6500	Cloth Plate Slide (left) Spring	05
725H	6500	" " " " " Screw	02
52631H	6487	" " " (right) with 1602H	40
1602H	6535	" " " " Bushing	02
286D	6535	" " " " Thumb Screw	10

NO.	PLATE	NAME	EACH
46324	——	Cloth Plate complete, Nos. 286D, 46321, 46323H and 52631H	$3 50
46221	6490	Crank Connecting Rod with 46222, 46223 and two each 896E and 1057E	2 00
50069C	6535	Crank Connecting Rod Ball Screw Stud	20
1619E	6535	" " " " " " Nut	05
*46222	——	Crank Connecting Rod Cap (lower)	25
896E	6534	" " " " " Screw.	04
*46223	——	" " " " (upper)	35
1057E	6534	" " " " " Screw	04
46225	6533	" " " Washer (fibre)	02
46110	6498	Face Plate	50
46111	6533	" " Pin	02
286D	6535	" " Thumb Screw	10
46332	6498	Feed Bar with 231C	2 50
23716	6491	" " Bushing	40
23726	6491	" " Hinge Pin	50
231C	6534	" " Set Screw	03
38426	6491	" " Slide Block	50
38427	6490	" Connecting Rod with 1057E, 23865 and two 896E	1 50
*23865	——	Feed Connecting Rod Cap	30
896E	6534	" " " " Screw	04
23866	6491	" " " Hinge Pin (eccentric)	20
1057E	6534	Feed Connecting Rod Hinge Pin Clamping Screw	04
52658	6547	Feed Dog	2 50
898D	6534	" " Screw	04
*38127	——	" Eccentric	2 50
*23729	——	" " Body	2 50
443C	6491	" " " Set Screw	03
21331	6491	" " Pressure Spring	03
21332	6491	" " " " Cap	10
934D	6491	" " " " " Screw	02
196F	6491	" " Set Screw	02
38128	6491	Feed Eccentric (adjustable) complete, Nos. 196F, 934D, 1103C, 21331, 21332, 23729, 38127 and two 443C	5 00
1103C	6491	Feed Regulating Screw	15
38431	6492	" Rocking Frame	1 25
38432	6492	" " " Bracket with two 465C	50
123E	6494	Feed Rocking Frame Bracket Screw	06
38433	6492	" " " Hinge Pin	50
465C	6491	" " " " " Set Screw	02

NO.	PLATE	NAME	EACH
52744	6504	Knife (movable) with 52745 and two 1053D	$ 60
52745	6504	Knife (movable) Chip Ejector	50
1053D	6504	“ “ “ “ Screw	02
52741	6504	“ “ Connection with 904C	2 50
46347	6504	“ “ “ Crank	50
46348	6504	“ “ “ “ Bracket with 453C	60
134D	6503	Knife (movable) Connection Crank Bracket Screw	05
11204	6504	Knife (movable) Connection Crank Hinge Stud	15
453C	6504	Knife (movable) Connection Crank Hinge Stud Set Screw	02
46349	6504	Knife (movable) Connection Extension	1 00
203D	6504	“ “ “ “ Screw	03
40247	6504	Knife (movable) Connection Hinge Pin	05
904C	6504	“ “ “ “ “ Set Screw	02
52742	6504	Knife (movable) Eccentric with two 457C	1 00
457C	6504	Knife (movable) Eccentric Set Screw	02
1042C	6504	“ “ Hinge Screw	06
1554E	6504	“ “ “ “ Nut	04
46351	6504	“ (stationary)	40
46352	6504	“ “ Adjusting Lever	50
191C	6504	“ “ “ “ Screw	03
1250F	6504	“ “ “ “ “ Stud	03
52659	6504	Knife (stationary) Stop	1 00
203D	6504	“ “ “ Adjusting Screw (lower)	03
203D	6504	Knife (stationary) Stop Adjusting Screw (upper)	03
52660	6504	Knife Bracket	5 00
46355	6504	“ “ Holder with two 178F	1 25
178F	6504	“ “ “ Clamping Screw	03
898D	6534	“ “ Screw	04
46356	——	Knife Bracket complete, Nos. 191C, 1042C, 1250F, 1554E, 46351, 46352, 52659, 52660, 52744 and two 203D	7 75
46335	6493	Looper with 590D and 38393	2 25
46226	6490	“ Bell Crank with 1037C	50
38436	6490	“ “ “ Hinge Stud	1 00
443C	6491	“ “ “ “ “ Set Screw	03

NO.	PLATE	NAME	EACH
46227	6492	Looper Bell Crank Pitman complete, Nos. 1706E, 1713E and 46233 to 46235	$3 25
50070C	6535	Looper Bell Crank Pitman Ball Screw Stud (upper)	15
1636E	6535	Looper Bell Crank Pitman Ball Screw Stud (upper) Nut	03
46228	6493	Looper Bell Crank Pitman Ball Stud (lower)	30
1037C	6493	Looper Bell Crank Pitman Ball Stud (lower) Set screw	04
*46229	——	Looper Bell Crank Pitman Cap (lower)	—
171E	6534	“ “ “ “ “ “ Screw	03
*46230	——	Looper Bell Crank Pitman Cap (upper)	—
171E	6534	“ “ “ “ “ “ Screw	03
*46231	——	Looper Bell Crank Pitman End Bearing (lower)	—
*46232	——	Looper Bell Crank Pitman End Bearing (upper)	
46233	6492	Looper Bell Crank Pitman Head (lower) Nos. 46228, 46229, 46231 and two 171E	1 50
46234	6492	Looper Bell Crank Pitman Head (upper) Nos. 46230, 46232, 50070C and two 171E	1 50
46235	6492	Looper Bell Crank Pitman Rod	20
1706E	6535	“ “ “ “ “ Nut (lower)	03
1713E	6535	Looper Bell Crank Pitman Rod Nut (upper)	03
38439	6493	Looper Carrier with 1143C and two 1147C	1 50
38440	6493	“ “ Hinge Pin	20
1147C	6493	“ “ “ “ Set Screw	03
46236	6492	Looper Carrier Pitman complete, Nos. 1708E, 1709E and 46241 to 46243	3 25
50070C	6535	Looper Carrier Pitman Ball Screw Stud (right)	15
1636E	6535	Looper Carrier Pitman Ball Screw Stud (right) Nut	03
46237	6493	Looper Carrier Pitman Ball Stud (left)	25
1147C	6493	“ “ “ “ “ “ Set Screw	03
*46238	——	Looper Carrier Pitman Cap (left)	—
171E	6534	“ “ “ “ “ Screw	03
*46238	——	“ “ “ “ (right)	—
171E	6534	“ “ “ “ “ Screw	03
*46239	——	“ “ “ End Bearing (left)	—
*46240	——	“ “ “ “ “ (right)	—

NO.	PLATE	NAME	EACH
46241	6492	Looper Carrier Pitman Head (left) Nos. 46237 to 46239 and two 171E.	$1 50
46242	6492	Looper Carrier Pitman Head (right) Nos. 46238, 46240, 50070C and two 171E. . . .	1 50
46243	6492	Looper Carrier Pitman Rod.	20
1708E	6535	" " " " Nut (left). . .	03
1709E	6535	" " " " " (right). .	03
46244	6533	" " " Washer (fibre). . .	02
46042	6493	" " Rock Shaft with two 175D	2 50
175D	6493	" " " " Adjusting Screw.	02
38450	6493	Looper Carrier Rock Shaft Crank (forked) with 159E.	2 00
159E	6493	Looper Carrier Rock Shaft Crank Clamping Screw.	03
38451	6493	Looper Carrier Rock Shaft Crank Slide Block.	50
46043	6493	Looper Carrier Rock Shaft Hinge Pin	75
1508E	6493	" " " " " " Nut.	06
129E	6493	Looper Carrier Rock Shaft Hinge Pin Set Screw.	04
38452	6493	Looper Eccentric with two 465C.	1 00
46336H	6500	" " Cover.	05
335D	6500	" " " Screw.	02
465C	6493	" " Set Screw.	02
52661	6500	" Needle Guard with 46105.	40
46105	6499	" " " Pin.	01
229D	6499	" " " Screw.	02
1143C	6493	" Set Screw.	03
46358	6502	" Shaft and Feed Lifting Eccentric	2 50
52553	6494	" " " " " " Bracket.	50
123E	6494	Looper Shaft and Feed Lifting Eccentric Bracket Screw.	06
391D	6494	Looper Shaft and Feed Lifting Eccentric Screw.	02
38393	6493	Looper Thread Guard.	03
590D	6493	" " " Screw.	02
38455	6492	Needle Bar (hollow) with 857H.	1 00
38456	6493	" " Bushing.	50
1133E	6493	" " " Set Screw.	02
38458	6494	" " Connecting Link.	50
38459	6494	" " " " Hinge Stud	30
1520E	6494	" " " " " " Nut.	03

NO.	PLATE	NAME	EACH
38460	6494	Needle Bar Connecting Stud with two 391E.	$1 00
391E	6494	Needle Bar Connecting Stud Clamping Screw.	02
52673	6505	Needle Guard.	75
176D	6494	" " Screw.	03
857H	6534	" Set Screw.	02
17540	6492	Presser Bar.	30
46359	6505	" " Bushing (lower).	80
1133E	6493	" " " " Set Screw. . .	02
38456	6493	" " " (upper).	50
1133E	6493	" " " " Set Screw. . .	02
17541	6494	" " Lifter.	20
17542	6494	" " " Hinge Pin.	05
38466	6494	" " Lifting Bracket with 453C and 892C.	1 00
892C	6494	Presser Bar Lifting Bracket Adjusting Screw.	05
453C	6494	Presser Bar Lifting Bracket Set Screw. . .	02
38467	6492	" " Spring (flat).	50
38468	6494	" " " Stud.	03
15261	6502	" " Stop Collar with 237F.	15
237F	6502	" " " " Set Screw.	02
18055	6533	" Foot Hinge Pin.	01
46360	----	" " Plate.	1 00
46361	----	" " Shank.	75
46362	6517	Presser Foot (hinged) complete, Nos. 18055, 46360 and 46361.	1 75
190D	6496	Presser Foot Screw.	03
571D	6536	Pressure Regulating Thumb Screw.	15
1539D	6535	" " " " Lock Nut.	05
46169	6500	Slack Thread Controller.	05
193F	6500	" " " Set Screw.	03
2102	6496	Tension (under thread) Disc.	05
1560C	6496	" " " Regulating Thumb Nut.	04
916F	6496	Tension (under thread) Screw Stud.	08
10148	6496	" " " Spring.	03
17547	6496	" " " Thread Guide. . . .	25
2102	6496	" (upper thread) Disc.	05
1560C	6496	" " " Regulating Thumb Nut.	04
916F	6496	Tension (upper thread) Screw Stud.	08
2103	6496	" " " Spring.	03
17547	6496	" " " Thread Guide. . . .	25

NO.	PLATE	NAME	EACH
38225	6497	Thread (under) Eyelet (back)...........	$ 10
190D	6497	“ “ “ “ Screw.....	03
38284	6497	“ “ “ (front)...........	05
46049	6497	“ “ Nipper Cam with 465c...	50
465c	6497	“ “ “ “ Set Screw...	02
38210	6497	“ “ “ Spring (lower)....	15
38211	6497	“ “ “ “ (upper)...	25
46247	6497	“ “ “ “ “ Stop	10
176D	6497	“ “ “ “ Screw.......	03
38475	6497	“ “ Take-up with 465c......	1 00
465c	6497	“ “ “ Set Screw......	02
38478	6497	“ “ “ Staple with two each 590D and 38481................	75
46040	6498	Thread (under) Take-up Staple Bracket with 910c..........................	2 00
690D	6534	Thread (under) Take-up Staple Bracket Screw............................	05
46041	6497	Thread (under) Take-up Staple Spring	05
190D	6497	“ “ “ “ “ Screw............................	03
910c	6497	Thread (under) Take-up Staple Stop Screw...........................	03
38481	6497	Thread (under) Take-up Staple Thread Guard...........................	10
590D	6497	Thread (under) Take-up Staple Thread Guard Screw......................	02
38482	6497	Thread (under) Take-up Stripper.......	60
207D	6497	“ “ “ “ Screw..	02
38476	6497	“ “ “ Thread Guard (left)............................	15
207D	6497	Thread (under) Take-up Thread Guard (left) Screw......................	02
38477	6497	Thread (under) Take-up Thread Guard (right)...........................	20
207D	6497	Thread (under) Take-up Thread Guard (right) Screw.....................	02
38483	6496	Thread (upper) Controller..............	40
206F	6496	“ “ “ Screw........	02
46311	6500	“ “ Eyelet.................	25
190D	6500	“ “ “ Screw...........	03
46312	6500	“ “ Take-up with 223D......	80
223D	6500	“ “ “ Clamping Screw.	02
52662	6547	Throat Plate for 52658.................	1 50
691F	6534	“ “ Screw....................	04

LIST OF PARTS COMPLETE
FOR
MACHINE NO. 62-32

FOR CLOSING SHOES AND GLOVES, ALSO EDGE STITCHING. ONE NEEDLE, ONE LOOPER, HAS VERTICAL TRIMMER ADJUSTABLE TO TRIM $\frac{1}{32}$ IN. TO $\frac{3}{32}$ IN. FROM NEEDLE, ALTERNATING PRESSERS

NO.	PLATE	NAME	EACH
*46397	—	Arm, upper and lower (solid)...........	$20 00
52630	6533	“ Oil Tube with 49092, for oiling 46221............................	20
49092	6533	Arm Oil Tube Packing (felt)............	01
46398	6507	“ Rock Shaft......................	1 00
46217	6491	“ “ “ Crank (back) with two 1497c............................	80
1497c	6491	Arm Rock Shaft Crank (back) Set Screw.	05
46399	6502	“ “ “ “ (front) with 448c and 457c..........................	1 50
23724	6491	Arm Rock Shaft Crank (front) Pin......	01
448c	6502	“ “ “ “ “ Set Screw.	03
46218	6482	“ Rotary Shaft.....................	3 00
38329	6491	“ “ “ Collar with two 457c..	25
457c	6491	“ “ “ “ Set Screw.....	02
23872	6490	“ “ “ Flanged Bushing.....	1 00
159F	6493	“ “ “ “ “ Screw	03
4784	6533	“ “ “ Oil Pad (felt)........	01
144D	6534	“ “ “ Screw...............	08
17509	6490	“ Side Cover (lower)................	15
286D	6535	“ “ “ “ Thumb Screw...	10
52554	6490	“ “ “ (upper)................	20
9533	6533	“ “ “ “ Pin............	02
176D	6494	“ “ “ “ Screw..........	03
23873	6482	Balance Wheel with two 430c...........	80
430c	6534	“ “ Set Screw..............	04
46096	6484	Cloth Plate..........................	2 50
691F	6534	“ “ Screw (left)................	04
1094F	6534	“ “ “ (right)...............	03
38418	—	“ “ Slide (left).................	30
38420	6486	Cloth Plate Slide (left) complete, Nos. 38418, 38419 and two 725H..........	40
38419	6500	Cloth Plate Slide (left) Spring..........	05
725H	6500	“ “ “ “ “ Screw.....	02

NO.	PLATE	NAME	EACH
46400	6487	Cloth Plate Slide (right) with 1602H.....	$ 30
1602H	6535	" " " " Bushing........	02
286D	6535	" " " " Thumb Screw...	10
46401	——	Cloth Plate complete, Nos. 286D, 38420, 46096 and 46400....................	3 30
46221	6490	Crank Connecting Rod with 46222, 46223 and two each 896E and 1057E........	2 00
50069C	6535	Crank Connecting Rod Ball Screw Stud	20
1619E	6535	" " " " " " Nut..............................	05
*46222	——	Crank Connecting Rod Cap (lower).....	25
896E	6534	" " " " " Screw.	04
*46223	——	" " " " (upper)......	35
1057E	6534	" " " " " Screw	04
46225	6533	" " " Washer (fibre)....	02
46402	6498	Face Plate with 316F, 735C, 29086, 46289 and 46428.........................	1 00
171D	6534	Face Plate Screw......................	03
38425	6490	Feed Bar with 231C and 460C...........	2 50
23716	6491	" " Bushing.....................	40
23726	6491	" " Hinge Pin..................	50
231C	6534	" " Set Screw..................	03
38426	6491	" " Slide Block..................	50
38427	6490	" Connecting Rod with 1057E, 23865 and two 896E......................	1 50
*23865	——	Feed Connecting Rod Cap.............	30
896E	6534	" " " " Screw........	04
23866	6491	" " " Hinge Pin (eccentric).........................	20
1057E	6534	Feed Connecting Rod Hinge Pin Clamping Screw........................	04
52725	6548	Feed Dog..........................	1 00
157D	6534	" " Screw......................	04
460C	6534	" " Stop Screw.................	02
*38127	——	" Eccentric.......................	2 50
*23729	——	" " Body.................	2 50
443C	6491	" " " Set Screw.........	03
21331	6491	" " Pressure Spring.........	03
21332	6491	" " " " Cap.....	10
934D	6491	" " " " " Screw.	02
196F	6491	" " Set Screw.............	02
38128	6491	Feed Eccentric (adjustable) complete, Nos. 196F, 934D, 1103C, 21331, 21332, 23729, 38127 and two 443C..........	5 00
38429	6491	Feed Lifting Eccentric with two 465C....	1 00
46113	6500	" " " Cover..........	10
335D	6500	" " " " Screw......	02

NO.	PLATE	NAME	EACH
465C	6491	Feed Lifting Eccentric Set Screw........	$ 02
1103C	6491	" Regulating Screw................	15
38431	6492	" Rocking Frame................	1 25
38432	6492	" " " Bracket with two 465C..............................	50
123E	6494	Feed Rocking Frame Bracket Screw.....	06
38433	6492	" " " Hinge Pin.........	50
465C	6491	" " " " " Set Screw............................	02
36573	4846	Guide (cast iron)......................	15
36557	4846	" Chip Guard for 36573...........	15
286D	6535	" Thumb Screw..................	10
2424	6506	Knife	08
46403	6508	" Bar...........................	30
287D	6506	" " Cap Screw.................	10
46404	6506	" " Connecting Link...........	75
212D	6506	" " " " Cap Screw...	04
46405	6506	" " " " Hinge Bracket	1 00
391F	6506	" " " " " " Screw.............................	02
646C	6506	Knife Bar Connecting Link Hinge Stud..	02
46406	6506	" " " Stud............	1 00
46407	——	Knife Bar Connecting Stud complete, Nos. 733D, 1563D, 27114, 46406 and 46408............................	1 25
46408	6506	Knife Bar Coupling Pin...............	10
733D	6506	" " " " Bushing........	08
1563D	6506	" " " " Head.........	04
27114	6506	" " " " Spring.........	02
52525	6506	" " Guide with 857H............	50
42007	6506	" " " Bar..................	15
440F	6506	" " " " Set Screw.........	03
857H	6506	" " " Set Screw............	02
46411	6506	" " Lifting Spring..............	03
196F	6506	" Clamping Screw................	02
46412	6506	" Holder with 196F...............	75
46413	——	Knife Holder complete, Nos. 46412, 46414, 46415 and two 335H.................	2 25
46414	6506	Knife Holder Adjusting Bracket........	75
335H	6506	" " " " Screw...	02
46415	6506	" " Body with 202F...........	75
202F	6506	" " " Clamping Screw.....	02
335H	6506	" " Screw...................	02
17540	6492	Lifting Presser Bar....................	30
19356	6505	" " " Bell Crank..........	1 00
199F	6505	" " " " " Cap Screw	04

NO.	PLATE	NAME	EACH
19357	6505	Lifting Presser Bar Bell Crank Connecting Link	$ 35
199F	6505	Lifting Presser Bar Bell Crank Connecting Link Cap Screw	04
46416	6505	Lifting Presser Bar Bell Crank Driving Arm with 1186D	1 25
1186D	6505	Lifting Presser Bar Bell Crank Driving Arm Clamping Screw	04
46417	6505	Lifting Presser Bar Bell Crank Driving Arm Connection	75
212D	6505	Lifting Presser Bar Bell Crank Driving Arm Connection Cap Screw	04
46418	6505	Lifting Presser Bar Bell Crank Driving Arm Connection Hinge Stud	15
457C	6505	Lifting Presser Bar Bell Crank Driving Arm Connection Hinge Stud Set Screw	02
1316C	6505	Lifting Presser Bar Ball Crank Driving Arm Connection Screw Stud	08
46419	6505	Lifting Presser Bar Bell Crank Driving Arm Shaft	1 00
46420	6505	Lifting Presser Bar Bell Crank Driving Arm Shaft Bracket	40
896E	6505	Lifting Presser Bar Bell Crank Driving Arm Shaft Bracket Screw	04
46073	6493	Lifting Presser Bar Bushing (lower)	80
1133E	6493	" " " " " Set Screw	02
38456	6493	Lifting Presser Bar Bushing (upper)	50
1133E	6493	" " " " " Set Screw	02
17541	6494	Lifting Presser Bar Lifter	20
17542	6494	" " " " Hinge Pin	05
46421	6505	" " " Lifting Bracket with 157D and 892C	2 50
892C	6494	Lifting Presser Bar Lifting Bracket Adjusting Screw	05
157D	6505	Lifting Presser Bar Lifting Bracket Clamping Screw	04
46422	6508	Lifting Presser Bar Spring (flat)	50
38468	6494	" " " " Stud	03
46423	6548	" " Foot	80
203D	6534	" " " Screw	03
46335	6493	Looper with 590D and 38393	2 25
46226	6490	" Bell Crank with 1037C	50
38436	6490	" " " Hinge Stud	1 00
443C	6491	" " " " " Set Screw	03

NO.	PLATE	NAME	EACH
46227	6492	Looper Bell Crank Pitman complete, Nos. 1706E, 1713E and 46233 to 46235	$3 25
50070C	6535	Looper Bell Crank Pitman Ball Screw Stud (upper)	15
1636E	6535	Looper Bell Crank Pitman Ball Screw Stud (upper) Nut	03
46228	6493	Looper Bell Crank Pitman Ball Stud (lower)	30
1037C	6493	Looper Bell Crank Pitman Ball Stud (lower) Set Screw	01
*46229	——	Looper Bell Crank Pitman Cap (lower)	—
171E	6534	" " " " " " Screw	03
*46230	——	Looper Bell Crank Pitman Cap (upper)	—
171E	6534	" " " " " " Screw	03
*46231	——	Looper Bell Crank Pitman End Bearing (lower)	—
*46232	——	Looper Bell Crank Pitman End Bearing (upper)	—
46233	6492	Looper Bell Crank Pitman Head (lower) Nos. 46228, 46229, 46231 and two 171E	1 50
46234	6492	Looper Bell Crank Pitman Head (upper) Nos. 46230, 46232, 50070C and two 171E	1 50
46235	6492	Looper Bell Crank Pitman Rod	20
1706E	6535	" " " " " Nut (lower)	03
1713E	6535	Looper Bell Crank Pitman Rod Nut (upper)	03
38439	6493	Looper Carrier with 1143C and two 1147C	1 50
38440	6493	" " Hinge Pin	20
1147C	6493	" " " " Set Screw	03
46236	6492	Looper Carrier Pitman complete, Nos. 1708E, 1709E and 46241 to 46243	3 25
50070C	6535	Looper Carrier Pitman Ball Screw Stud (right)	15
1636E	6535	Looper Carrier Pitman Ball Screw Stud (right) Nut	03
46237	6493	Looper Carrier Pitman Ball Stud (left)	25
1147C	6493	" " " " " " Set Screw	03
*46238	——	Looper Carrier Pitman Cap (left)	—
171E	6534	" " " " " Screw	03
*46238	——	" " " " (right)	—
171E	6534	" " " " " Screw	03
*46239	——	" " " End Bearing (left)	—

NO.	PLATE	NAME	EACH
*46240	——	Looper Carrier Pitman End Bearing (right)	$ —
46241	6492	Looper Carrier Pitman Head (left) Nos. 46237 to 46239 and two 171E	1 50
46242	6492	Looper Carrier Pitman Head (right) Nos. 46238, 46240, 50070C and two 171E	1 50
46243	6492	Looper Carrier Pitman Rod	20
1708E	6535	“ “ “ “ Nut (left)	03
1709E	6535	“ “ “ “ “ (right)	03
46244	6533	“ “ “ Washer (fibre)	02
46042	6493	“ “ Rock Shaft with two 175D	2 50
175D	6493	“ “ “ “ Adjusting Screw	02
38450	6493	Looper Carrier Rock Shaft Crank (forked) with 159F	2 00
159E	6493	Looper Carrier Rock Shaft Crank Clamping Screw	03
38451	6493	Looper Carrier Rock Shaft Crank Slide Block	50
46043	6493	Looper Carrier Rock Shaft Hinge Pin	75
1508E	6493	“ “ “ “ “ “ Nut	06
129E	6493	Looper Carrier Rock Shaft Hinge Pin Set Screw	01
38452	6493	Looper Eccentric with two 465C	1 00
465C	6493	“ “ Set Screw	02
46104	6499	“ Needle Guard with 46105	40
46105	6499	“ “ “ Pin	01
229D	6499	“ “ “ Screw	02
1143C	6493	“ Set Screw	03
38453	6494	“ Shaft	50
52553	6494	“ “ Bracket	50
123E	6494	“ “ “ Screw	06
391D	6494	“ “ Screw	02
38393	6493	“ Thread Guard	03
590D	6493	“ “ “ Screw	02
38093	6508	Needle Bar (hollow) with 1072F	60
38456	6493	“ “ Bushing	50
1133E	6493	“ “ “ Set Screw	02
46424	6509	“ “ Connecting Link	75
38459	6494	“ “ “ “ Hinge Stud	30
1520E	6494	“ “ “ “ “ “ Nut	03
46425	6509	Needle Bar Connecting Stud with two 391E	1 00
391E	6509	Needle Bar Connecting Stud Clamping Screw	02

NO.	PLATE	NAME	EACH
46337	6502	Needle Guard	$ 75
176D	6494	“ “ Screw	03
1072F	6534	“ Set Screw	02
574D	6536	Pressure Regulating Thumb Screw	15
1539D	6535	“ “ “ “ Lock Nut	05
46169	6500	Slack Thread Controller	05
193F	6500	“ “ “ Set Screw	03
2102	6496	Tension (under thread) Disc	05
1560C	6496	“ “ “ Regulating Thumb Nut	04
916F	6496	Tension (under thread) Screw Stud	08
10148	6496	“ “ “ Spring	03
17547	6496	“ “ “ Thread Guide	25
2102	6496	“ (upper thread) Disc	05
1560C	6496	“ “ “ Regulating Thumb Nut	04
916F	6496	Tension (upper thread) Screw Stud	08
2103	6496	“ “ “ Spring	03
17547	6496	“ “ “ Thread Guide	25
38225	6497	Thread (under) Eyelet (back)	10
190D	6497	“ “ “ “ Screw	03
38284	6497	“ “ “ (front)	05
46049	6497	“ “ Nipper Cam with 465C	50
465C	6497	“ “ “ “ Set Screw	02
38210	6497	“ “ “ Spring (lower)	15
38211	6497	“ “ “ “ (upper)	25
46247	6497	“ “ “ “ “ Stop	10
176D	6497	“ “ “ “ Screw	03
38475	6497	“ “ Take-up with 465C	1 00
465C	6497	“ “ “ Set Screw	02
38478	6497	“ “ “ Staple with two each 590D and 38481	75
46040	6498	Thread (under) Take-up Staple Bracket with 910C	2 00
690D	6534	Thread (under) Take-up Staple Bracket Screw	05
46041	6497	Thread (under) Take-up Staple Spring	05
190D	6497	“ “ “ “ “ Screw	03
910C	6497	Thread (under) Take-up Staple Stop Screw	03
38481	6497	Thread (under) Take-up Staple Thread Guard	10
590D	6497	Thread (under) Take-up Staple Thread Guard Screw	02
38482	6497	Thread (under) Take-up Stripper	60

NO.	PLATE	NAME	EACH
207D	6497	Thread (under) Take-up Stripper Screw..	$ 02
38476	6497	" " " Thread Guard (left)............................	15
207D	6497	Thread (under) Take-up Thread Guard (left) Screw........................	02
38477	6497	Thread (under) Take-up Thread Guard (right)............................	20
207D	6497	Thread (under) Take-up Thread Guard (right) Screw......................	02
38483	6496	Thread (upper) Controller..............	40
206F	6496	" " " Screw.........	02
46311	6500	" " Eyelet................	25
190D	6500	" " " Screw...........	03
46312	6500	" " Take-up with 223D......	80
223D	6500	" " " Clamping Screw.	02
38094	6548	Throat Plate Cutting Bar..............	30

NOTE. When ordering No. 38094 state required distance of trimmed edge from seam.

NO.	PLATE	NAME	EACH
238D	6548	Throat Plate Cutting Bar Screw........	02
52726	6548	" " Slide.....................	25
38096	6548	" " " Spring..............	05
242D	6548	" " " " Screw.........	02
52727	6548	Throat Plate complete for 52725, Nos. 242D, 38094, 38096, 52726 and two 238D	2 00

NOTE. When ordering No. 52727 state required distance of trimmed edge from seam.

NO.	PLATE	NAME	EACH
691F	6534	Throat Plate Screw...................	04
46427	6509	Vibrating Presser Bar..................	60
199F	6505	" " " Cap Screw........	04
29086	6509	" " " Spring...........	02
316F	6509	" " " " Stop Screw.	03
46428	6509	" " " " Stud.......	05
46289	6499	" " " Stop (rawhide)....	01
735C	6499	" " " " Adjusting Screw............................	02
46429	6548	Vibrating Presser Foot................	80
203D	6534	" " " Screw..........	03

LIST OF PARTS COMPLETE
FOR
MACHINE NO. 62-35

FOR STAYING SHOES. TWO NEEDLES, TWO LOOPERS, GAUGES $\frac{3}{32}$ IN. TO $\frac{3}{16}$ IN.

NO.	PLATE	NAME	EACH
*52736	----	Arm, upper and lower (solid)...........	$20 00
52630	6533	" Oil Tube with 49092, for oiling 46221............................	20
49092	6533	Arm Oil Tube Packing (felt)...........	01
46216	6490	" Rock Shaft......................	1 00
46217	6491	" " " Crank (back) with two 1497C...........................	80
1497C	6491	Arm Rock Shaft Crank (back) Set Screw.	05
38412	6491	" " " " (front) with 443C.	1 25
23724	6491	" " " " " Pin......	01
443C	6491	" " " " " Set Screw.	03
46218	6482	" Rotary Shaft.....................	3 00
38329	6491	" " " Collar with two 457C..	25
457C	6491	" " " " Set Screw.....	02
23872	6490	" " " Flanged Bushing.....	1 00
159F	6493	" " " " " Screw	03
4784	6533	" " " Oil Pad (felt)........	01
144D	6534	" " " Screw...............	08
17509	6490	" Side Cover (lower)...............	15
286D	6535	" " " " Thumb Screw...	10
52554	6490	" " " (upper)...............	20
9533	6533	" " " " Pin...........	02
176D	6494	" " " " Screw.........	03
23873	6482	Balance Wheel with two 430C..........	80
430C	6534	" " Set Screw.............	04
38414	6483	Cloth Plate.........................	2 50
691F	6534	" " Screw (left)...............	04
1094F	6534	" " " (right)...............	03
38415	----	" " Slide (large) with 1602H.....	60
38417	6486	Cloth Plate Slide (large) complete, Nos. 38415, two 38416 and four 725H......	75
1602H	6535	Cloth Plate Slide (large) Bushing.......	02
38416	6500	" " " " Spring.........	05
725H	6500	" " " " " Screw....	02
38418	----	" " " (small)...............	30
38420	6486	Cloth Plate Slide (small) complete, Nos. 38418, 38419 and two 725H.........	40

NO.	PLATE	NAME	EACH
38419	6500	Cloth Plate Slide (small) Spring.........	$ 05
725H	6500	" " " " " Screw...	02
38421	——	Cloth Plate complete, Nos. 38414, 38417 and 38420.........................	3 65
46221	6490	Crank Connecting Rod with 46222, 46223 and two each 896E and 1057E........	2 00
50069C	6535	Crank Connecting Rod Ball Screw Stud	20
1619E	6535	" " " " " " Nut..............................	05
*46222	——	Crank Connecting Rod Cap (lower).....	25
896E	6534	" " " " " Screw.	04
*46223	——	" " " " (upper)......	35
1057E	6534	" " " " " Screw	04
46225	6533	" " " Washer (fibre)....	02
46179	6490	Face Plate..........................	50
46111	6533	" " Pin........................	02
286D	6535	" " Thumb Screw...............	10
38425	6490	Feed Bar with 231C and 460C...........	2 50
23716	6491	" " Bushing....................	40
23726	6491	" " Hinge Pin..................	50
231C	6534	" " Set Screw..................	03
38426	6491	" " Slide Block................	50
38427	6490	" Connecting Rod with 1057E, 23865 and two 896E......................	1 50
*23865	——	Feed Connecting Rod Cap.............	30
896E	6534	" " " " Screw........	04
23866	6491	" " " Hinge Pin (eccentric).........................	20
1057E	6534	Feed Connecting Rod Hinge Pin Clamping Screw.........................	04
38492	6549	Feed Dog............................	2 75
898D	6534	" " Screw......................	04
460C	6534	" " Stop Screw.................	02
*38127	——	" Eccentric.........................	2 50
*23729	——	" " Body................	2 50
443C	6491	" " " Set Screw.........	03
21331	6491	" " Pressure Spring.........	03
21332	6491	" " " " Cap......	10
934D	6491	" " " " " Screw	02
196F	6491	" " Set Screw.............	02
38128	6491	Feed Eccentric (adjustable) complete, Nos. 196F, 934D, 1103C, 21331, 21332, 23729, 38127 and two 443C...........	5 00
38429	6491	Feed Lifting Eccentric with two 465C....	1 00
46113	6500	" " " Cover...........	10
335D	6500	" " " " Screw......	02
465C	6491	" " " Set Screw........	02

NO.	PLATE	NAME	EACH
1103C	6491	Feed Regulating Screw................	$ 15
38431	6492	" Rocking Frame..................	1 25
38432	6492	" " " Bracket with two 465C..............................	50
123E	6494	Feed Rocking Frame Bracket Screw.....	06
38433	6492	" " " Hinge Pin.........	50
465C	6491	" " " " " Set Screw	02
38493	6510	Looper (back) with 590D and 38494.....	2 25
1147C	6510	" " Set Screw..............	03
38494	6510	" " Thread Guard (double)...	05
590D	6510	" " " " Screw......	02
38495	6510	" (front).......................	2 25
1120C	6510	" " Set Screw..............	03
46226	6490	" Bell Crank with 1037C..........	50
38436	6490	" " " Hinge Stud..........	1 00
443C	6491	" " " " " Set Screw.	03
46227	6492	Looper Bell Crank Pitman complete, Nos. 1706E, 1713E and 46233 to 46235.....	3 25
50070C	6535	Looper Bell Crank Pitman Ball Screw Stud (upper)......................	15
1636E	6535	Looper Bell Crank Pitman Ball Screw Stud (upper) Nut..................	03
46228	6493	Looper Bell Crank Pitman Ball Stud (lower)...........................	30
1037C	6493	Looper Bell Crank Pitman Ball Stud (lower) Set Screw..................	04
*46229	——	Looper Bell Crank Pitman Cap (lower)	—
171E	6534	" " " " " " Screw.............................	03
*46230	——	Looper Bell Crank Pitman Cap (upper)	—
171E	6534	" " " " " " Screw.............................	03
*46231	——	Looper Bell Crank Pitman End Bearing (lower)...........................	—
*46232	——	Looper Bell Crank Pitman End Bearing (upper)...........................	—
46233	6492	Looper Bell Crank Pitman Head (lower) Nos. 46228, 46229, 46231 and two 171E	1 50
46234	6492	Looper Bell Crank Pitman Head (upper) Nos. 46230, 46232, 50070C and two 171E	1 50
46235	6492	Looper Bell Crank Pitman Rod.........	20
1706E	6535	" " " " " Nut (lower)...........................	03
1713E	6535	Looper Bell Crank Pitman Rod Nut (upper)...........................	03
38496	6510	Looper Carrier with 1120C and three 1147C	1 75
38440	6493	" " Hinge Pin..............	20

NO.	PLATE	NAME	EACH
1147C	6493	Looper Carrier Hinge Pin Set Screw......	$ 03
46236	6492	Looper Carrier Pitman complete, Nos. 1708E, 1709E and 46241 to 46243......	3 25
50070C	6535	Looper Carrier Pitman Ball Screw Stud (right)............................	15
1636E	6535	Looper Carrier Pitman Ball Screw Stud (right) Nut........................	03
46237	6493	Looper Carrier Pitman Ball Stud (left)	.25
1147C	6493	" " " " " " Set Screw.........................	03
*46238	——	Looper Carrier Pitman Cap (left).......	—
171E	6534	" " " " " Screw..	03
*46238	——	" " " " (right)......	—
171E	6534	" " " " " Screw.	03
*46239	——	" " " End Bearing (left)	—
*46240	——	" " " " " (right)	—
46241	6492	" " " Head (left) Nos. 46237 to 46239 and two 171E.........	1 50
46242	6492	Looper Carrier Pitman Head (right) Nos. 46238, 46240, 50070C and two 171E....	1 50
46243	6492	Looper Carrier Pitman Rod............	20
1708E	6535	" " " " Nut (left)...	03
1709E	6535	" " " " " (right)..	03
46244	6533	" " " Washer (fibre)...	02
46042	6493	" " Rock Shaft with two 175D	2 50
175D	6493	" " " " Adjusting Screw............................	02
38450	6493	Looper Carrier Rock Shaft Crank (forked) with 159E.........................	2 00
159E	6493	Looper Carrier Rock Shaft Crank Clamping Screw.........................	03
38451	6493	Looper Carrier Rock Shaft Crank Slide Block.............................	50
46043	6493	Looper Carrier Rock Shaft Hinge Pin	75
1508E	6493	" " " " " " Nut..............................	06
129E	6493	Looper Carrier Rock Shaft Hinge Pin Set Screw.............................	01
38452	6493	Looper Eccentric with two 465C.........	1 00
465C	6493	" " Set Screw...........	02
38453	6494	" Shaft.........................	50
52553	6494	" " Bracket.................	50
123E	6494	" " " Screw...........	06
391D	6494	" " Screw..................	02
46051	6508	Needle Bar..........................	60
46052	——	Needle Bar complete, Nos. 46051 and 46053.............................	1 20

NO.	PLATE	NAME	EACH
38456	6493	Needle Bar Bushing..................	$ 50
1133E	6493	" " " Set Screw..........	02
38458	6494	" " Connecting Link...........	50
38459	6494	" " " " Hinge Stud	30
1520E	6494	" " " " " " Nut................................	03
38460	6494	Needle Bar Connecting Stud with two 391E..............................	1 00
391E	6494	Needle Bar Connecting Stud Clamping Screw.............................	02
46053	6510	Needle Clamp with 46054 and two 1072F.	60
46054	6510	" " Thread Guide (two pieces).	03
38461	6510	" Guard (back)..................	75
176D	6494	" " " Screw.............	03
46001	6510	" " (front)..................	75
206D	6534	" " " Screw.............	02
1072F	6534	" Set Screw......................	02
46002	6533	Oil Cup (tension) double, with two 38463.............................	30
38463	6533	Oil Cup (tension) Packing (felt).........	02
225F	6533	" " " Screw...............	03
46003	6533	" " (take-up) with 12443...........	30
12443	6533	" " " Packing (felt).........	01
17540	6492	Presser Bar.........................	30
38464	6494	" " Bushing (lower)...........	80
1133E	6493	" " " " Set Screw...	02
38456	6493	" " " (upper)...........	50
1133E	6493	" " " " Set Screw...	02
17541	6494	" " Lifter....................	20
17542	6494	" " " Hinge Pin...........	05
38466	6494	" " Lifting Bracket with 453C and 892C..........................	1 00
892C	6494	Presser Bar Lifting Bracket Adjusting Screw...........................	05
453C	6494	Presser Bar Lifting Bracket Set Screw...	02
46125	6508	" " Spring (flat)..............	50
38468	6494	" " " Stud...............	03
46004	6549	" Foot with 46005, 46006 and four 1208D..........................	2 50
46005	6549	Presser Foot Needle Guard (left)........	25
46006	6549	" " " " (right).......	25
1208D	6549	" " " " Screw........	02
46215	6549	" " with 46005, 46006 and four 1208D, for staying welted seams.......	3 00
46005	6549	Presser Foot Needle Guard (left)........	25
46006	6549	" " " " (right).......	25
1208D	6549	" " " " Screw........	02

NO.	PLATE	NAME	EACH
52579	6549	Presser Foot Guide (left)...............	$1 50
337D	6549	" " " Screw (back)........	02
665D	6549	" " " " (front)........	02
26276	6533	" " Hinge Pin................	01
52580	——	" " Plate.....................	3 50
52581	——	" " Shank....................	2 00
52582	6549	Presser Foot (side hinged) with left guide, complete, Nos. 337D, 665D, 26276 and 52579 to 52581......................	7 00
52719	6549	Presser Foot Guide (right).............	1 50
337D	6549	" " " Screw..............	02
26276	6533	" " Hinge Pin................	01
52720	——	" " Plate.....................	3 50
52721	——	" " Shank....................	2 00
52722	6549	Presser Foot (side hinged) with right guide, complete, Nos. 26276, 52719 to 52721 and two 337D.................	7 00
190D	6496	Presser Foot Screw....................	03
574D	6536	Pressure Regulating Thumb Screw.......	15
1539D	6535	" " " " Lock Nut	05
46034	6496	Slack Thread Controller................	05
46035	6496	" " " Clamp.........	10
190D	6496	" " " " Screw....	03
46007	6510	" " Regulator................	1 25
38473	6496	" " " Bracket with 172c and 1823...........................	1 25
172c	6496	Slack Thread Regulator Bracket Clamping Screw.............................	04
38474	6496	Slack Thread Regulator Bushing........	20
1823	6496	" " " Roller and Stud.	18
50062D	6496	" " " Screw..........	07
1620E	6496	" " " " Nut......	03
2102	6496	Tension (under thread) Disc............	05
1560c	6496	" " " Regulating Thumb Nut........................	04
916F	6496	Tension (under thread) Screw Stud......	08
10148	6496	" " " Spring..........	03
17547	6496	" " " Thread Guide....	25
2102	6496	" (upper thread) Disc............	05
1560c	6496	" " " Regulating Thumb Nut........................	04
916F	6496	Tension (upper thread) Screw Stud......	08
2103	6496	" " " Spring..........	03
17547	6496	" " " Thread Guide....	25
38225	6497	Thread (under) Eyelet (back)...........	10
190D	6497	" " " " Screw.....	03
38284	6497	" " " (front)..........	05

NO.	PLATE	NAME	EACH
46049	6497	Thread (under) Nipper Cam with 465c...	$ 50
465c	6497	" " " " Set Screw...	02
38210	6497	" " " Spring (lower)....	15
38211	6497	" " " " (upper)...	25
46247	6497	" " " " " Stop	10
176D	6497	" " " " Screw.....	03
38475	6497	" " Take-up with 465c......	1 00
465c	6497	" " " Set Screw......	02
46047	6510	" " " Staple..........	50
46040	6498	" " " " Bracket with 910c..........................	2 00
690D	6534	Thread (under) Take-up Staple Bracket Screw.............................	05
46041	6497	Thread (under) Take-up Staple Spring	05
190D	6497	" " " " " Screw.............................	03
910c	6497	Thread (under) Take-up Staple Stop Screw.............................	03
38482	6497	Thread (under) Take-up Stripper.......	60
207D	6497	" " " " Screw..	02
38476	6497	" " " Thread Guard (left).............................	15
207D	6497	Thread (under) Take-up Thread Guard (left) Screw........................	02
38477	6497	Thread (under) Take-up Thread Guard (right)............................	20
207D	6497	Thread (under) Take-up Thread Guard (right) Screw.......................	02
38483	6496	Thread (upper) Controller.............	40
206F	6496	" " " Screw........	02
46009	6510	" " Eyelet.................	25
190D	6497	" " " Screw...........	03
46010	6510	" " Take-up with 457c......	80
457c	6510	" " " Set Screw......	02
46011	6549	Throat Plate for 38492................	1 75
691F	6534	" " Screw....................	04

LIST OF PARTS COMPLETE
FOR
MACHINE NO. 62-36

FOR TWO LINE STITCHING IN FABRICS. HAS CLOTH PLATE SPECIALLY FITTED FOR LAP SEAM FELLER. TWO NEEDLES, TWO LOOPERS; GAUGES $\frac{3}{32}$ IN. TO $\frac{3}{8}$ IN.

NO.	PLATE	NAME	EACH
*52736	——	Arm, upper and lower (solid)	$20 00
52630	6533	" Oil Tube with 49092, for oiling 46221	20
49092	6533	Arm Oil Tube Packing (felt)	01
46216	6490	" Rock Shaft	1 00
46217	6491	" " " Crank (back) with two 1497C	80
1497C	6491	Arm Rock Shaft Crank (back) Set Screw	05
38412	6491	" " " " (front) with 443C	1 25
23724	6491	" " " " " Pin	01
443C	6491	" " " " " Set Screw	03
46218	6482	" Rotary Shaft	3 00
38329	6491	" " " Collar with two 457C	25
457C	6491	" " " " Set Screw	02
23872	6490	" " " Flanged Bushing	1 00
159F	6493	" " " " " Screw	03
4784	6533	" " " Oil Pad (felt)	01
144D	6534	" " " Screw	08
17509	6490	" Side Cover (lower)	15
286D	6535	" " " " Thumb Screw	10
52554	6490	" " " (upper)	20
9533	6533	" " " " Pin	02
176D	6494	" " " " Screw	03
23873	6482	Balance Wheel with two 430C	80
430C	6534	" " Set Screw	04
46078	6484	Cloth Plate	2 50
691F	6534	" " Screw (left)	04
1094F	6534	" " " (right)	03
46461	——	" " Slide (left)	30
46462	6486	Cloth Plate Slide (left) complete, Nos. 38419, 46461 and two 725H	40
38419	6500	Cloth Plate Slide (left) Spring	05
725H	6500	" " " " " Screw	02
38105H	6486	" " " (right) with 1602H	30
1602H	6535	" " " " Bushing	02
286D	6535	" " " " Thumb Screw	10

NO.	PLATE	NAME	EACH
46079	——	Cloth Plate complete, Nos. 286D, 1460H, 38105H, 46078, 46082 and 46462	$4 00
46221	6490	Crank Connecting Rod with 46222, 46223 and two each 896E and 1057E	2 00
50069C	6535	Crank Connecting Rod Ball Screw Stud	20
1619E	6535	" " " " " " Nut	05
*46222	——	Crank Connecting Rod Cap (lower)	25
896E	6534	" " " " " Screw	04
*46223	——	" " " " (upper)	35
1057E	6534	" " " " " Screw	04
46225	6533	" " " Washer (fibre)	02
46179	6490	Face Plate	50
46111	6533	" " Pin	02
286D	6535	" " Thumb Screw	10
38425	6490	Feed Bar with 231C and 460C	2 50
23716	6491	" " Bushing	40
23726	6491	" " Hinge Pin	50
231C	6534	" " Set Screw	03
38426	6491	" " Slide Block	50
38427	6490	" Connecting Rod with 1057E, 23865 and two 896E	1 50
*23865	——	Feed Connecting Rod Cap	30
896E	6534	" " " " Screw	01
23866	6491	" " " Hinge Pin (eccentric)	20
1057E	6534	Feed Connecting Rod Hinge Pin Clamping Screw	04
46080	6550	Feed Dog, for $\frac{3}{32}$ in. to $\frac{5}{32}$ in. gauge, for general work	2 75
46081	6550	Feed Dog, for $\frac{3}{16}$ in. to $\frac{3}{8}$ in. gauge, for general work	2 75
157D	6534	Feed Dog Screw	04
460C	6534	" " Stop Screw	02
*38127	——	" Eccentric	2 50
*23729	——	" " Body	2 50
443C	6491	" " " Set Screw	03
21331	6491	" " Pressure Spring	03
21332	6491	" " " " Cap	10
934D	6491	" " " " " Screw	02
196F	6491	" " Set Screw	02
38128	6491	Feed Eccentric (adjustable) complete, Nos. 196F, 934D, 1103C, 21331, 21332, 23729, 38127 and two 443C	5 00
38429	6491	Feed Lifting Eccentric with two 465C	1 00
46113	6500	" " " Cover	10
335D	6500	" " " " Screw	02

NO.	PLATE	NAME	EACH
465c	6491	Feed Lifting Eccentric Set Screw........	$ 02
1103c	6491	" Regulating Screw................	15
38431	6492	" Rocking Frame..................	1 25
38432	6492	" " " Bracket with two 465c............................	50
123E	6494	Feed Rocking Frame Bracket Screw.....	06
38433	6492	" " " Hinge Pin.........	50
465c	6491	" " " " " Set Screw............................	02
46082	6501	Folder Holder Seat Cover.............	50
1460H	6534	" " " " Screw........	07
38493	6510	Looper (back) with 590D and 38494.....	2 25
1147c	6510	" " Set Screw..............	03
38494	6510	" " Thread Guard (double)...	05
590D	6510	" " " " Screw......	02
38495	6510	" (front).......................	2 25
1120c	6510	" " Set Screw..............	03
46226	6490	" Bell Crank with 1037c..........	50
38436	6490	" " " Hinge Stud..........	1 00
443c	6491	" " " " " Set Screw.	03
46227	6492	Looper Bell Crank Pitman complete, Nos. 1706E, 1713E and 46233 to 46235.....	3 25
50070c	6535	Looper Bell Crank Pitman Ball Screw Stud (upper)......................	15
1636E	6535	Looper Bell Crank Pitman Ball Screw Stud (upper) Nut..................	03
46228	6493	Looper Bell Crank Pitman Ball Stud (lower)...........................	30
1037c	6493	Looper Bell Crank Pitman Ball Stud (lower) Set Screw..................	04
*46229	——	Looper Bell Crank Pitman Cap (lower)	—
171E	6534	" " " " " " Screw............................	03
*46230	——	Looper Bell Crank Pitman Cap (upper)	—
171E	6534	" " " " " " Screw............................	03
*46231	——	Looper Bell Crank Pitman End Bearing (lower)...........................	—
*46232	——	Looper Bell Crank Pitman End Bearing (upper)...........................	—
46233	6492	Looper Bell Crank Pitman Head (lower) Nos. 46228, 46229, 46231 and two 171E	1 50
46234	6492	Looper Bell Crank Pitman Head (upper) Nos. 46230, 46232, 50070c and two 171E	1 50
46235	6492	Looper Bell Crank Pitman Rod.........	20
1706E	6535	" " " " " Nut (lower)..........................	03

NO.	PLATE	NAME	EACH
1713E	6535	Looper Bell Crank Pitman Rod Nut (upper)............................	$ 03
38496	6510	Looper Carrier with 1120c and three 1147c	1 75
38440	6493	" " Hinge Pin..............	20
1147c	6493	" " " " Set Screw......	03
46236	6492	Looper Carrier Pitman complete, Nos. 1708E, 1709E and 46241 to 46243.....	3 25
50070c	6535	Looper Carrier Pitman Ball Screw Stud (right)..........................	15
1636E	6535	Looper Carrier Pitman Ball Screw Stud (right) Nut......................	03
46237	6493	Looper Carrier Pitman Ball Stud (left)	25
1147c	6493	" " " " " " Set Screw.........................	03
*46238	——	Looper Carrier Pitman Cap (left).......	—
171E	6534	" " " " " Screw..	03
*46238	——	" " " " (right)......	—
171E	6534	" " " " " Screw.	03
*46239	——	" " " End Bearing (left)............................	—
*46240	——	Looper Carrier Pitman End Bearing (right)...........................	—
46241	6492	Looper Carrier Pitman Head (left) Nos. 46237 to 46239 and two 171E.........	1 50
46242	6492	Looper Carrier Pitman Head (right) Nos. 46238, 46240, 50070c and two 171E....	1 50
46243	6492	Looper Carrier Pitman Rod............	20
1708E	6535	" " " " Nut (left)...	03
1709E	6535	" " " " " (right)..	03
46244	6533	" " " Washer (fibre)...	02
46042	6493	" " Rock Shaft with two 175D	2 50
175D	6493	" " " " Adjusting Screw............................	02
38450	6493	Looper Carrier Rock Shaft Crank (forked) with 159E..........................	2 00
159E	6493	Looper Carrier Rock Shaft Crank Clamping Screw.........................	03
38451	6493	Looper Carrier Rock Shaft Crank Slide Block............................	50
46043	6493	Looper Carrier Rock Shaft Hinge Pin	75
1508E	6493	" " " " " " Nut..............................	06
129E	6493	Looper Carrier Rock Shaft Hinge Pin Set Screw............................	04
38452	6493	Looper Eccentric with two 465c.........	1 00
465c	6493	" " Set Screw...........	02
38453	6494	" Shaft.......................	50

NO.	PLATE	NAME	EACH
52553	6494	Looper Shaft Bracket	$ 50
123E	6494	" " " Screw	06
391D	6494	" " Screw	02
46051	6508	Needle Bar	60
46052	——	Needle Bar cómplete, Nos. 46051 and 46053	1 20
38456	6493	Needle Bar Bushing	50
1133E	6493	" " " Set Screw	02
38458	6494	" " Connecting Link	50
38459	6494	" " " " Hinge Stud	30
1520E	6494	" " " " " " Nut	03
38460	6494	Needle Bar Connecting Stud with two 391E	1 00
391E	6494	Needle Bar Connecting Stud Clamping Screw	02
46053	6510	Needle Clamp with 46054 and two 1072F	60
46054	6510	" " Thread Guide (two pieces)	03
46083	6506	" Guard (back)	75
176D	6494	" " " Screw	03
46001	6510	" " (front) for 3/32 in to 5/32 in. gauge	75
46084	6506	Needle Guard (front) for 3/16 in. to 1/4 in. gauge	75
46085	6506	Needle Guard (front) for 5/16 in. to 3/8 in. gauge	75
206D	6534	Needle Guard (front) Screw	02
1072F	6534	" Set Screw	02
17540	6492	Presser Bar	30
38464	6494	" " Bushing (lower)	80
1133E	6493	" " " " Set Screw	02
38456	6493	" " " (upper)	50
1133E	6493	" " " " Set Screw	02
17541	6494	" " Lifter	20
17542	6494	" " " Hinge Pin	05
38466	6494	" " Lifting Bracket with 453c and 892c	1 00
892c	6494	Presser Bar Lifting Bracket Adjusting Screw	05
453c	6494	Presser Bar Lifting Bracket Set Screw	02
38467	6492	" " Spring (flat)	50
38468	6494	" " " Stud	03
26276	6533	" Foot Hinge Pin	01
46086	——	" " Plate	1 25
46087	——	" " Shank	75

NO.	PLATE	NAME	EACH
46088	6568	Presser Foot (hinged) complete, for general work, Nos. 26276, 46086 and 46087	$2 00
190D	6496	Presser Foot Screw	03
574D	6536	Pressure Regulating Thumb Screw	15
1539D	6535	" " " " Lock Nut	05
46034	6496	Slack Thread Controller	05
46035	6496	" " " Clamp	10
190D	6496	" " " " Screw	03
46007	6510	" " Regulator	1 25
38473	6496	" " " Bracket with 172c and 1823	1 25
172c	6496	Slack Thread Regulator Bracket Clamping Screw	04
38474	6496	Slack Thread Regulator Bushing	20
1823	6496	" " " Roller and Stud	18
50062D	6496	" " " Screw	07
1620E	6496	" " " " Nut	03
2102	6496	Tension (under thread) Disc	05
1560c	6496	" " " Regulating Thumb Nut	04
916F	6496	Tension (under thread) Screw Stud	08
10148	6496	" " " Spring	03
17547	6496	" " " Thread Guide	25
2102	6496	" (upper thread) Disc	05
1560c	6496	" " " Regulating Thumb Nut	04
916F	6496	Tension (upper thread) Screw Stud	08
2103	6496	" " " Spring	03
17547	6496	" " " Thread Guide	25
38225	6497	Thread (under) Eyelet (back)	10
190D	6497	" " " " Screw	03
38284	6497	" " " (front)	05
46049	6497	" " Nipper Cam with 465c	50
465c	6497	" " " " Set Screw	02
38210	6497	" " " Spring (lower)	15
38211	6497	" " " " (upper)	25
46247	6497	" " " " " Stop	10
176D	6497	" " " " Screw	03
38475	6497	" " Take-up with 465c	1 00
465c	6497	" " " Set Screw	02
46047	6510	" " " Staple	50
46040	6498	" " " " Bracket with 910c	2 00
690D	6534	Thread (under) Take-up Staple Bracket Screw	05

NO.	PLATE	NAME	EACH
46041	6497	Thread (under) Take-up Staple Spring	$ 05
190D	6497	" " " " " Screw	03
910C	6497	Thread (under) Take-up Staple Stop Screw	03
38482	6497	Thread (under) Take-up Stripper	60
207D	6497	" " " " Screw	02
38476	6497	" " " Thread Guard (left)	15
207D	6497	Thread (under) Take-up Thread Guard (left) Screw	02
38477	6497	Thread (under) Take-up Thread Guard (right)	20
207D	6497	Thread (under) Take-up Thread Guard (right) Screw	02
38483	6496	Thread (upper) Controller	40
206F	6496	" " " Screw	02
46009	6510	" " Eyelet	25
190D	6497	" " " Screw	03
46010	6510	" " Take-up with 457C	80
457C	6510	" " " Set Screw	02
46089	6550	Throat Plate for 46080	2 50
46090	6550	" " " 46081	2 75
691F	6534	" " Screw	04

LIST OF PARTS COMPLETE
FOR
MACHINE NO. 62-37

TWO NEEDLES, ONE LOOPER, ELASTIC CHAIN STITCH, GAUGES FROM $\frac{1}{32}$ IN. TO $\frac{1}{16}$ IN., ROLLER PRESSER. FOR VAMPING AND FOXING SHOES.

OBSOLETE

NO.	PLATE	NAME	EACH
*52736	——	Arm, upper and lower (solid)	$20 00
52630	6533	" Oil Tube with 49092, for oiling 46221	20
49092	6533	Arm Oil Tube Packing (felt)	01
46216	6490	" Rock Shaft	1 00
46217	6491	" " " Crank (back) with two 1497C	80
1497C	6491	Arm Rock Shaft Crank (back) Set Screw.	05
38412	6491	" " " " (front) with 443C.	1 25
23724	6491	" " " " " Pin	01
443C	6491	" " " " " Set Screw.	03
46218	6482	" Rotary Shaft	3 00
38329	6491	" " " Collar with two 457C.	25
457C	6491	" " " " Set Screw	02
23872	6490	" " " Flanged Bushing	1 00
159F	6493	" " " " " Screw	03
4784	6533	" " " Oil Pad (felt)	01
144D	6534	" " " Screw	08
17509	6490	" Side Cover (lower)	15
286D	6535	" " " " Thumb Screw	10
52554	6490	" " " (upper)	20
9533	6533	" " " " Pin	02
176D	6494	" " " " Screw	03
23873	6482	Balance Wheel with two 430C	80
430C	6534	" " Set Screw	04
38414	6483	Cloth Plate	2 50
691F	6534	" " Screw (left)	04
1094F	6534	" " " (right)	03
38415	——	" " Slide (large) with 1602H	60
38417	6486	Cloth Plate Slide (large) complete, Nos. 38415, two 38416 and four 725H	75
1602H	6535	Cloth Plate Slide (large) Bushing	02
38416	6500	" " " " Spring	05
725H	6500	" " " " " Screw	02
38418	——	" " " (small)	30

NO.	PLATE	NAME	EACH
38420	6486	Cloth Plate Slide (small) complete, Nos. 38418, 38419 and two 725H	$ 40
38419	6500	Cloth Plate Slide (small) Spring	05
725H	6500	" " " " " Screw	02
38421	——	Cloth Plate complete, Nos. 38414, 38417 and 38420	3 65
46221	6490	Crank Connecting Rod with 46222, 46223 and two each 896E and 1057E	2 00
50069c	6535	Crank Connecting Rod Ball Screw Stud	20
1619E	6535	" " " " " " Nut	05
*46222	——	Crank Connecting Rod Cap (lower)	25
896E	6534	" " " " " Screw	04
*46223	——	" " " " (upper)	35
1057E	6534	" " " " " Screw	04
46225	6533	" " " Washer (fibre)	02
46179	6490	Face Plate	50
46111	6533	" " Pin	02
286D	6535	" " Thumb Screw	10
38425	6490	Feed Bar with 231c and 460c	2 50
23716	6491	" " Bushing	40
23726	6491	" " Hinge Pin	50
231c	6534	" " Set Screw	03
38426	6491	" " Slide Block	50
38427	6490	" Connecting Rod with 1057E, 23865 and two 896E	1 50
*23865	——	Feed Connecting Rod Cap	30
896E	6534	" " " " Screw	04
23866	6491	" " " Hinge Pin (eccentric)	20
1057E	6534	Feed Connecting Rod Hinge Pin Clamping Screw	04
46065	6551	Feed Dog	1 00
157D	6534	" " Screw	04
460c	6534	" " Stop Screw	02
*38127	——	" Eccentric	2 50
*23729	——	" " Body	2 50
443c	6491	" " " Set Screw	03
21331	6491	" " Pressure Spring	03
21332	6491	" " " " Cap	10
934D	6491	" " " " " Screw	02
196F	6491	" " Set Screw	02
38128	6491	Feed Eccentric (adjustable) complete, Nos. 196F, 934D, 1103c, 21331, 21332, 23729, 38127 and two 443c	5 00
38429	6491	Feed Lifting Eccentric with two 465c	1 00
46113	6500	" " " Cover	10

NO.	PLATE	NAME	EACH
335D	6500	Feed Lifting Eccentric Cover Screw	$ 02
465c	6491	" " " Set Screw	02
1103c	6491	" Regulating Screw	15
38431	6492	" Rocking Frame	1 25
38432	6492	" " " Bracket with two 465c	50
123E	6494	Feed Rocking Frame Bracket Screw	06
38433	6492	" " " Hinge Pin	50
465c	6491	" " " " " Set Screw	02
46066	6499	Looper with 590D and 38393	2 25
46226	6490	" Bell Crank with 1037c	50
38436	6490	" " " Hinge Stud	1 00
443c	6491	" " " " " Set Screw	03
46227	6492	Looper Bell Crank Pitman complete, Nos. 1706E, 1713E and 46233 to 46235	3 25
50070c	6535	Looper Bell Crank Pitman Ball Screw Stud (upper)	15
1636E	6535	Looper Bell Crank Pitman Ball Screw Stud (upper) Nut	03
46228	6493	Looper Bell Crank Pitman Ball Stud (lower)	30
1037c	6493	Looper Bell Crank Pitman Ball Stud (lower) Set Screw	04
*46229	——	Looper Bell Crank Pitman Cap (lower)	—
171E	6534	" " " " " " Screw	03
*46230	——	Looper Bell Crank Pitman Cap (upper)	—
171E	6534	" " " " " " Screw	03
*46231	——	Looper Bell Crank Pitman End Bearing (lower)	—
*46232	——	Looper Bell Crank Pitman End Bearing (upper)	—
46233	6492	Looper Bell Crank Pitman Head (lower) Nos. 46228, 46229, 46231 and two 171E	1 50
46234	6492	Looper Bell Crank Pitman Head (upper) Nos. 46230, 46232, 50070c and two 171E	1 50
46235	6492	Looper Bell Crank Pitman Rod	20
1706E	6535	" " " " " Nut (lower)	03
1713E	6535	Looper Bell Crank Pitman Rod Nut (upper)	03
38439	6493	Looper Carrier with 1143c and two 1147c	1 50
38440	6493	" " Hinge Pin	20
1147c	6493	" " " " Set Screw	03

NO.	PLATE	NAME	EACH
46236	6492	Looper Carrier Pitman complete, Nos. 1708E, 1709E and 46241 to 46243	$3 25
50070c	6535	Looper Carrier Pitman Ball Screw Stud (right)	15
1636E	6535	Looper Carrier Pitman Ball Screw Stud (right) Nut	03
46237	6493	Looper Carrier Pitman Ball Stud (left)	25
1147c	6493	" " " " " " Set Screw	03
*46238	—	Looper Carrier Pitman Cap (left)	—
171E	6534	" " " " " Screw	03
*46238	—	" " " " (right)	—
171E	6534	" " " " " Screw	03
*46239	—	" " " End Bearing (left)	—
*46240	—	" " " " " (right)	—
46241	6492	" " " Head (left) Nos. 46237 to 46239 and two 171E	1 50
46242	6492	Looper Carrier Pitman Head (right) Nos. 46238, 46240, 50070c and two 171E	1 50
46243	6492	Looper Carrier Pitman Rod	20
1708E	6535	" " " " Nut (left)	03
1709E	6535	" " " " " (right)	03
46244	6533	" " " Washer (fibre)	02
46042	6493	" " Rock Shaft with two 175D	2 50
175D	6493	" " " " Adjusting Screw	02
38450	6493	Looper Carrier Rock Shaft Crank (forked) with 159E	2 00
159E	6493	Looper Carrier Rock Shaft Crank Clamping Screw	03
38451	6493	Looper Carrier Rock Shaft Crank Slide Block	50
46043	6493	Looper Carrier Rock Shaft Hinge Pin	75
1508E	6493	" " " " " " Nut	06
129E	6493	Looper Carrier Rock Shaft Hinge Pin Set Screw	04
38452	6493	Looper Eccentric with two 465c	1 00
465c	6493	" " Set Screw	02
46104	6499	" Needle Guard with 46105	40
46105	6499	" " " Pin	01
229D	6499	" " " Screw	02
1143c	6493	" Set Screw	03
38453	6494	" Shaft	50
52553	6494	" " Bracket	50
123E	6494	" " " Screw	06
391D	6494	" " Screw	02

NO.	PLATE	NAME	EACH
38393	6493	Looper Thread Guard	$ 03
590D	6493	" " " Screw	02
46067	6508	Needle Bar (hollow)	60
46165	——	Needle Bar complete, Nos. 2273, 46067, 46070 and 46166	1 50
38456	6493	Needle Bar Bushing	50
1133E	6493	" " " Set Screw	02
38458	6494	" " Connecting Link	50
38459	6494	" " " " Hinge Stud	30
1520E	6494	" " " " " " Nut	03
38460	6494	Needle Bar Connecting Stud with two 391E	1 00
391E	6494	Needle Bar Connecting Stud Clamping Screw	02
46166	6506	Needle Clamp with 462F	75
46070	6506	" " Gib	15
2273	6506	" " Pin	01
462F	6506	" " Screw	02
46050	6494	" Guard	75
176D	6494	" " Screw	03
46002	6533	Oil Cup (tension) double, with two 38463	30
38463	6533	" " " Packing (felt)	02
225F	6533	" " " Screw	03
46003	6533	" " (take-up) with 12443	30
12443	6533	" " " Packing (felt)	01
46072	6498	Presser Bar	30
46073	6493	" " Bushing (lower)	80
1133E	6493	" " " " Set Screw	02
38456	6493	" " " (upper)	50
1133E	6493	" " " " Set Screw	02
17541	6494	" " Lifter	20
17542	6494	" " " Hinge Pin	05
38466	6494	" " Lifting Bracket with 453c and 892c	1 00
892c	6494	Presser Bar Lifting Bracket Adjusting Screw	05
453c	6494	Presser Bar Lifting Bracket Set Screw	02
38467	6492	" " Spring (flat)	50
38468	6494	" " " Stud	03
7298	6533	" Foot Hinge Pin per 100	10
38365	——	" " Plate	1 00
46091	——	" " Shank	75
38366	6551	Presser Foot (hinged) complete for 46065, Nos. 7298, 38365 and 46091	1 75
190D	6496	Presser Foot Screw	03
574D	6536	Pressure Regulating Thumb Screw	15

NO.	PLATE	NAME	EACH
1539D	6535	Pressure Regulating Thumb Screw Lock Nut	$ 05
1868	6541	Roller, ⅞ in. diam., coarse, with 652D and 1528D, for 38286	25
1923	6541	Roller, 1¼ in. diam., coarse, with 652D and 1528D, for 24000	40
38219	6541	Roller Arm for 24000	15
38285	6541	“ “ “ 38286	15
440F	6541	“ “ Adjusting Screw	03
1547D	6541	“ “ “ “ Nut	03
38302	6541	“ “ Bracket	20
7556	6541	“ “ Lock Spring	05
176D	6541	“ “ “ “ Screw	03
1549D	6541	“ “ “ “ “ Nut	03
316F	6541	“ “ Screw Centre	03
1547D	6541	“ “ “ “ Nut	03
38081	6541	“ Needle Guard with 242D and 38082	75
38082	6541	Roller Needle Guard Edge Guide	20
242D	6541	“ “ “ “ “ Screw	02
171F	6541	“ “ “ Set Screw	03
652D	6541	“ Screw	08
1528D	6541	“ “ Nut	03
38286	6541	Roller Presser complete, ⅞ in. coarse roller, Nos. 171F, 176D, 440F, 1549D, 1868, 7556, 38081, 38285, 38302, two 316F and three 1547D	1 75
24000	6541	Roller Presser complete, 1¼ in. coarse roller, Nos. 171F, 176D, 440F, 1549D, 1923, 7556, 38081, 38219, 38302, two 316F and three 1547D	1 65

NOTE: No. 24000 is sent with this machine unless another Roller Presser is specified on order.

NO.	PLATE	NAME	EACH
190D	6496	Roller Presser Screw	03
46034	6496	Slack Thread Controller	05
46035	6496	“ “ “ Clamp	10
190D	6496	“ “ “ “ Screw	03
46007	6510	“ “ Regulator	1 25
38473	6496	“ “ “ Bracket with 172C and 1823	1 25
172C	6496	Slack Thread Regulator Bracket Clamping Screw	04
38474	6496	Slack Thread Regulator Bushing	20
1823	6496	“ “ “ Roller and Stud	18
50062D	6496	“ “ “ Screw	07
1620E	6496	“ “ “ “ Nut	03

NO.	PLATE	NAME	EACH
2102	6496	Tension (under thread) Disc	$ 05
1560C	6496	“ “ “ Regulating Thumb Nut	04
916F	6496	Tension (under thread) Screw Stud	08
10148	6496	“ “ “ Spring	03
17547	6496	“ “ “ Thread Guide	25
2102	6496	“ (upper thread) Disc	05
1560C	6496	“ “ “ Regulating Thumb Nut	04
916F	6496	Tension (upper thread) Screw Stud	08
2103	6496	“ “ “ Spring	03
17547	6496	“ “ “ Thread Guide	25
38225	6497	Thread (under) Eyelet (back)	10
190D	6497	“ “ “ “ Screw	03
38284	6497	“ “ “ (front)	05
46049	6497	“ “ Nipper Cam with 465C	50
465C	6497	“ “ “ “ Set Screw	02
38210	6497	“ “ “ Spring (lower)	15
38211	6497	“ “ “ “ (upper)	25
46247	6497	“ “ “ “ “ Stop	10
176D	6497	“ “ “ “ Screw	03
38475	6497	“ “ Take-up with 465C	1 00
465C	6497	“ “ “ Set Screw	02
38478	6497	“ “ “ Staple with two each 590D and 38481	75
46040	6498	Thread (under) Take-up Staple Bracket with 910C	2 00
690D	6534	Thread (under) Take-up Staple Bracket Screw	05
46041	6497	Thread (under) Take-up Staple Spring	05
190D	6497	“ “ “ “ “ Screw	03
910C	6497	Thread (under) Take-up Staple Stop Screw	03
38481	6497	Thread (under) Take-up Staple Thread Guard	10
590D	6497	Thread (under) Take-up Staple Thread Guard Screw	02
38482	6497	Thread (under) Take-up Stripper	60
207D	6497	“ “ “ “ Screw	02
38476	6497	“ “ “ Thread Guard (left)	15
207D	6497	Thread (under) Take-up Thread Guard (left) Screw	02
38477	6497	Thread (under) Take-up Thread Guard (right)	20

NO.	PLATE	NAME	EACH
207D	6497	Thread (under) Take-up Thread Guard (right) Screw........................	$ 02
38483	6496	Thread (upper) Controller..............	40
206F	6496	" " " Screw........	02
46009	6510	" " Eyelet.................	25
190D	6497	" " " Screw...........	03
46010	6510	" " Take-up with 457c......	80
457c	6510	" " " Set Screw......	02
46074	6551	Throat Plate with 665D and 46075, for 46065..............................	1 50
691F	6534	Throat Plate Screw...................	04
46075	6542	" " Thread Retainer..........	10
665D	6542	" " " " Screw.....	02

LIST OF PARTS COMPLETE
FOR
MACHINE NO. 62-38

FOR COVERING SEAMS, NECKING AND ORNAMENTING UNDERWEAR. TWO NEEDLES, ONE LOOPER; GAUGES $\frac{1}{8}$, $\frac{3}{16}$ AND $\frac{1}{4}$ INCH

NO.	PLATE	NAME	EACH
*46363	——	Arm, upper and lower (solid)...........	$20 00
52630	6533	" Oil Tube with 49092, for oiling 46221..............................	20
49092	6533	Arm Oil Tube Packing (felt)............	01
46216	6490	" Rock Shaft.......................	1 00
46364	6511	" " " Crank (back) with two 1497c.............................	80
1497c	6511	Arm Rock Shaft Crank (back) Set Screw.	05
38412	6491	" " " " (front) with 443c.	1 25
23724	6491	" " " " " Pin.......	01
443c	6491	" " " " " Set Screw.	03
46365	6482	" Rotary Shaft.....................	3 00
38329	6491	" " " Collar with two 457c..	25
457c	6491	" " " " Set Screw.....	02
23872	6490	" " " Flanged Bushing.....	1 00
159F	6493	" " " " " Screw	03
4784	6533	" " " Oil Pad (felt)........	01
144D	6534	" " " Screw...............	08
17509	6490	" Side Cover (lower)................	15
286D	6535	" " " " Thumb Screw...	10
52554	6490	" " " (upper)................	20
9533	6533	" " " " Pin............	02
176D	6494	" " " " Screw..........	03
23873	6482	Balance Wheel with two 430c...........	80
430c	6534	" " Set Screw..............	04
46078	6484	Cloth Plate..........................	2 50
691F	6534	" " Screw (left)................	04
1094F	6534	" " " (right)...............	03
46461	——	" " Slide (left).................	30
46462	6486	Cloth Plate Slide (left) complete, Nos. 38419, 46461 and two 725H...........	40
38419	6500	Cloth Plate Slide (left) Spring..........	05
725H	6500	" " " " " Screw.....	02
38105H	6486	" " " (right) with 1602H.....	30
1602H	6535	" " " " Bushing........	02
286D	6535	" " " " Thumb Screw...	10

NO.	PLATE	NAME	EACH
46079	——	Cloth Plate complete, Nos. 286D, 1460H, 38105H, 46078, 46082 and 46162	$4 00
46221	6490	Crank Connecting Rod with 46222, 46223 and two each 896E and 1057E	2 00
50069C	6535	Crank Connecting Rod Ball Screw Stud	20
1619E	6535	" " " " " " Nut	05
*46222	——	Crank Connecting Rod Cap (lower)	25
896E	6534	" " " " Screw.	04
*46223	——	" " " " (upper)	35
1057E	6534	" " " " " Screw	04
46225	6533	" " " Washer (fibre)	02
46179	6490	Face Plate	50
46111	6533	" " Pin	02
286D	6535	" " Thumb Screw	10
38425	6490	Feed Bar with 231C and 460C	2 50
23716	6491	" " Bushing	40
23726	6491	" " Hinge Pin	50
231C	6534	" " Set Screw	03
38426	6491	" " Slide Block	50
38427	6490	" Connecting Rod with 1057E, 23865 and two 896E	1 50
*23865	——	Feed Connecting Rod Cap	30
896E	6534	" " " " Screw	04
23866	6491	" " " Hinge Pin (eccentric)	20
1057E	6534	Feed Connecting Rod Hinge Pin Clamping Screw	04
46143	6551	Feed Dog	2 00
157D	6534	" " Screw	04
460C	6534	" " Stop Screw	02
*38127	——	" Eccentric	2 50
*23729	——	" " Body	2 50
443C	6491	" " " Set Screw	03
21331	6491	" " Pressure Spring	03
21332	6491	" " " " Cap	10
934D	6491	" " " " " Screw	02
196F	6491	" " Set Screw	02
38128	6491	Feed Eccentric (adjustable) complete, Nos. 196F, 934D, 1103C, 21331, 21332, 23729, 38127 and two 443C	5 00
38429	6491	Feed Lifting Eccentric with two 465C	1 00
46113	6500	" " " Cover	10
335D	6500	" " " " Screw	02
465C	6491	" " " Set Screw	02
1103C	6491	" Regulating Screw	15
38431	6492	" Rocking Frame	1 25

NO.	PLATE	NAME	EACH
38432	6492	Feed Rocking Frame Bracket with two 465C	$ 50
123E	6494	Feed Rocking Frame Bracket Screw	06
38433	6492	" " " Hinge Pin	50
465C	6494	" " " " " Set Screw	02
46082	6501	Folder Holder Seat Cover	50
1460H	6534	" " " " Screw	07
25618	4846	Guide	15
286D	6535	" Thumb Screw	10
46203	6511	Looper with 590D and 38393	2 25
46145	6501	" Bell Crank with 1259C	50
38436	6490	" " " Hinge Stud	1 00
443C	6491	" " " " " Set Screw.	03
46314	6512	Looper Bell Crank Pitman complete, Nos. 1706E, 1713E and 46317 to 46319	3 25
50081C	6532	Looper Bell Crank Pitman Ball Screw Stud (upper)	15
1636E	6535	Looper Bell Crank Pitman Ball Screw Stud (upper) Nut	03
46228	6493	Looper Bell Crank Pitman Ball Stud (lower)	30
1259C	6534	Looper Bell Crank Pitman Ball Stud (lower) Set Screw	03
*46229	——	Looper Bell Crank Pitman Cap (lower)	—
171E	6534	" " " " " " Screw	03
*46230	——	Looper Bell Crank Pitman Cap (upper)	—
171E	6534	" " " " " " Screw	03
*46315	——	Looper Bell Crank Pitman End Bearing (lower)	—
*46316	——	Looper Bell Crank Pitman End Bearing (upper)	—
46317	6512	Looper Bell Crank Pitman Head (lower) Nos. 46228, 46229, 46315 and two 171E	1 50
46318	6512	Looper Bell Crank Pitman Head (upper) Nos. 46230, 46316, 50081C and two 171E	1 50
46319	6512	Looper Bell Crank Pitman Rod	20
1706E	6535	" " " " " Nut (lower)	03
1713E	6535	Looper Bell Crank Pitman Rod Nut (upper)	03
46244	6533	Looper Bell Crank Pitman Washer (fibre)	02
38439	6493	Looper Carrier with 1143C and two 1147C	1 50
38440	6493	" " Hinge Pin	20
1147C	6493	" " " " Set Screw	03

NO.	PLATE	NAME	EACH
46367	6512	Looper Carrier Pitman complete, Nos. 1708E, 1709E, 46176, 46241 and 46242	$3 15
50070C	6535	Looper Carrier Pitman Ball Screw Stud (right)	15
1636E	6535	Looper Carrier Pitman Ball Screw Stud (right) Nut	03
46237	6493	Looper Carrier Pitman Ball Stud (left)	25
1147C	6493	" " " " " " Set Screw	03
*46238	——	Looper Carrier Pitman Cap (left)	—
171E	6534	" " " " " Screw	03
*46238	——	" " " " (right)	—
171E	6534	" " " " " " Screw	03
*46239	——	" " " End Bearing (left)	—
*46240	——	" " " " " (right)	—
46241	6492	" " " Head (left) Nos. 46237 to 46239 and two 171E	1 50
46242	6492	Looper Carrier Pitman Head (right) Nos. 46238, 46240, 50070C and two 171E	1 50
46176	6512	Looper Carrier Pitman Rod	10
1708E	6535	" " " " Nut (left)	03
1709E	6535	" " " " " (right)	03
46244	6533	" " " Washer (fibre)	02
46042	6493	" " Rock Shaft with two 175D	2 50
175D	6493	" " " " Adjusting Screw	02
38450	6493	Looper Carrier Rock Shaft Crank (forked) with 159E	2 00
159E	6493	Looper Carrier Rock Shaft Crank Clamping Screw	03
38451	6493	Looper Carrier Rock Shaft Crank Slide Block	50
46043	6493	Looper Carrier Rock Shaft Hinge Pin	75
1508E	6493	" " " " " " Nut	06
129E	6493	Looper Carrier Rock Shaft Hinge Pin Set Screw	04
46149	6511	Looper Eccentric with two 465C	1 00
465C	6493	" " Set Screw	02
46204	6511	" Needle Guard with 46105	40
46105	6499	" " " Pin	01
229D	6499	" " " Screw	02
1143C	6493	" Set Screw	03
38453	6494	" Shaft	50
52553	6494	" " Bracket	50
123E	6494	" " " Screw	06
391D	6494	" " Screw	02

NO.	PLATE	NAME	EACH
38393	6493	Looper Thread Guard	$ 03
590D	6493	" " " Screw	02
46150	6508	Needle Bar (hollow)	60
46151	——	Needle Bar complete, Nos. 46150 and 46152	1 85
38456	6493	Needle Bar Bushing	50
1133E	6493	" " " Set Screw	02
46205	6511	" " Connecting Link	40
38459	6494	" " " " Hinge Stud	30
1520E	6494	" " " " " " Nut	03
46206	6511	Needle Bar Connecting Stud with two 391E	1 50
391E	6494	Needle Bar Connecting Stud Clamping Screw	02
46152	6511	Needle Clamp with two 1498F	1 25
1498F	6511	" Set Screw	02
17540	6492	Presser Bar	30
38464	6494	" " Bushing (lower)	80
1133E	6493	" " " " Set Screw	02
38456	6493	" " " (upper)	50
1133E	6493	" " " " Set Screw	02
17541	6494	" " Lifter	20
17542	6494	" " " Hinge Pin	05
38466	6494	" " Lifting Bracket with 453C and 892C	1 00
892C	6494	Presser Bar Lifting Bracket Adjusting Screw	05
453C	6494	Presser Bar Lifting Bracket Set Screw	02
38467	6492	" " Spring (flat)	50
38468	6494	" " " Stud	03
26276	6533	" Foot Hinge Pin	01
46154	——	" " Plate	1 25
46087	——	" " Shank	75
46155	6551	Presser Foot (hinged) complete, Nos. 26276, 46087 and 46154	2 00
26276	6533	Presser Foot Hinge Pin	01
46177	——	" " Plate	1 25
46087	——	" " Shank	75
46178	6551	Presser Foot (hinged) complete, with centre guides, Nos. 26276, 46087 and 46177	2 00
190D	6496	Presser Foot Screw	03
574D	6536	Pressure Regulating Thumb Screw	15
1539D	6535	" " " " Lock Nut	05
46207	6513	Slack Thread Controller	20

NO.	PLATE	NAME	EACH
46035	6496	Slack Thread Controller Clamp........	$ 10
190D	6496	" " " " Screw...	03
46208	6513	" " Regulator................	1 50
46209	6513	" " " Arm...........	50
206F	6513	" " " " Screw......	02
38473	6496	" " " Bracket with 172c and 1823......................	1 25
172c	6496	Slack Thread Regulator Bracket Clamping Screw............................	04
38474	6496	Slack Thread Regulator Bushing........	20
1823	6496	" " " Roller and Stud.	18
50062D	6496	" " " Screw..........	07
1620E	6496	" " " " Nut......	03
2102	6496	Tension (under thread) Disc............	05
1560c	6496	" " " Regulating Thumb Nut........................	04
916F	6496	Tension (under thread) Screw Stud......	08
42121	6496	" " " Spring..........	03
17547	6496	" " " Thread Guide....	25
2102	6496	" (upper thread) Disc............	05
1560c	6496	" " " Regulating Thumb Nut........................	04
916F	6496	Tension (upper thread) Screw Stud......	08
13710	6496	" " " Spring..........	03
17547	6496	" " " Thread Guide....	25
38225	6497	Thread (under) Eyelet (back)..........	10
190D	6497	" " " " Screw.....	03
38284	6497	" " " (front)..........	05
46049	6497	" " Nipper Cam with 465c...	50
465c	6497	" " " " Set Screw...	02
38210	6497	" " " Spring (lower)....	15
38211	6497	" " " " (upper)...	25
46247	6497	" " " " " Stop	10
176D	6497	" " " " Screw.....	03
46210	6513	" " Take-up with 465c......	1 00
465c	6513	" " " Set Screw......	02
46211	6513	" " " Staple..........	50
46040	6498	" " " " Bracket with 910c.........................	2 00
690D	6534	Thread (under) Take-up Staple Bracket Screw............................	05
46041	6497	Thread (under) Take-up Staple Spring	05
190D	6497	" " " " " Screw............................	03
910c	6497	Thread (under) Take-up Staple Stop Screw............................	03
46212	6513	Thread (under) Take-up Stripper.......	60

NO.	PLATE	NAME	EACH
207D	6497	Thread (under) Take-up Stripper Screw..	$ 02
38476	6497	" " " Thread Guard (left)...............................	15
207D	6497	Thread (under) Take-up Thread Guard (left) Screw.........................	02
38477	6497	Thread (under) Take-up Thread Guard (right)............................	20
207D	6497	Thread (under) Take-up Thread Guard (right) Screw.......................	02
46213	6513	Thread (upper) Controller.............	60
228D	6513	" " " Screw.........	02
46214	6513	" " Take-up..............	80
228D	6513	" " " Screw..........	02
46162	6551	Throat Plate for 46143................	3 00
691F	6534	" " Screw....................	04

LIST OF PARTS COMPLETE
FOR
MACHINE NO. 62-39

FOR SILKING OR STITCHING AROUND THE DRAW ON THE BACKS OF GLOVES. TWO NEEDLES, ONE LOOPER; GAUGES $\frac{1}{32}$ TO $\frac{1}{16}$ INCH

NO.	PLATE	NAME	EACH
*52737	——	Arm, upper and lower (solid)	$20 00
52630	6533	“ Oil Tube with 49092, for oiling 46221	20
49092	6533	Arm Oil Tube Packing (felt)	01
46216	6490	“ Rock Shaft	1 00
46217	6491	“ “ “ Crank (back) with two 1497c	80
1497c	6491	Arm Rock Shaft Crank (back) Set Screw	05
38412	6491	“ “ “ “ (front) with 443c	1 25
23724	6491	“ “ “ “ “ Pin	01
443c	6491	“ “ “ “ “ Set Screw	03
46218	6482	“ Rotary Shaft	3 00
38329	6491	“ “ “ Collar with two 457c	25
457c	6491	“ “ “ “ Set Screw	02
23872	6490	“ “ “ Flanged Bushing	1 00
159F	6493	“ “ “ “ “ Screw	03
4784	6533	“ “ “ Oil Pad (felt)	01
144D	6534	“ “ “ Screw	08
17509	6490	“ Side Cover (lower)	15
286D	6535	“ “ “ “ Thumb Screw	10
52554	6490	“ “ “ (upper)	20
9533	6533	“ “ “ “ Pin	02
176D	6494	“ “ “ “ Screw	03
23873	6482	Balance Wheel with two 430c	80
430c	6534	“ “ Set Screw	04
38414	6483	Cloth Plate	2 50
691F	6534	“ “ Screw (left)	04
1094F	6534	“ “ “ (right)	03
38415	——	“ “ Slide (large) with 1602H	60
38417	6486	Cloth Plate Slide (large) complete, Nos. 38415, two 38416 and four 725H	75
1602H	6535	Cloth Plate Slide (large) Bushing	02
38416	6500	“ “ “ “ Spring	05
725H	6500	“ “ “ “ “ Screw	02
38418	——	“ “ “ (small)	30
38420	6486	Cloth Plate Slide (small) complete, Nos. 38418, 38419 and two 725H	40

NO.	PLATE	NAME	EACH
38419	6500	Cloth Plate Slide (small) Spring	$ 05
725H	6500	“ “ “ “ “ Screw	02
38421	——	Cloth Plate complete, Nos. 38414, 38417 and 38420	3 65
46221	6490	Crank Connecting Rod with 46222, 46223 and two each 896E and 1057E	2 00
50069c	6535	Crank Connecting Rod Ball Screw Stud	20
1619E	6535	“ “ “ “ “ “ Nut	05
*46222	——	Crank Connecting Rod Cap (lower)	25
896E	6534	“ “ “ “ “ Screw	04
*46223	——	“ “ “ “ (upper)	35
1057E	6534	“ “ “ “ “ Screw	04
46225	6533	“ “ “ Washer (fibre)	02
46110	6498	Face Plate	50
46111	6533	“ “ Pin	02
286D	6535	“ “ Thumb Screw	10
38425	6490	Feed Bar with 231c and 460c	2 50
23716	6491	“ “ Bushing	40
23726	6491	“ “ Hinge Pin	50
231c	6534	“ “ Set Screw	03
38426	6491	“ “ Slide Block	50
38427	6490	“ Connecting Rod with 1057E, 23865 and two 896E	1 50
*23865	——	Feed Connecting Rod Cap	30
896E	6534	“ “ “ “ Screw	04
23866	6491	“ “ “ Hinge Pin (eccentric)	20
1057E	6534	Feed Connecting Rod Hinge Pin Clamping Screw	04
46164	6552	Feed Dog	75
898D	6534	“ “ Screw	04
460c	6534	“ “ Stop Screw	02
*38127	——	“ Eccentric	2 50
*23729	——	“ “ Body	2 50
443c	6491	“ “ “ Set Screw	03
21331	6491	“ “ Pressure Spring	03
21332	6491	“ “ “ “ Cap	10
934D	6491	“ “ “ “ “ Screw	02
196F	6491	“ “ Set Screw	02
38128	6491	Feed Eccentric (adjustable) complete, Nos. 196F, 934D, 1103c, 21331, 21332, 23729, 38127 and two 443c	5 00
38429	6491	Feed Lifting Eccentric with two 465c	1 00
46113	6500	“ “ “ Cover	10
335D	6500	“ “ “ “ Screw	02
465c	6491	“ “ “ Set Screw	02

NO.	PLATE	NAME	EACH
1103c	6491	Feed Regulating Screw	$ 15
38431	6492	“ Rocking Frame	1 25
38432	6492	“ “ “ Bracket with two 465c	50
123E	6494	Feed Rocking Frame Bracket Screw	06
38433	6492	“ “ “ Hinge Pin	50
465c	6491	“ “ “ “ “ Set Screw	02
46066	6499	Looper with 590D and 38393	2 25
46226	6490	“ Bell Crank with 1037c	50
38436	6490	“ “ “ Hinge Stud	1 00
443c	6491	“ “ “ “ “ Set Screw.	03
46227	6492	Looper Bell Crank Pitman complete, Nos. 1706E, 1713E and 46233 to 46235	3 25
50070c	6535	Looper Bell Crank Pitman Ball Screw Stud (upper)	15
1636E	6535	Looper Bell Crank Pitman Ball Screw Stud (upper) Nut	03
46228	6493	Looper Bell Crank Pitman Ball Stud (lower)	30
1037c	6493	Looper Bell Crank Pitman Ball Stud (lower) Set Screw	04
*46229	——	Looper Bell Crank Pitman Cap (lower)	—
171E	6534	“ “ “ “ “ “ Screw	03
*46230	——	Looper Bell Crank Pitman Cap (upper)	—
171E	6534	“ “ “ “ “ “ Screw	03
*46231	——	Looper Bell Crank Pitman End Bearing (lower)	—
*46232	——	Looper Bell Crank Pitman End Bearing (upper)	—
46233	6492	Looper Bell Crank Pitman Head (lower) Nos. 46228, 46229, 46231 and two 171E	1 50
46234	6492	Looper Bell Crank Pitman Head (upper) Nos. 46230, 46232, 50070c and two 171E	1 50
46235	6492	Looper Bell Crank Pitman Rod	20
1706E	6535	“ “ “ “ “ Nut (lower)	03
1713E	6535	Looper Bell Crank Pitman Rod Nut (upper)	03
38439	6493	Looper Carrier with 1143c and two 1147c	1 50
38440	6493	“ “ Hinge Pin	20
1147c	6493	“ “ “ “ Set Screw	03
46236	6492	Looper Carrier Pitman complete, Nos. 1708E, 1709E and 46241 to 46243	3 25
50070c	6535	Looper Carrier Pitman Ball Screw Stud (right)	15

NO.	PLATE	NAME	EACH
1636E	6535	Looper Carrier Pitman Ball Screw Stud (right) Nut	$ 03
46237	6493	Looper Carrier Pitman Ball Stud (left)	25
1147c	6493	“ “ “ “ “ “ Set Screw	03
*46238	——	Looper Carrier Pitman Cap (left)	—
171E	6534	“ “ “ “ “ Screw	03
*46238	——	“ “ “ “ (right)	—
171E	6534	“ “ “ “ “ Screw	03
*46239	——	“ “ “ End Bearing (left)	—
*46240	——	“ “ “ “ “ (right)	—
46241	6492	“ “ “ Head (left) Nos. 46237 to 46239 and two 171E	1 50
46242	6492	Looper Carrier Pitman Head (right) Nos. 46238, 46240, 50070c and two 171E	1 50
46243	6492	Looper Carrier Pitman Rod	20
1708E	6535	“ “ “ “ Nut (left)	03
1709E	6535	“ “ “ “ “ (right)	03
46244	6533	“ “ “ Washer (fibre)	02
46042	6493	“ “ Rock Shaft with two 175D	2 50
175D	6493	“ “ “ “ Adjusting Screw	02
38450	6493	Looper Carrier Rock Shaft Crank (forked) with 159E	2 00
159E	6493	Looper Carrier Rock Shaft Crank Clamping Screw	03
38451	6493	Looper Carrier Rock Shaft Crank Slide Block	50
46043	6493	Looper Carrier Rock Shaft Hinge Pin	75
1508E	6493	“ “ “ “ “ “ Nut	06
129E	6493	Looper Carrier Rock Shaft Hinge Pin Set Screw	04
38452	6493	Looper Eccentric with two 465c	1 00
465c	6493	“ “ Set Screw	02
46104	6499	“ Needle Guard with 46105	40
46105	6499	“ “ “ Pin	01
229D	6499	“ “ “ Screw	02
1143c	6493	“ Set Screw	03
38453	6494	“ Shaft	50
52553	6494	“ “ Bracket	50
123E	6494	“ “ “ Screw	06
391D	6494	“ “ Screw	02
38393	6493	“ Thread Guard	03
590D	6493	“ “ “ Screw	02
46067	6508	Needle Bar (hollow)	60

NO.	PLATE	NAME	EACH
46165	——	Needle Bar complete, Nos. 2273, 46067, 46070 and 46166	$1 50
38456	6493	Needle Bar Bushing	50
1133E	6493	" " " Set Screw	02
38458	6494	" " Connecting Link	50
38459	6494	" " " " Hinge Stud	30
1520E	6494	" " " " " " Nut	03
38460	6494	Needle Bar Connecting Stud with two 391E	1 00
391E	6494	Needle Bar Connecting Stud Clamping Screw	02
15261	6502	Needle Bar Stop Collar with 237F	15
237F	6502	" " " " Set Screw	02
46166	6506	" Clamp with 462F	75
46070	6506	" " Gib	15
2273	6506	" " Pin	01
462F	6506	" " Screw	02
46050	6494	" Guard	75
176D	6494	" " Screw	03
46002	6533	Oil Cup with two 38463	30
38463	6533	" " Packing (felt)	02
225F	6533	" " Screw	03
17540	6492	Presser Bar	30
38464	6494	" " Bushing (lower)	80
1133E	6493	" " " " Set Screw	02
38456	6493	" " " (upper)	50
1133E	6493	" " " " Set Screw	02
17541	6494	" " Lifter	20
17542	6494	" " " Hinge Pin	05
38466	6494	" " Lifting Bracket with 453C and 892C	1 00
892C	6494	Presser Bar Lifting Bracket Adjusting Screw	05
453C	6494	Presser Bar Lifting Bracket Set Screw	02
38467	6492	" " Spring (flat)	50
38468	6494	" " " Stud	03
15261	6502	" " Stop Collar with 237F	15
237F	6502	" " " " Set Screw	02
46167	6552	" Foot with 46168 and two 662D	2 00
46168	6552	" " Guide	50
662D	6552	" " " Screw	02
190D	6496	" " Screw	03
574D	6536	Pressure Regulating Thumb Screw	15
1539D	6535	" " " " Lock Nut	05
46169	6500	Slack Thread Controller	05

NO.	PLATE	NAME	EACH
193F	6500	Slack Thread Controller Set Screw	$ 03
2102	6496	Tension (under thread) Disc	05
1560C	6496	" " " Regulating Thumb Nut	04
916F	6496	Tension (under thread) Screw Stud	08
10148	6496	" " " Spring	03
17547	6496	" " " Thread Guide	25
2102	6496	" (upper thread) Disc	05
1560C	6496	" " Regulating Thumb Nut	04
916F	6496	Tension (upper thread) Screw Stud	08
13710	6496	" " " Spring	03
17547	6496	" " " Thread Guide	25
38225	6497	Thread (under) Eyelet (back)	10
190D	6497	" " " " Screw	03
38284	6497	" " " (front)	05
46049	6497	" " Nipper Cam with 465C	50
465C	6497	" " " " Set Screw	02
38210	6497	" " " Spring (lower)	15
38211	6497	" " " " (upper)	25
46247	6497	" " " " " Stop	10
176D	6497	" " " " " Screw	03
38475	6497	" " Take-up with 465C	1 00
465C	6497	" " " Set Screw	02
38478	6497	" " " Staple with two each 590D and 38481	75
46040	6498	Thread (under) Take-up Staple Bracket with 910C	2 00
690D	6534	Thread (under) Take-up Staple Bracket Screw	05
46041	6497	Thread (under) Take-up Staple Spring	05
190D	6497	" " " " " Screw	03
910C	6497	Thread (under) Take-up Staple Stop Screw	03
38481	6497	Thread (under) Take-up Staple Thread Guard	10
590D	6497	Thread (under) Take-up Staple Thread Guard Screw	02
38482	6497	Thread (under) Take-up Stripper	60
207D	6497	" " " " Screw	02
38476	6497	" " " Thread Guard (left)	15
207D	6497	Thread (under) Take-up Thread Guard (left) Screw	02
38477	6497	Thread (under) Take-up Thread Guard (right)	20

NO.	PLATE	NAME	EACH
207D	6497	Thread (under) Take-up Thread Guard (right) Screw	$ 02
38483	6496	Thread (upper) Controller	40
206F	6496	" " " Screw	02
46170	6519	" " Eyelet	25
190D	6496	" " " Screw	03
46171	6519	" " Take-up with 223D	80
223D	6519	" " " Clamping Screw	02
46172	6552	Throat Plate with 665D, 46075 and 46304, for 46164	1 50
691F	6534	Throat Plate Screw	04
46075	6542	" " Thread Retainer	10
665D	6542	" " " " Screw	02
46304	6552	" " Tongue	15

LIST OF PARTS COMPLETE
FOR
MACHINE NO. 62-40

FOR CORDING AND AIR TUCKING IN SKIRTS, WAISTS, MILLINERY AND OTHER GOODS. AIR TUCKING CAN BE MADE $\frac{1}{32}$ TO $\frac{1}{8}$ INCH HIGH, BUT THE DESIRED HEIGHT MUST BE STATED UPON THE ORDER FOR THE MACHINE AND MATERIAL AND CORD TO BE USED SENT WITH THE ORDER. HAS TWO NEEDLES, ONE LOOPER; GAUGES $\frac{3}{64}$ TO $\frac{1}{8}$ INCH. PRESSER FOOT NO. 46271 AND THROAT PLATE NO. 52666 FOR PLAIN STITCHING

NO.	PLATE	NAME	EACH
*52737	----	Arm, upper and lower (solid)	$20 00
52630	6533	" Oil Tube with 49092, for oiling 46221	20
49092	6533	Arm Oil Tube Packing (felt)	01
46216	6490	" Rock Shaft	1 00
46217	6491	" " " Crank (back) with two 1497C	80
1497C	6491	Arm Rock Shaft Crank (back) Set Screw	05
38412	6491	" " " " (front) with 443C	1 25
23724	6491	" " " " " Pin	01
443C	6491	" " " " " Set Screw	03
46218	6482	" Rotary Shaft	3 00
38329	6491	" " " Collar with two 457C	25
457C	6491	" " " " Set Screw	02
23872	6490	" " " Flanged Bushing	1 00
159F	6493	" " " " " Screw	03
4784	6533	" " " Oil Pad (felt)	01
144D	6534	" " " Screw	08
17509	6490	" Side Cover (lower)	15
286D	6535	" " " " Thumb Screw	10
52554	6490	" " " (upper)	20
9533	6533	" " " " Pin	02
176D	6494	" " " " Screw	03
23873	6482	Balance Wheel with two 430C	80
430C	6534	" " Set Screw	04
46278	6484	Cloth Plate	2 50
691F	6534	" " Screw (left)	04
1094F	6534	" " " (right)	03
46264	----	" " Slide (large) with 1602H	60

NO.	PLATE	NAME	EACH
46265	6488	Cloth Plate Slide (large) complete, Nos. 46264, two 38416 and four 725H	$ 75
1602H	6535	Cloth Plate Slide (large) Bushing	02
38416	6500	“ “ “ “ Spring	05
725H	6500	“ “ “ “ “ Screw	02
38418	——	“ “ “ (small)	30
38420	6486	Cloth Plate Slide (small) complete, Nos. 38418, 38419 and two 725H	40
38419	6500	Cloth Plate Slide (small) Spring	05
725H	6600	“ “ “ “ “ Screw	02
46266	——	Cloth Plate complete, Nos. 38420, 46265 and 46278	3 65
2102	6496	Cord Tension Disc	05
1560c	6496	“ “ Regulating Thumb Nut	04
637F	6496	“ “ Screw Stud	08
10148	6496	“ “ Spring	03
46221	6490	Crank Connecting Rod with 46222, 46223 and two each 896E and 1057E	2 00
50069c	6535	Crank Connecting Rod Ball Screw Stud	20
1619E	6535	“ “ “ “ “ “ Nut	05
*46222	——	Crank Connecting Rod Cap (lower)	25
896E	6534	“ “ “ “ “ Screw	04
*46223	——	“ “ “ “ (upper)	35
1057E	6534	“ “ “ “ “ Screw	04
46225	6533	“ “ “ Washer (fibre)	02
46110	6498	Face Plate	50
46111	6533	“ “ Pin	02
286D	6535	“ “ Thumb Screw	10
38425	6490	Feed Bar with 231c and 460c	2 50
23716	6491	“ “ Bushing	40
23726	6491	“ “ Hinge Pin	50
231c	6534	“ “ Set Screw	03
38426	6491	“ “ Slide Block	50
38427	6490	“ Connecting Rod with 1057E, 23865 and two 896E	1 50
*23865	——	Feed Connecting Rod Cap	30
896E	6534	“ “ “ “ Screw	04
23866	6491	“ “ “ Hinge Pin (eccentric)	20
1057E	6534	Feed Connecting Rod Hinge Pin Clamping Screw	04
52663	6552	Feed Dog	1 75
157D	6534	“ “ Screw	04
460c	6534	“ “ Stop Screw	02
*38127	——	“ Eccentric	2 50
*23729	——	“ “ Body	2 50

NO.	PLATE	NAME	EACH
443c	6491	Feed Eccentric Body Set Screw	$ 03
21331	6491	“ “ Pressure Spring	03
21332	6491	“ “ “ “ Cap	10
934D	6491	“ “ “ “ “ Screw	02
196F	6491	“ “ Set Screw	02
38128	6491	Feed Eccentric (adjustable) complete, Nos. 196F, 934D, 1103c, 21331, 21332, 23729, 38127 and two 443c	5 00
38429	6491	Feed Lifting Eccentric with two 465c	1 00
46113	6500	“ “ “ Cover	10
335D	6500	“ “ “ “ Screw	02
465c	6491	“ “ “ Set Screw	02
1103c	6491	“ Regulating Screw	15
38431	6492	“ Rocking Frame	1 25
38432	6492	“ “ “ Bracket with two 465c	50
123E	6494	Feed Rocking Frame Bracket Screw	06
38433	6492	“ “ “ Hinge Pin	50
465c	6491	“ “ “ “ “ Set Screw	02
46066	6499	Looper with 590D and 38393	2 25
46226	6490	“ Bell Crank with 1037c	50
38436	6490	“ “ “ Hinge Stud	1 00
443c	6491	“ “ “ “ “ Set Screw	03
46227	6492	Looper Bell Crank Pitman complete, Nos. 1706E, 1713E and 46233 to 46235	3 25
50070c	6535	Looper Bell Crank Pitman Ball Screw Stud (upper)	15
1636E	6535	Looper Bell Crank Pitman Ball Screw Stud (upper) Nut	03
46228	6493	Looper Bell Crank Pitman Ball Stud (lower)	30
1037c	6493	Looper Bell Crank Pitman Ball Stud (lower) Set Screw	04
*46229	——	Looper Bell Crank Pitman Cap (lower)	—
171E	6534	“ “ “ “ “ “ Screw	03
*46230	——	Looper Bell Crank Pitman Cap (upper)	—
171E	6534	“ “ “ “ “ “ Screw	03
*46231	——	Looper Bell Crank Pitman End Bearing (lower)	—
*46232	——	Looper Bell Crank Pitman End Bearing (upper)	—
46233	6492	Looper Bell Crank Pitman Head (lower) Nos. 46228, 46229, 46231 and two 171E	1 50
46234	6492	Looper Bell Crank Pitman Head (upper) Nos. 46230, 46232, 50070c and two 171E	1 50

NO.	PLATE	NAME	EACH
46235	6492	Looper Bell Crank Pitman Rod	$ 20
1706E	6535	" " " " " Nut (lower)	03
1713E	6535	Looper Bell Crank Pitman Rod Nut (upper)	03
38439	6493	Looper Carrier with 1143c and two 1147c	1 50
38440	6493	" " Hinge Pin	20
1147c	6493	" " " " Set Screw	03
46236	6492	Looper Carrier Pitman complete, Nos. 1708E, 1709E and 46241 to 46243	3 25
50070c	6535	Looper Carrier Pitman Ball Screw Stud (right)	15
1636E	6535	Looper Carrier Pitman Ball Screw Stud (right) Nut	03
46237	6493	Looper Carrier Pitman Ball Stud (left)	25
1147c	6493	" " " " " " Set Screw	03
*46238	——	Looper Carrier Pitman Cap (left)	—
171E	6534	" " " " " Screw	03
*46238	——	" " " " (right)	—
171E	6534	" " " " " " Screw	03
*46239	——	" " " End Bearing (left)	—
*46240	——	" " " " " " (right)	—
46241	6492	" " " Head (left) Nos. 46237 to 46239 and two 171E	1 50
46242	6492	Looper Carrier Pitman Head (right) Nos. 46238, 46240, 50070c and two 171E	1 50
46243	6492	Looper Carrier Pitman Rod	20
1708E	6535	" " " " Nut (left)	03
1709E	6535	" " " " " " (right)	03
46244	6533	" " " Washer (fibre)	02
46042	6493	" " Rock Shaft with two 175D	2 50
175D	6493	" " " " Adjusting Screw	02
38450	6493	Looper Carrier Rock Shaft Crank (forked) with 159E	2 00
159E	6493	Looper Carrier Rock Shaft Crank Clamping Screw	03
38451	6493	Looper Carrier Rock Shaft Crank Slide Block	50
46043	6493	Looper Carrier Rock Shaft Hinge Pin	75
1508E	6493	" " " " " " Nut	06
129E	6493	Looper Carrier Rock Shaft Hinge Pin Set Screw	04
38452	6493	Looper Eccentric with two 465c	1 00
465c	6493	" " Set Screw	02

NO.	PLATE	NAME	EACH
46104	6499	Looper Needle Guard with 46105	$ 40
46105	6499	" " " Pin	01
229D	6499	" " " Screw	02
1143c	6493	" Set Screw	03
38453	6494	" Shaft	50
52553	6494	" " Bracket	50
123E	6494	" " " Screw	06
391D	6494	" " Screw	02
38393	6493	" Thread Guard	03
590D	6493	" " " Screw	02
46067	6508	Needle Bar (hollow) for 46165	60
46165	——	Needle Bar complete, for $\frac{1}{32}$ in., $\frac{5}{64}$ in. and all gauges between these, Nos. 2273, 46067, 46070 and 46166	1 50
46051	6508	Needle Bar for 46268	60
46268	——	Needle Bar complete, for $\frac{3}{32}$ in. to $1\frac{1}{8}$ in. gauge, Nos. 46051 and 46269	1 85

NOTE. When ordering No. 46268 state gauge required.

NO.	PLATE	NAME	EACH
38456	6493	Needle Bar Bushing	50
1133E	6493	" " " Set Screw	02
38458	6494	" " Connecting Link	50
38459	6494	" " " " Hinge Stud	30
1520E	6494	" " " " " " Nut	03
38460	6494	Needle Bar Connecting Stud with two 391E	1 00
391E	6494	Needle Bar Connecting Stud Clamping Screw	02
15261	6502	Needle Bar Stop Collar with 237F	15
237F	6502	" " " " Set Screw	02
46166	6506	" Clamp with 462F, for $\frac{1}{32}$ in., $\frac{5}{64}$ in. and all gauges between these, for 46165	75
46269	6511	Needle Clamp with two 735F, for $\frac{3}{32}$ in. to $1\frac{1}{8}$ in. gauge, for 46268	1 25

NOTE. When ordering No. 46269 state gauge required.

NO.	PLATE	NAME	EACH
46070	6506	Needle Clamp Gib for 46165	15
2273	6506	" " Pin for 46165	01
462F	6506	" " Screw for 46166	02
735F	6511	" Set Screw for 46269	02
46050	6494	" Guard	75
190D	6496	" " Screw	03
17540	6492	Presser Bar	30
38464	6494	" " Bushing (lower)	80

NO.	PLATE	NAME	EACH
1133E	6493	Presser Bar Bushing (lower) Set Screw...	$ 02
38456	6493	" " " (upper)...........	50
1133E	6493	" " " " Set Screw...	02
17541	6494	" " Lifter.....................	20
17542	6494	" " " Hinge Pin...........	05
38466	6494	" " Lifting Bracket with 453C and 892C..............................	1 00
892C	6494	Presser Bar Lifting Bracket Adjusting Screw............................	05
453C	6494	Presser Bar Lifting Bracket Set Screw...	02
38467	6492	" " Spring (flat)..............	50
38468	6494	" " " Stud...............	03
15261	6502	" " Stop Collar with 237F.......	15
237F	6502	" " " " Set Screw.......	02
18055	6533	" Foot Hinge Pin................	01
23859	——	" " Plate.....................	1 00
46270	——	" " Shank....................	75
46271	6553	Presser Foot (hinged) complete, for general work, Nos. 18055, 23859 and 46270............................	1 75
18055	6533	Presser Foot Hinge Pin................	01
23777	——	" " Plate.....................	1 50
46270	——	" " Shank....................	75
46272	6553	Presser Foot (hinged) complete, for imitation cording and tucking, Nos. 18055, 23777 and 46270.............	2 25
18055	6533	Presser Foot Hinge Pin................	01
23778	——	" " Plate.....................	1 50
46270	——	" " Shank....................	75
46273	6553	Presser Foot (hinged) complete, for cording, Nos, 18055, 23778 and 46270.....	2 25
18055	6533	Presser Foot Hinge Pin................	01
38014	——	" " Plate.....................	1 75
46270	——	" " Shank....................	75
46309	6553	Presser Foot (hinged) complete, for gang cording and pin tucking, Nos. 18055, 38014 and 46270.....................	2 50
18055	6533	Presser Foot Hinge Pin................	01
52637	——	" " Plate.....................	1 50
46270	——	" " Shank....................	75
52638	6553	Presser Foot (hinged) complete, for $\frac{3}{64}$ in. gauge, for air cording and tucking $\frac{1}{32}$ in. high, for silk and thin cotton petticoats, waists, etc., Nos. 18055, 46270 and 52637............................	2 25
18055	6533	Presser Foot Hinge Pin................	01
52640	——	" " Plate.....................	1 50

NO.	PLATE	NAME	EACH
46270	——	Presser Foot Shank....................	$ 75
52641	6553	Presser Foot (hinged) complete, for $\frac{3}{64}$ in. and $\frac{1}{16}$ in. gauges, for air cording and tucking $\frac{3}{64}$ in. high, for cotton petticoats, waists, etc., Nos. 18055, 46270 and 52640............................	2 25
18055	6533	Presser Foot Hinge Pin................	01
52643	——	" " Plate.....................	1 50
46270	——	" " Shank....................	75
52644	6553	Presser Foot (hinged) complete, for $\frac{3}{64}$ in. and $\frac{1}{16}$ in. gauges, for air cording and tucking $\frac{1}{16}$ in. high, for cotton petticoats, waists, etc., Nos. 18055, 46270 and 52643.........................	2 25
46191	6562	Presser Foot Guide (left)..............	10
223F	6562	" " " " Set Screw......	02
46192	6562	" " " (right).............	10
1076F	6562	" " " " Set Screw....	03
46193	6562	" " " Holder with 223F and 1076F............................	50
176D	6494	Presser Foot Screw....................	03
574D	6536	Pressure Regulating Thumb Screw......	15
1539D	6535	" " " " Lock Nut.............................	05
46169	6500	Slack Thread Controller................	05
193F	6500	" " " Set Screw.......	03
2102	6496	Tension (under thread) Disc...........	05
1560C	6496	" " " Regulating Thumb Nut.........................	04
916F	6496	Tension (under thread) Screw Stud......	08
10148	6496	" " " Spring..........	03
17547	6496	" " " Thread Guide....	25
2102	6496	" (upper thread) Disc...........	05
1560C	6496	" " " Regulating Thumb Nut.........................	04
916F	6496	Tension (upper thread) Screw Stud......	08
2103	6496	" " " Spring..........	03
17547	6496	" " " Thread Guide....	25
38225	6497	Thread (under) Eyelet (back)...........	10
190D	6497	" " " " Screw.....	03
38284	6497	" " " (front)...........	05
46049	6497	" " Nipper Cam with 465C...	50
465C	6497	" " " " Set Screw...	02
38210	6497	" " " Spring (lower)....	15
38211	6497	" " " " (upper)...	25
46247	6497	" " " " " Stop	10
176D	6497	" " " " Screw.....	03

NO.	PLATE	NAME	EACH
38475	6497	Thread (under) Take-up with 465c......	$1 00
465c	6497	" " " Set Screw......	02
38478	6497	" " " Staple with two each 590D and 38481................	75
46040	6498	Thread (under) Take-up Staple Bracket with 910c.........................	2 00
690D	6534	Thread (under) Take-up Staple Bracket Screw............................	05
46041	6497	Thread (under) Take-up Staple Spring	05
190D	6497	" " " " " Screw............................	03
910c	6497	Thread (under) Take-up Staple Stop Screw............................	03
38481	6497	Thread (under) Take-up Staple Thread Guard............................	10
590D	6497	Thread (under) Take-up Staple Thread Guard Screw......................	02
38482	6497	Thread (under) Take-up Stripper.......	60
207D	6497	" " " " Screw..	02
38476	6497	" " " Thread Guard (left).............................	15
207D	6497	Thread (under) Take-up Thread Guard (left) Screw........................	02
38477	6497	Thread (under) Take-up Thread Guard (right)............................	20
207D	6497	Thread (under) Take-up Thread Guard (right) Screw......................	02
38483	6496	Thread (upper) Controller.............	40
206F	6496	" " " Screw........	02
46009	6510	" " Eyelet.................	25
190D	6496	" " " Screw...........	03
46171	6519	" " Take-up with 223D......	80
223D	6519	" " " Clamping Screw.	02
52664	——	Throat Plate Body for 52666 to 52668...	1 90
52665	6552	" " Slide, for general work, for 52666............................	75
23788	6552	Throat Plate Slide, for imitation cording and tucking, for 52667..............	75

NOTE. When ordering No. 23788 give height of tongue.

NO.	PLATE	NAME	EACH
23787	6552	Throat Plate Slide, for cording, for 52668.	1 00
52639	6552	" " " " 52638...........	75
52642	6552	" " " " 52641...........	75
52645	6552	" " " " 52644...........	75
23789	6552	" " " Stop for 52666 to 52668	50

NO.	PLATE	NAME	EACH
52666	——	Throat Plate complete for 52663, for general work, Nos. 665D, 23789, 46075, 52664 and 52665....................	$3 25

NOTE. No. 52666 is sent with this machine unless another Throat Plate is specified on order.

NO.	PLATE	NAME	EACH
52667	——	Throat Plate complete for 52663, for imitation cording and tucking, Nos. 665D, 23788, 23789, 46075 and 52664..	3 25

NOTE. When ordering No. 52667 give height of tongue.

NO.	PLATE	NAME	EACH
52668	6552	Throat Plate complete for 52663, for cording, Nos. 665D, 23787, 23789, 46075 and 52664.........................	3 50
691F	6534	Throat Plate Screw...................	04
46075	6542	" " Thread Retainer..........	10
665D	6542	" " " " Screw....	02

LIST OF PARTS COMPLETE
FOR
MACHINE NO. 62-41

FOR LEATHER, HEMMING LEATHER GLOVES, ETC. TWO NEEDLES, ONE LOOPER; GAUGES $\frac{1}{32}$ TO $\frac{1}{16}$ INCH; ALTERNATING PRESSERS

NO.	PLATE	NAME	EACH
*46279	——	Arm, upper and lower (solid)...........	$20 00
52630	6533	“ Oil Tube with 49092, for oiling 46221............................	20
49092	6533	Arm Oil Tube Packing (felt)...........	01
46291	6498	“ Rock Shaft.....................	1 00
46217	6491	“ “ “ Crank (back) with two 1497c............................	80
1497c	6491	Arm Rock Shaft Crank (back) Set Screw.	05
46280	6499	“ “ “ “ (front) with 443c.	1 25
23724	6491	“ “ “ “ “ Pin.......	01
443c	6491	“ “ “ “ “ Set Screw.	03
46218	6482	“ Rotary Shaft....................	3 00
38329	6491	“ “ “ Collar with two 457c..	25
457c	6491	“ “ “ “ Set Screw.....	02
23872	6490	“ “ “ Flanged Bushing.....	1 00
159F	6493	“ “ “ “ “ Screw	03
4784	6533	“ “ “ Oil Pad (felt)........	01
144D	6534	“ “ “ Screw..............	08
17509	6490	“ Side Cover (lower)...............	15
286D	6535	“ “ “ “ Thumb Screw...	10
52554	6490	“ “ “ (upper)...............	20
9533	6533	“ “ “ “ Pin...........	02
176D	6494	“ “ “ “ Screw..........	03
23873	6482	Balance Wheel with two 430c...........	80
430c	6534	“ “ Set Screw.............	04
38414	6483	Cloth Plate..........................	2 50
691F	6534	“ “ Screw (left)...............	04
1094F	6534	“ “ “ (right)..............	03
38415	——	“ “ Slide (large) with 1602H.....	60
38417	6486	Cloth Plate Slide (large) complete, Nos. 38415, two 38416 and four 725H......	75
1602H	6535	Cloth Plate Slide (large) Bushing........	02
38416	6500	“ “ “ “ Spring.........	05
725H	6500	“ “ “ “ “ Screw....	02
38418	——	“ “ “ (small)..............	30
38420	6486	Cloth Plate Slide (small) complete, Nos. 38418, 38419 and two 725H..........	40
38419	6500	Cloth Plate Slide (small) Spring........	$ 05
725H	6500	“ “ “ “ “ Screw...	02
38421	——	Cloth Plate complete, Nos. 38414, 38417 and 38420..........................	3 65
46221	6490	Crank Connecting Rod with 46222, 46223 and two each 896E and 1057E........	2 00
50069c	6535	Crank Connecting Rod Ball Screw Stud	20
1619E	6535	“ “ “ “ “ “ Nut..............................	05
*46222	——	Crank Connecting Rod Cap (lower).....	25
896E	6534	“ “ “ “ “ Screw.	04
*46223	——	“ “ “ “ (upper)......	35
1057E	6534	“ “ “ “ “ Screw	04
46225	6533	“ “ “ Washer (fibre)....	02
46281	6507	Face Plate with 735c and 46289.........	75
171D	6534	“ “ Screw......................	03
38125	6490	Feed Bar with 231c and 460c...........	2 50
23716	6491	“ “ Bushing.....................	40
23726	6491	“ “ Hinge Pin...................	50
231c	6534	“ “ Set Screw....................	03
38426	6491	“ “ Slide Block..................	50
38427	6490	“ Connecting Rod with 1057E, 23865 and two 896E.......................	1 50
*23865	——	Feed Connecting Rod Cap.............	30
896E	6534	“ “ “ “ Screw........	04
23866	6491	“ “ “ Hinge Pin (eccentric)........................	20
1057E	6534	Feed Connecting Rod Hinge Pin Clamping Screw..........................	04
46164	6552	Feed Dog...........................	75
898D	6534	“ “ Screw......................	04
460c	6534	“ “ Stop Screw.................	02
*38127	——	“ Eccentric.......................	2 50
*23729	——	“ “ Body.................	2 50
443c	6491	“ “ “ Set Screw.........	03
21331	6491	“ “ Pressure Spring.........	03
21332	6491	“ “ “ “ Cap.....	10
934D	6491	“ “ “ “ “ Screw	02
196F	6491	“ “ Set Screw.............	02
38128	6491	Feed Eccentric (adjustable) complete, Nos. 196F, 934D, 1103c, 21331, 21332, 23729, 38127 and two 443c..........	5 00
38429	6491	Feed Lifting Eccentric with two 465c....	1 00
46113	6500	“ “ “ Cover..........	10
335D	6500	“ “ “ “ Screw......	02
465c	6491	“ “ “ Set Screw.......	02
1103c	6491	“ Regulating Screw................	15

NO.	PLATE	NAME	EACH
38431	6492	Feed Rocking Frame	$1 25
38432	6492	" " " Bracket with two 465c	50
123E	6494	Feed Rocking Frame Bracket Screw	06
38433	6492	" " " Hinge Pin	50
465c	6491	" " " " " Set Screw	02
46072	6498	Lifting Presser Bar	30
46073	6493	" " " Bushing (lower)	80
1133E	6493	" " " " " Set Screw	02
38456	6493	Lifting Presser Bar Bushing (upper)	50
1133E	6493	" " " " " Set Screw	02
17541	6494	Lifting Presser Bar Lifter	20
17542	6494	" " " " Hinge Pin	05
46282	6499	" " " Lifting Bracket with 704c and 892c	2 50
892c	6494	Lifting Presser Bar Lifting Bracket Adjusting Screw	05
704c	6499	Lifting Presser Bar Lifting Bracket Clamping Screw	04
38467	6492	Lifting Presser Bar Spring (flat)	50
38468	6494	" " " " Stud	03
46283	6552	" " Foot	1 00
190D	6496	" " " Screw	03
46066	6499	Looper with 590D and 38393	2 25
46226	6490	" Bell Crank with 1037c	50
38436	6490	" " " Hinge Stud	1 00
443c	6491	" " " " " Set Screw	03
46227	6492	Looper Bell Crank Pitman complete, Nos. 1706E, 1713E and 46233 to 46235	3 25
50070c	6535	Looper Bell Crank Pitman Ball Screw Stud (upper)	15
1636E	6535	Looper Bell Crank Pitman Ball Screw Stud (upper) Nut	03
46228	6493	Looper Bell Crank Pitman Ball Stud (lower)	30
1037c	6493	Looper Bell Crank Pitman Ball Stud (lower) Set Screw	04
*46229	——	Looper Bell Crank Pitman Cap (lower)	—
171E	6534	" " " " " " Screw	03
*46230	——	Looper Bell Crank Pitman Cap (upper)	—
171E	6534	" " " " " " Screw	03
*46231	——	Looper Bell Crank Pitman End Bearing (lower)	—

NO.	PLATE	NAME	EACH
*46232	——	Looper Bell Crank Pitman End Bearing (upper)	$ —
46233	6492	Looper Bell Crank Pitman Head (lower) Nos. 46228, 46229, 46231 and two 171E	1 50
46234	6492	Looper Bell Crank Pitman Head (upper) Nos. 46230, 46232, 50070c and two 171E	1 50
46235	6492	Looper Bell Crank Pitman Rod	20
1706E	6535	" " " " " Nut (lower)	03
1713E	6535	Looper Bell Crank Pitman Rod Nut (upper)	03
38439	6493	Looper Carrier with 1143c and two 1147c	1 50
38440	6493	" " Hinge Pin	20
1147c	6493	" " " " Set Screw	03
46236	6492	Looper Carrier Pitman complete, Nos. 1708E, 1709E and 46241 to 46243	3 25
50070c	6535	Looper Carrier Pitman Ball Screw Stud (right)	15
1636E	6535	Looper Carrier Pitman Ball Screw Stud (right) Nut	03
46237	6493	Looper Carrier Pitman Ball Stud (left)	25
1147c	6493	" " " " " " Set Screw	03
*46238	——	Looper Carrier Pitman Cap (left)	—
171E	6534	" " " " " Screw	03
*46238	——	" " " " (right)	—
171E	6534	" " " " " Screw	03
*46239	——	" " " End Bearing (left)	—
*46240	——	" " " " " (right)	—
46241	6492	" " " Head (left) Nos. 46237 to 46239 and two 171E	1 50
46242	6492	Looper Carrier Pitman Head (right) Nos. 46238, 46240, 50070c and two 171E	1 50
46243	6492	Looper Carrier Pitman Rod	20
1708E	6535	" " " " Nut (left)	03
1709E	6535	" " " " " (right)	03
46244	6533	" " " Washer (fibre)	02
46042	6493	" " Rock Shaft with two 175D	2 50
175D	6493	" " " " Adjusting Screw	02
38450	6493	Looper Carrier Rock Shaft Crank (forked) with 159E	2 00
159E	6493	Looper Carrier Rock Shaft Crank Clamping Screw	03
38451	6493	Looper Carrier Rock Shaft Crank Slide Block	50
46043	6493	Looper Carrier Rock Shaft Hinge Pin	75

NO.	PLATE	NAME	EACH
1508E	6493	Looper Carrier Rock Shaft Hinge Pin Nut	$ 06
129E	6493	Looper Carrier Rock Shaft Hinge Pin Set Screw	04
38452	6493	Looper Eccentric with two 465c	1 00
465c	6493	" " Set Screw	02
46104	6499	" Needle Guard with 46105	40
46105	6499	" " " Pin	01
229D	6499	" " " Screw	02
1143c	6493	" Set Screw	03
38453	6494	" Shaft	50
52553	6494	" " Bracket	50
123E	6494	" " " Screw	06
391D	6494	" " Screw	02
38393	6493	" Thread Guard	03
590D	6493	" " " Screw	02
46292	6508	Needle Bar (hollow) with 2269, for 1/32 in. to 1/16 in. gauge	80
46293	——	Needle Bar complete, Nos. 46292 and 46294	1 40

NOTE. When ordering Nos. 46292 or 46293 state gauge required.

NO.	PLATE	NAME	EACH
38456	6493	Needle Bar Bushing	50
1133E	6493	" " " Set Screw	02
38458	6494	" " Connecting Link	50
38459	6494	" " " " Hinge Stud	30
1520E	6494	" " " " " " Nut	03
38460	6494	Needle Bar Connecting Stud with two 391E	1 00
391E	6494	Needle Bar Connecting Stud Clamping Screw	02
46294	6511	Needle Clamp with 50078F	60
50078F	6511	" " Screw	04
46050	6494	" Guard	75
190D	6496	" " Screw	03
2269	6533	" Stop Pin	01
46002	6533	Oil Cup (tension) double, with two 38463	30
38463	6533	" " " Packing (felt)	02
225F	6533	" " " Screw	03
574D	6536	Pressure Regulating Thumb Screw	15
1539D	6535	" " " " Lock Nut	05
46169	6500	Slack Thread Controller	05
193F	6500	" " " Set Screw	03
2102	6496	Tension (under thread) Disc	05

NO.	PLATE	NAME	EACH
1560c	6496	Tension (under thread) Regulating Thumb Nut	$ 04
916F	6496	Tension (under thread) Screw Stud	08
10148	6496	" " " Spring	03
17547	6496	" " " Thread Guide	25
2102	6496	" (upper thread) Disc	05
1560c	6496	" " " Regulating Thumb Nut	04
916F	6496	Tension (upper thread) Screw Stud	08
13710	6496	" " " Spring	03
17547	6496	" " " Thread Guide	25
38225	6497	Thread (under) Eyelet (back)	10
190D	6497	" " " " Screw	03
38284	6497	" " " (front)	05
46049	6497	" " Nipper Cam with 465c	50
465c	6497	" " " " Set Screw	02
38210	6497	" " " Spring (lower)	15
38211	6497	" " " " (upper)	25
46247	6497	" " " " " Stop	10
176D	6497	" " " " Screw	03
38175	6497	" " Take-up with 465c	1 00
465c	6497	" " " Set Screw	02
38478	6497	" " " Staple with two each 590D and 38481	75
46040	6498	Thread (under) Take-up Staple Bracket with 910c	2 00
690D	6534	Thread (under) Take-up Staple Bracket Screw	05
46041	6497	Thread (under) Take-up Staple Spring	05
190D	6497	" " " " " Screw	03
910c	6497	Thread (under) Take-up Staple Stop Screw	03
38481	6497	Thread (under) Take-up Staple Thread Guard	10
590D	6497	Thread (under) Take-up Staple Thread Guard Screw	02
38482	6497	Thread (under) Take-up Stripper	60
207D	6497	" " " " Screw	02
38476	6497	" " " Thread Guard (left)	15
207D	6497	Thread (under) Take-up Thread Guard (left) Screw	02
38477	6497	Thread (under) Take-up Thread Guard (right)	20
207D	6497	Thread (under) Take-up Thread Guard (right) Screw	02

NO.	PLATE	NAME	EACH
38483	6496	Thread (upper) Controller...............	$ 40
206F	6496	“ “ “ Screw.........	02
46170	6519	“ “ Eyelet..................	25
190D	6496	“ “ “ Screw...........	03
46171	6519	“ “ Take-up with 223D......	80
223D	6519	“ “ “ Clamping Screw.	02
46172	6552	Throat Plate with 665D, 46075 and 46304, for 46164..........................	1 50
691F	6534	Throat Plate Screw.....................	04
46075	6542	“ “ Thread Retainer...........	10
665D	6542	“ “ “ “ Screw.....	02
46304	6552	“ “ Tongue..................	15
46286	6499	Vibrating Presser Bar..................	75
212F	6499	“ “ “ Cap Screw.........	04
46287	6499	“ “ “ Lifting Bell Crank	1 50
212F	6499	“ “ “ “ “ “ Cap Screw........................	04
46284	6499	Vibrating Presser Bar Lifting Bell Crank Driving Arm with 157D, 602D and 1989	1 25
157D	6499	Vibrating Presser Bar Lifting Bell Crank Driving Arm Clamping Screw.........	04
1989	6499	Vibrating Presser Bar Lifting Bell Crank Driving Arm Roller (roller only)......	10
602D	6499	Vibrating Presser Bar Lifting Bell Crank Driving Arm Roller Cap Screw.......	02
46288	6499	Vibrating Presser Bar Spring...........	02
46289	6499	“ “ “ Stop (rawhide)....	01
735C	6499	“ “ “ “ Adjusting Screw............................	02
46290	6552	Vibrating Presser Foot.................	80
203D	6534	“ “ “ Screw...........	03

LIST OF PARTS COMPLETE

FOR

MACHINE NO. 62-42

FOR SKIRTS AND OTHER GARMENTS. HAS POSITIVE RUFFLING MECHANISM (ADJUSTABLE) WITH FOLDERS AND GUIDES FOR SIMULTANEOUSLY RUFFLING A FLOUNCE OR A STRIP, JOINING IT TO THE BODY OR THE EDGE OF THE SKIRT, AND SECURING IT UNDER A FOLDED STRIP, ALSO FOR MAKING AND STITCHING RUFFLES UPON A FLOUNCE. SKIRT OR OTHER ARTICLE AS DESIRED. OTHER FOLDERS CAN BE FURNISHED UPON ORDER FOR PRODUCING MANY VARIETIES OF RUFFLED WORK. TWO NEEDLES, TWO LOOPERS; GAUGES $\frac{5}{32}$ INCH, $\frac{3}{16}$ INCH OR $\frac{1}{4}$ INCH

NO.	PLATE	NAME	EACH
*46464	——	Arm, upper and lower (solid) with 1149D, 52515, 52516 and two each 129D and 134D..............................	$22 50
52630	6533	Arm Oil Tube with 49092, for oiling 46221............................	20
49092	6533	Arm Oil Tube Packing (felt)............	01
46216	6490	“ Rock Shaft......................	1 00
46217	6491	“ “ “ Crank (back) with two 1497C.............................	80
1497C	6491	Arm Rock Shaft Crank (back) Set Screw.	05
38412	6491	“ “ “ “ (front) with 443C.	1 25
23724	6491	“ “ “ “ “ Pin.......	01
443C	6491	“ “ “ “ “ Set Screw.	03
46465	6482	“ Rotary Shaft....................	3 00
46466	6501	“ “ “ Flanged Bushing.....	1 00
159F	6493	“ “ “ “ “ Screw	03
4784	6533	“ “ “ Oil Pad (felt)........	01
144D	6534	“ “ “ Screw...............	08
17509	6490	“ Side Cover (lower)...............	15
286D	6535	“ “ “ “ Thumb Screw...	10
52732	6501	“ “ “ (upper)...............	20
176D	6494	“ “ “ “ Screw..........	03
23873	6482	Balance Wheel with two 430C...........	80
430C	6534	“ “ Set Screw..............	04
46468	6485	Cloth Plate............................	2 50
691F	6534	“ “ Screw (left)................	04
1094F	6534	“ “ “ (right)...............	03
46469	——	“ “ Slide (large)................	60

8203—9

NO.	PLATE	NAME	EACH
46470	6488	Cloth Plate Slide (large) complete, Nos. 46469, two 38416 and four 725H......	$ 75
38416	6500	Cloth Plate Slide (large) Spring.........	05
725H	6500	“ “ “ “ “ Screw....	02
38418	——	“ “ “ (small)..............	30
38420	6486	Cloth Plate Slide (small) complete, Nos. 38418, 38419 and two 725H...........	40
38419	6500	Cloth Plate Slide (small) Spring.........	05
725H	6500	“ “ “ “ “ Screw...	02
46471	——	Cloth Plate complete, Nos. 38420, 46468 and 46470........................	3 65
46221	6490	Crank Connecting Rod with 46222, 46223 and two each 896E and 1057E........	2 00
50069C	6535	Crank Connecting Rod Ball Screw Stud	20
1619E	6535	“ “ “ “ “ “ Nut...............................	05
*46222	——	Crank Connecting Rod Cap (lower).....	25
896E	6534	“ “ “ “ “ Screw.	04
*46223	——	“ “ “ “ (upper)......	35
1057E	6534	“ “ “ “ “ Screw	04
46225	6533	“ “ “ Washer (fibre)....	02
46472	6514	Face Plate..........................	60
211F	6534	“ “ Screw......................	02
38425	6490	Feed Bar with 231C and 460C...........	2 50
23716	6491	“ “ Bushing.....................	40
23726	6491	“ “ Hinge Pin..................	50
231C	6534	“ “ Set Screw...................	03
38426	6491	“ “ Slide Block.................	50
38427	6490	“ Connecting Rod with 1057E, 23865 and two 896E......................	1 50
*23865	——	Feed Connecting Rod Cap.............	30
896E	6534	“ “ “ “ Screw........	04
23866	6491	“ “ “ Hinge Pin (eccentric).........................	20
1057E	6534	Feed Connecting Rod Hinge Pin Clamping Screw.........................	04
46473	6554	Feed Dog............................	2 00
157D	6534	“ “ Screw.......................	04
460C	6534	“ “ Stop Screw..................	02
*38127	——	“ Eccentric.......................	2 50
*23729	——	“ “ Body.................	2 50
443C	6491	“ “ “ Set Screw.........	03
21331	6491	“ “ Pressure Spring.........	03
21332	6491	“ “ “ “ Cap.....	10
934D	6491	“ “ “ “ “ Screw	02
196F	6491	“ “ Set Screw.............	02

NO.	PLATE	NAME	EACH
38128	6491	Feed Eccentric (adjustable) complete, Nos. 196F, 934D, 1103C, 21331, 21332, 23729, 38127 and two 443C..........	$5 00
38429	6491	Feed Lifting Eccentric with two 465C....	1 00
46113	6500	“ “ “ Cover...........	10
335D	6500	“ “ “ “ Screw......	02
465C	6491	“ “ “ Set Screw........	02
1103C	6491	“ Regulating Screw..................	15
38431	6492	“ Rocking Frame..................	1 25
38432	6492	“ “ “ Bracket with two 465C..............................	50
123E	6494	Feed Rocking Frame Bracket Screw.....	06
38433	6492	“ “ “ Hinge Pin.........	50
465C	6491	“ “ “ “ “ Set Screw	02
46474	6511	Looper (back) with 590D and 46115.....	2 25
1120C	6510	“ “ Set Screw..............	03
46115	6511	“ “ Thread Guard (double)...	05
590D	6510	“ “ “ “ Screw......	02
46475	6511	“ (front).......................	2 25
1147C	6510	“ “ Set Screw..............	03
46226	6490	“ Bell Crank with 1037C..........	50
38436	6490	“ “ “ Hinge Stud..........	1 00
443C	6491	“ “ “ “ “ Set Screw.	03
46227	6492	Looper Bell Crank Pitman complete, Nos. 1706E, 1713E and 46233 to 46235......	3 25
50070C	6535	Looper Bell Crank Pitman Ball Screw Stud (upper)......................	15
1636E	6535	Looper Bell Crank Pitman Ball Screw Stud (upper) Nut..................	03
46228	6493	Looper Bell Crank Pitman Ball Stud (lower)............................	30
1037C	6493	Looper Bell Crank Pitman Ball Stud (lower) Set Screw..................	04
*46229	——	Looper Bell Crank Pitman Cap (lower)	—
171E	6534	“ “ “ “ “ “ Screw............................	03
*46230	——	Looper Bell Crank Pitman Cap (upper)	—
171E	6534	“ “ “ “ “ “ Screw............................	03
*46231	——	Looper Bell Crank Pitman End Bearing (lower)...........................	—
*46232	——	Looper Bell Crank Pitman End Bearing (upper)...........................	—
46233	6492	Looper Bell Crank Pitman Head (lower) Nos. 46228, 46229, 46231 and two 171E	1 50
46234	6492	Looper Bell Crank Pitman Head (upper) Nos. 46230, 46232, 50070C and two 171E	1 50

NO.	PLATE	NAME	EACH
46235	6492	Looper Bell Crank Pitman Rod	$ 20
1706E	6535	“ “ “ “ “ Nut (lower)	03
1713E	6535	Looper Bell Crank Pitman Rod Nut (upper)	03
38496	6510	Looper Carrier with 1120C and three 1147C	1 75
38440	6493	Looper Carrier Hinge Pin	20
1147C	6493	“ “ “ “ Set Screw	03
46367	6512	Looper Carrier Pitman complete, Nos. 1708E, 1709E, 46176, 46241 and 46242.	3 15
50070C	6535	Looper Carrier Pitman Ball Screw Stud (right)	15
1636E	6535	Looper Carrier Pitman Ball Screw Stud (right) Nut	03
46237	6493	Looper Carrier Pitman Ball Stud (left)	25
1147C	6493	“ “ “ “ “ “ Set Screw	03
*46238	—	Looper Carrier Pitman Cap (left)	—
171E	6534	“ “ “ “ “ Screw	03
*46238	—	“ “ “ “ (right)	—
171E	6534	“ “ “ “ “ “ Screw	03
*46239	—	“ “ “ End Bearing (left)	—
*46240	—	“ “ “ “ “ (right)	—
46241	6492	“ “ “ Head (left) Nos. 46237 to 46239 and two 171E	1 50
46242	6492	Looper Carrier Pitman Head (right) Nos. 46238, 46240, 50070C and two 171E	1 50
46176	6512	Looper Carrier Pitman Rod	10
1708E	6535	“ “ “ “ Nut (left)	03
1709E	6535	“ “ “ “ “ “ (right)	03
46244	6533	“ “ “ Washer (fibre)	02
46042	6493	“ “ Rock Shaft with two 175D	2 50
175D	6493	“ “ “ “ Adjusting Screw	02
38450	6493	Looper Carrier Rock Shaft Crank (forked) with 159E	2 00
159E	6493	Looper Carrier Rock Shaft Crank Clamping Screw	03
38451	6493	Looper Carrier Rock Shaft Crank Slide Block	50
46043	6493	Looper Carrier Rock Shaft Hinge Pin	75
1508E	6493	“ “ “ “ “ “ Nut	06
129E	6493	Looper Carrier Rock Shaft Hinge Pin Set Screw	04
38452	6493	Looper Eccentric with two 465C	1 00

NO.	PLATE	NAME	EACH
465C	6493	Looper Eccentric Set Screw	$ 02
38453	6494	“ Shaft	50
52553	6494	“ “ Bracket	50
123E	6494	“ “ “ Screw	06
391D	6494	“ “ Screw	02
23793	6508	Needle Bar (hollow)	60
46476	—	Needle Bar complete, Nos. 2273, 23793 and 46477	1 20
38456	6493	Needle Bar Bushing	50
1133E	6493	“ “ “ Set Screw	02
38458	6494	“ “ Connecting Link	50
38459	6494	“ “ “ “ Hinge Stud	30
1520E	6494	“ “ “ “ “ “ Nut	03
38460	6494	Needle Bar Connecting Stud with two 391E	1 00
391E	6494	Needle Bar Connecting Stud Clamping Screw	02
46477	6511	Needle Clamp with 46478 and two 1498F.	60
2273	6506	“ “ Pin	01
46478	6511	“ “ Thread Guide	02
46479	6513	“ Guard (back)	75
176D	6494	“ “ “ Screw	03
46480	6513	“ “ (front)	75
206D	6513	“ “ “ Screw	02
1498F	6511	“ Set Screw	02
17540	6492	Presser Bar	30
46481	6513	“ “ Bushing (lower)	80
1133E	6493	“ “ “ “ Set Screw	02
38456	6493	“ “ “ (upper)	50
1133E	6493	“ “ “ “ Set Screw	02
17541	6494	“ “ Lifter	20
17542	6494	“ “ “ Hinge Pin	05
46482	6513	“ “ Lifting Bracket with 453C and 892C	1 00
892C	6494	Presser Bar Lifting Bracket Adjusting Screw	05
453C	6513	Presser Bar Lifting Bracket Set Screw	02
38467	6492	“ “ Spring (flat)	50
38468	6494	“ “ “ Stud	03
26276	6533	“ Foot Hinge Pin	01
36352	—	“ “ Plate	7 25
36353	—	“ “ Shank	75
36354	6551	Presser Foot (strip folding) hinged, complete, for general work, Nos. 26276, 36352 and 36353	8 00
26276	6533	Presser Foot Hinge Pin	01

NO.	PLATE	NAME	EACH
36355	——	Presser Foot Plate	$7 25
36353	——	" " Shank	75
36356	6554	Presser Foot (strip folding) hinged, complete, for lawn, Nos. 26276, 36353 and 36355	8 00
26276	6533	Presser Foot Hinge Pin	01
36357	——	" " Plate	7 75
36353	——	" " Shank	75
36358	6554	Presser Foot (strip folding) hinged, complete, grooved for $\frac{1}{16}$ in. to $\frac{3}{16}$ in. cord, for cord covered headings, Nos. 26276, 36353 and 36357	8 50

NOTE. When ordering No. 36358 state gauge of machine and send sample of cord to be used.

NO.	PLATE	NAME	EACH
190D	6496	Presser Foot Screw	03
574D	6536	Pressure Regulating Thumb Screw	15
1539D	6535	" " " " Lock Nut	05
46483	6515	Ruffling Blade	75
46484	6515	" " Holder	3 00
1247C	6515	" " " Hinge Screw	05
46485	6515	" " " Spring	03
46486	6515	" " " " Bracket	75
50118D	6515	" " " " Regulating Screw	15
46487	6515	Ruffling Blade Holder Stop	03
460C	6515	" " " " Set Screw	02
578D	6515	" " Screw	02
46488	6518	" Connecting Link	50
378C	6518	" " " Hinge Screw	10
1520E	6518	" " " " " Nut	03
46489	6517	" " Rod with 1012E, 4784, 46490, 46491 and two 127E	3 00
46490	6515	Ruffling Connecting Rod Adjusting Gib (brass)	02
1012E	6534	Ruffling Connecting Rod Adjusting Screw	05
*46491	——	" " " Cap	—
127E	6534	" " " " Screw	04
50119C	6535	" " " Hinge Screw	15
1517E	6535	" " " " " Nut	04
4784	6533	" " " Oil Pad (felt)	01
46492	6516	" Eccentric with two 448C	1 50
448C	6516	" " Set Screw	03
46493	6515	" Indicator	30
46494	6515	" Lever	2 00
46495	6516	" " Arm with 454C	1 00

NO.	PLATE	NAME	EACH
46496	6516	Ruffling Lever Arm Hinge Stud	$ 50
46497	6516	" " " Lifting Bracket with two 171D	1 00
1499F	6516	Ruffling Lever Arm Lifting Bracket Cap Screw	04
171D	6516	Ruffling Lever Arm Lifting Bracket Clamping Screw	03
454C	6516	Ruffling Lever Arm Set Screw	02
22C	6515	" " Hinge Screw	12
46498	6515	" " Slide Block	20
50120C	6515	" Regulating Stud	15
1719C	6515	" " " Nut	15
46499	6515	" " " " Handle with 220D	75
220D	6515	Ruffling Regulating Stud Nut Handle Clamping Screw	02
46500	6515	Ruffling Regulating Stud Sleeve	25
52501	6515	" " " Stop	05
337D	6515	" " " " Screw	02
52502	6516	" Regulator	3 00
52503	6516	" " Bushing	75
453C	6518	" " " Set Screw	02
52504	6516	" " Crank with 453C	20
9792	6533	" " " Pin	01
453C	6518	" " " Set Screw	02
52505	6518	" Separating Blade	1 00
52506	6518	" " " Bar	40
52507	6518	" " " " Bracket (lower) with 460C and two 453C	50
453C	6518	Ruffling Separating Blade Bar Bracket (lower) Set Screw	02
52508	6518	Ruffling Separating Blade Bar Bracket (upper) with 453C	50
453C	6518	Ruffling Separating Blade Bar Bracket (upper) Set Screw	02
52509	6518	Ruffling Separating Blade Bar Handle with 145D	75
145D	6518	Ruffling Separating Blade Bar Handle Clamping Screw	04
52510	6518	Ruffling Separating Blade Bar Handle Plate	15
178F	6518	Ruffling Separating Blade Bar Handle Plate Screw	03
52511	6518	Ruffling Separating Blade Bar Handle Stop	02
46035	6518	Ruffling Separating Blade Bar Handle Stop Clamp	10

NO.	PLATE	NAME	EACH
1423D	6518	Ruffling Separating Blade Bar Handle Stop Clamp Screw	$ 04
52512	6518	Ruffling Separating Blade Bar Spring	03
52513	6518	" " " Holder	75
1443D	6518	" " " " Screw	04
662D	6518	" " " Screw	02
52514	6517	" Shaft	50
*52515	——	" " Bracket (back)	75
134D	6503	" " " " Screw	05
*52516	——	" " " (front)	1 50
129D	6534	" " " " Screw (long)	04
1149D	6534	Ruffling Shaft Bracket (front) Screw (short)	04
20251	6515	Ruffling Shaft Collar with 456c	20
456c	6515	" " " Set Screw	02
52517	6516	" " Crank (back) with two 797c	75
797c	6516	Ruffling Shaft Crank (back) Set Screw	03
52518	6516	" " " (front) with 453c	50
9792	6533	" " " " Pin	01
453c	6518	" " " " Set Screw	02
46034	6496	Slack Thread Controller	05
46035	6496	" " " Clamp	10
190D	6496	" " " " Screw	03
2102	6496	Tension (under thread) Disc	05
1560c	6496	" " " Regulating Thumb Nut	04
916F	6496	Tension (under thread) Screw Stud	08
10148	6496	" " " Spring	03
17547	6496	" " " Thread Guide	25
2102	6496	" (upper thread) Disc	05
1560c	6496	" " " Regulating Thumb Nut	04
916F	6496	Tension (upper thread) Screw Stud	08
13710	6496	" " " Spring	03
17547	6496	" " " Thread Guide	25
38225	6497	Thread (under) Eyelet (back)	10
190D	6497	" " " " Screw	03
38284	6497	" " " (front)	05
46049	6497	" " Nipper Cam with 465c	50
465c	6497	" " " " Set Screw	02
38210	6497	" " " Spring (lower)	15
38211	6497	" " " " (upper)	25
46247	6497	" " " " " Stop	10
176D	6497	" " " " Screw	03
38475	6497	" " Take-up with 465c	1 00

NO.	PLATE	NAME	EACH
465c	6497	Thread (under) Take-up Set Screw	$ 02
46047	6510	" " " Staple	50
46040	6498	" " " " Bracket with 910c	2 00
690D	6534	Thread (under) Take-up Staple Bracket Screw	05
46041	6497	Thread (under) Take-up Staple Spring	05
190D	6497	" " " " " Screw	03
910c	6497	Thread (under) Take-up Staple Stop Screw	03
38482	6497	Thread (under) Take-up Stripper	60
207D	6497	" " " " Screw	02
38476	6497	" " " Thread Guard (left)	15
207D	6497	Thread (under) Take-up Thread Guard (left) Screw	02
38477	6497	Thread (under) Take-up Thread Guard (right)	20
207D	6497	Thread (under) Take-up Thread Guard (right) Screw	02
38483	6496	Thread (upper) Controller	40
206F	6496	" " " Screw	02
46009	6510	" " Eyelet	25
190D	6496	" " " Screw	03
46010	6510	" " Take-up with 457c	80
457c	6510	" " " Set Screw	02
52519	6551	Throat Plate for 46473	1 75
691F	6534	" " Screw	04

LIST OF PARTS COMPLETE

FOR

MACHINE NO. 62-43

FOR SKIRTS, MUSLIN UNDERWEAR, ETC. HAS POSITIVE RUFFLING MECHANISM BELOW WITH GRADUATED ADJUSTMENT ABOVE THE CLOTH PLATE, HAS UPPER RIGHT HAND EDGE FOLDER, RUFFLE GUIDE AND UNDER STRIP FOLDER. FOR INSERTING A FLOUNCE, LACE OR EMBROIDERY AND SECURING IT UNDER A FOLDED STRIP IN ONE OPERATION. TWO NEEDLES, TWO LOOPERS; GAUGES $\frac{1}{8}$, $\frac{3}{16}$ OR $\frac{1}{4}$ INCH

NO.	PLATE	NAME	EACH
*52679	——	Arm, upper and lower (solid) with 52705 and two 949E......................	$27 50
52630	6533	Arm Oil Tube with 49092, for oiling 46221............................	20
49092	6533	Arm Oil Tube Packing (felt)...........	01
46216	6490	" Rock Shaft.....................	1 00
46217	6491	" " " Crank (back) with two 1497C............................	80
1497C	6491	Arm Rock Shaft Crank (back) Set Screw.	05
38412	6491	" " " " (front) with 443C.	1 25
23724	6491	" " " " " Pin......	01
443C	6491	" " " " " Set Screw.	03
46218	6482	" Rotary Shaft....................	3 00
38329	6491	" " " Collar with two 457C..	25
457C	6491	" " " " Set Screw.....	02
23872	6490	" " " Flanged Bushing.....	1 00
159F	6493	" " " " " Screw	03
4784	6533	" " " Oil Pad (felt)........	01
144D	6534	" " " Screw..............	08
17509	6490	" Side Cover (lower)...............	15
286D	6535	" " " " Thumb Screw...	10
52554	6490	" " " (upper)................	20
9533	6533	" " " " Pin...........	02
176D	6494	" " " " Screw..........	03
23873	6482	Balance Wheel with two 430C..........	80
430C	6534	" " Set Screw.............	04
52680	6485	Cloth Plate..........................	3 00
52681	6485	" " Extension..................	75
157D	6534	" " " Screw............	04
691F	6534	" " Screw.....................	04
52682	——	" " Slide (large)...............	60

NO.	PLATE	NAME	EACH
52686	6489	Cloth Plate Slide (large) complete, Nos. 52682, two 52683 and four 725H......	$ 80
52683	6500	Cloth Plate Slide (large) Spring.........	05
52684	6519	" " " " " Bracket (back)............................	25
330E	6519	Cloth Plate Slide (large) Spring Bracket (back) Screw......................	02
52685	6519	Cloth Plate Slide (large) Spring Bracket (front)...........................	25
330E	6519	Cloth Plate Slide (large) Spring Bracket (front) Screw......................	02
725H	6500	Cloth Plate Slide (large) Spring Screw...	02
38418	——	" " " (small)..............	30
38420	6486	Cloth Plate Slide (small) complete, Nos. 38418, 38419 and two 725H..........	40
38419	6500	Cloth Plate Slide (small) Spring.........	05
725H	6500	" " " " " Screw...	02
52687	——	Cloth Plate complete, Nos. 38420, 52680, 52681, 52684 to 52686, two 157D and four 330E............................	5 60
52688	6519	Cloth Plate Support Bracket...........	40
691F	6534	" " " " Screw......	04
46221	6490	Crank Connecting Rod with 46222, 46223 and two each 896E and 1057E........	2 00
50069C	6535	Crank Connecting Rod Ball Screw Stud	20
1619E	6535	" " " " " " Nut..............................	05
*46222	——	Crank Connecting Rod Cap (lower).....	25
896E	6534	" " " " " Screw.	04
*46223	——	" " " " (upper)......	35
1057E	6534	" " " " " Screw	04
46225	6533	" " " Washer (fibre)....	02
46179	6490	Face Plate..........................	50
46111	6533	" " Pin.......................	02
286D	6535	" " Thumb Screw..............	10
38425	6490	Feed Bar with 231C and 460C..........	2 50
23716	6491	" " Bushing....................	40
23726	6491	" " Hinge Pin..................	50
231C	6534	" " Set Screw..................	03
38426	6491	" " Slide Block.................	50
38427	6490	" Connecting Rod with 1057E, 23865 and two 896E......................	1 50
*23865	——	Feed Connecting Rod Cap.............	30
896E	6534	" " " " Screw........	04
23866	6491	" " " Hinge Pin (eccentric).........................	20

NO.	PLATE	NAME	EACH
1057E	6534	Feed Connecting Rod Hinge Pin Clamping Screw	$ 04
52689	6555	Feed Dog	1 50
898D	6534	" " Screw	04
460C	6534	" " Stop Screw	02
*38127	——	" Eccentric	2 50
*52730	——	" " Body	2 50
443C	6491	" " " Set Screw	03
21331	6491	" " Pressure Spring	03
21332	6491	" " " " Cap	10
934D	6491	" " " " " Screw	02
196F	6491	" " Set Screw	02
52731	6519	Feed Eccentric (adjustable) complete, Nos. 196F, 934D, 1103C, 21331, 21332, 38127, 52730 and two 443C	5 00
38429	6491	Feed Lifting Eccentric with two 465C	1 00
46113	6500	" " " Cover	10
335D	6500	" " " " Screw	02
465C	6491	" " " Set Screw	02
1103C	6491	" Regulating Screw	15
38431	6492	" Rocking Frame	1 25
38432	6492	" " " Bracket with two 465C	50
123E	6494	Feed Rocking Frame Bracket Screw	06
38433	6492	" " " Hinge Pin	50
465C	6491	" " " " " Set Screw	02
46474	6511	Looper (back) with 590D and 46115	2 25
1147C	6510	" " Set Screw	03
46115	6511	" " Thread Guard (double)	05
590D	6510	" " " " Screw	02
46475	6511	" (front)	2 25
1120C	6510	" " Set Screw	03
46226	6490	" Bell Crank with 1037C	50
38436	6490	" " " Hinge Stud	1 00
443C	6491	" " " " " Set Screw.	03
46227	6492	Looper Bell Crank Pitman complete, Nos. 1706E, 1713E and 46233 to 46235.	3 25
50070C	6535	Looper Bell Crank Pitman Ball Screw Stud (upper)	15
1636E	6535	Looper Bell Crank Pitman Ball Screw Stud (upper) Nut	03
46228	6493	Looper Bell Crank Pitman Ball Stud (lower)	30
1037C	6493	Looper Bell Crank Pitman Ball Stud (lower) Set Screw	04
*46229	——	Looper Bell Crank Pitman Cap (lower)	—

NO.	PLATE	NAME	EACH
171E	6534	Looper Bell Crank Pitman Cap (lower) Screw	$ 03
*46230	——	Looper Bell Crank Pitman Cap (upper)	—
171E	6534	" " " " " " Screw	03
*46231	——	Looper Bell Crank Pitman End Bearing (lower)	—
*46232	——	Looper Bell Crank Pitman End Bearing (upper)	—
46233	6492	Looper Bell Crank Pitman Head (lower) Nos. 46228, 46229, 46231 and two 171E	1 50
46234	6492	Looper Bell Crank Pitman Head (upper) Nos. 46230, 46232, 50070C and two 171E	1 50
46235	6492	Looper Bell Crank Pitman Rod	20
1706E	6535	" " " " " Nut (lower)	03
1713E	6535	Looper Bell Crank Pitman Rod Nut (upper)	03
38496	6510	Looper Carrier with 1120C and three 1147C	1 75
38440	6493	" " Hinge Pin	20
1147C	6493	" " " " Set Screw	03
46236	6492	Looper Carrier Pitman complete, Nos. 1708E, 1709E and 46241 to 46243	3 25
50070C	6535	Looper Carrier Pitman Ball Screw Stud (right)	15
1636E	6535	Looper Carrier Pitman Ball Screw Stud (right) Nut	03
46237	6493	Looper Carrier Pitman Ball Stud (left)	25
1147C	6493	" " " " " " Set Screw	03
*46238	——	Looper Carrier Pitman Cap (left)	—
171E	6534	" " " " " Screw	03
*46238	——	" " " " (right)	—
171E	6534	" " " " " Screw	03
*46239	——	" " " End Bearing (left)	—
*46240	——	" " " " " (right)	—
46241	6492	" " " Head (left) Nos. 46237 to 46239 and two 171E	1 50
46242	6492	Looper Carrier Pitman Head (right) Nos. 46238, 46240, 50070C and two 171E	1 50
46243	6492	Looper Carrier Pitman Rod	20
1708E	6535	" " " " Nut (left)	03
1709E	6535	" " " " " (right)	03
46244	6533	" " " Washer (fibre)	02
46042	6493	" " Rock Shaft with two 175D	2 50
175D	6493	" " " " Adjusting Screw	02

NO.	PLATE	NAME	EACH
38450	6493	Looper Carrier Rock Shaft Crank (forked) with 159E	$2 00
159E	6493	Looper Carrier Rock Shaft Crank Clamping Screw	03
38451	6493	Looper Carrier Rock Shaft Crank Slide Block	50
46043	6493	Looper Carrier Rock Shaft Hinge Pin	75
1508E	6493	" " " " " " Nut	06
129E	6493	Looper Carrier Rock Shaft Hinge Pin Set Screw	04
38452	6493	Looper Eccentric with two 465C	1 00
465C	6493	" " Set Screw	02
38453	6494	" Shaft	50
52553	6494	" " Bracket	50
123E	6494	" " " Screw	06
391F	6494	" " Screw	02
23793	6508	Needle Bar (hollow)	60
46476	——	Needle Bar complete, Nos. 2273, 23793 and 46477	1 20
38456	6493	Needle Bar Bushing	50
1133E	6493	" " " Set Screw	02
38458	6494	" " Connecting Link	50
38459	6494	" " " " Hinge Stud	30
1520E	6494	" " " " " " Nut	03
38460	6494	Needle Bar Connecting Stud with two 391E	1 00
391E	6494	Needle Bar Connecting Stud Clamping Screw	02
46477	6511	Needle Clamp with 46478 and two 1498F	60
2273	6506	" " Pin	01
46478	6511	" " Thread Guide	02
52690	6519	" Guard (back)	75
176F	6494	" " " Screw	03
52691	6519	" " (front)	75
206D	6519	" " " Screw	02
1498F	6511	" Set Screw	02
17540	6492	Presser Bar	30
38464	6494	" " Bushing (lower)	80
1133E	6493	" " " " Set Screw	02
38456	6493	" " " (upper)	50
1133E	6493	" " " " Set Screw	02
17541	6494	" " Lifter	20
17542	6494	" " " Hinge Pin	05
38466	6494	" " Lifting Bracket with 453C and 892C	1 00

NO.	PLATE	NAME	EACH
892C	6494	Presser Bar Lifting Bracket Adjusting Screw	$ 05
453C	6494	Presser Bar Lifting Bracket Set Screw	02
38467	6492	" " Spring (flat)	50
38468	6494	" " " Stud	03
36528	6556	" Foot	6 75
36529	6556	" " Edge Folder	4 50
665D	6556	" " " " Screw	02
36530	6556	" " " Guide	3 00
664D	6556	" " " " Screw	02
36531	6556	" " Ruffle Retaining Blade	75
665D	6556	" " " " " Screw	02
36532	6556	Presser Foot complete with left hand upper folder and right hand lower guide, Nos. 36528 to 36531, two 664D and four 665D	15 00
36533	6557	Presser Foot	5 00
36534	6557	" " Edge Folder (lower)	5 00
665D	6556	" " " " " Screw	02
36535	6557	" " " " (upper)	4 50
665D	6556	" " " " " Screw	02
36536	6557	" " Ruffle Retaining Blade	50
665D	6556	" " " " " Screw	02
36537	6557	Presser Foot (lap seam feller) complete, Nos. 36533 to 36536 and six 665D	15 00
36538	6558	Presser Foot (strip folding)	10 00
36530	6556	" " Edge Guide (lower)	3 00
664D	6556	" " " " " Screw	02
36539	6558	" " " " (upper)	3 00
665D	6556	" " " " " Screw	02
36531	6556	" " Ruffle Retaining Blade	75
665D	6556	" " " " " Screw	02
36540	6558	Presser Foot (strip folding) complete, with right hand upper guide and left hand lower guide, Nos. 36530, 36531, 36538, 36539, two 664D and four 665D	17 00
190D	6496	Presser Foot Screw	03
574D	6536	Pressure Regulating Thumb Screw	15
1539D	6535	" " " " Lock Nut	05
52692	6520	Ruffling Blade	75
52693	6520	" " Holder with 9558 and 52695	1 00
50140D	6520	Ruffling Blade Holder Hinge Screw	08
52694	6520	" " " Spring	05
812D	6520	" " " " Adjusting Screw	06

NO.	PLATE	NAME	EACH
1621c	6520	Ruffling Blade Holder Spring Adjusting Screw Lock Nut	$ 02
9558	6520	Ruffling Blade Holder Spring Pin	01
910c	6520	" " " Stop Screw	03
1550H	6520	" " " " " Nut	03
665D	6520	" " Screw	02
52695	6520	" " Steady Pin	01
52696	6517	" Driving Crank (forked) with 52698 and two 448c	3 00
52697	——	Ruffling Driving Crank (forked) 52696 with 52703 and two each 136D and 2077	3 85
52698	6533	Ruffling Driving Crank Oil Pad (felt)	01
448c	6520	" " " Set Screw	03
52699	6521	" " " Shaft	25
52700	6520	" " " " Collar with two 457c	20
457c	6520	Ruffling Driving Crank Shaft Collar Set Screw	02
52701	6520	Ruffling Driving Crank Slide Block with 1012c	1 00
1012c	6520	Ruffling Driving Crank Slide Block Clamping Screw	05
52702	6520	Ruffling Driving Crank Slide Block Pin	50
52703	6520	" " " " " " Holder with 440c	75
2077	6520	Ruffling Driving Crank Slide Block Pin Holder Pin	01
136D	6520	Ruffling Driving Crank Slide Block Pin Holder Screw	04
440c	6520	Ruffling Driving Crank Slide Block Pin Set Screw	03
52704	6520	Ruffling Eccentric with two 448c	1 50
448c	6521	" " Set Screw	03
*52705	——	" Frame	7 00
949E	6534	" " Screw	06
52706	6520	" Regulator with 624c	50
52707	6521	" " Connection	1 75
52708	6521	" " " Hinge Stud	75
621D	6521	Ruffling Regulator Connection Hinge Stud Screw	02
52709	6521	Ruffling Regulator Handle with 647D	75
647D	6521	" " " Clamping Screw	03
2049	6521	Ruffling Regulator Pin	01
624c	6520	" " Set Screw	03
52710	6521	" " Shaft	10

NO.	PLATE	NAME	EACH
283D	6521	Ruffling Regulator Thumb Screw	$ 10
9525	6521	" " " " Washer	01
52711	6520	" Separating Blade	75
664D	6520	" " " Screw	02
52712	6517	" Shaft	1 00
52713	6521	" " Crank (left) with 177c, 9558 and two 145D	1 25
145D	6521	Ruffling Shaft Crank (left) Clamping Screw	04
177c	6521	Ruffling Shaft Crank (left) Set Screw	04
52714	6521	" " " (right) with 448c and 624c	50
448c	6521	Ruffling Shaft Crank (right) Set Screw	03
52715	6521	" " " " Slide Block with 1012c	1 00
1012c	6521	Ruffling Shaft Crank (right) Slide Block Clamping Screw	05
52716	6521	Ruffling Shaft Crank (right) Slide Block Pin	10
624c	6520	Ruffling Shaft Crank (right) Slide Block Pin Set Screw	03
46034	6496	Slack Thread Controller	05
46035	6496	" " " Clamp	10
190D	6496	" " " " Screw	03
46007	6510	" " Regulator	1 25
38473	6496	" " " Bracket with 172c and 1823	1 25
172c	6496	Slack Thread Regulator Bracket Clamping Screw	04
38474	6496	Slack Thread Regulator Bushing	20
1823	6496	" " " Roller and Stud	18
50062D	6496	" " " Screw	07
1620E	6496	" " " " Nut	03
2102	6496	Tension (under thread) Disc	05
1560c	6496	" " " Regulating Thumb Nut	04
916F	6496	Tension (under thread) Screw Stud	08
10148	6496	" " " Spring	03
17547	6496	" " " Thread Guide	25
2102	6496	" (upper thread) Disc	05
1560c	6496	" " " Regulating Thumb Nut	04
916F	6496	Tension (upper thread) Screw Stud	08
2103	6496	" " " Spring	03
17547	6496	" " " Thread Guide	25
38225	6497	Thread (under) Eyelet (back)	10
190D	6497	" " " " Screw	03

NO.	PLATE	NAME	EACH
38284	6497	Thread (under) Eyelet (front)	$ 05
46049	6497	" " Nipper Cam with 465c	50
465c	6497	" " " " Set Screw	02
38210	6497	" " " Spring (lower)	15
38211	6497	" " " " (upper)	25
46247	6497	" " " " " Stop	10
176D	6497	" " " " Screw	03
38475	6497	" " Take-up with 465c	1 00
465c	6497	" " " Set Screw	02
46047	6510	" " " Staple	50
52717	6501	" " " " Bracket with 910c	2 00
690D	6534	Thread (under) Take-up Staple Bracket Screw	05
46041	6497	Thread (under) Take-up Staple Spring	05
190D	6497	" " " " " Screw	03
910c	6497	Thread (under) Take-up Staple Stop Screw	03
38482	6497	Thread (under) Take-up Stripper	60
207D	6497	" " " " Screw	02
38476	6497	" " " Thread Guard (left)	15
207D	6497	Thread (under) Take-up Thread Guard (left) Screw	02
38477	6497	Thread (under) Take-up Thread Guard (right)	20
207D	6497	Thread (under) Take-up Thread Guard (right) Screw	02
38483	6496	Thread (upper) Controller	40
206F	6496	" " " Screw	02
46009	6510	" " Eyelet	25
190D	6496	" " " Screw	03
46010	6510	" " Take-up with 457c	80
457c	6510	" " " Set Screw	02
52718	6555	Throat Plate with 52711 and two 664D, for 52689	3 25
691F	6534	Throat Plate Screw (back)	04
50027F	6534	" " " (front)	04

LIST OF PARTS COMPLETE

FOR

MACHINE NO. 62-44

FOR GENERAL WORK IN FABRICS AND LIGHT LEATHER. FOR LAP SEAMING BUTTON LAPS ON SHOES, ETC. TWO NEEDLES, TWO LOOPERS; GAUGES $\frac{3}{32}$ TO $\frac{3}{8}$ INCH. ALTERNATING PRESSERS

NO.	PLATE	NAME	EACH
*52738	— —	Arm, upper and lower (solid)	$20 00
52630	6533	" Oil Tube with 49092, for oiling 46221	20
49092	6533	Arm Oil Tube Packing (felt)	01
46291	6498	" Rock Shaft	1 00
46217	6491	" " " Crank (back) with two 1497c	80
1497c	6491	Arm Rock Shaft Crank (back) Set Screw	05
46280	6499	" " " " (front) with 443c	1 25
23724	6491	" " " " " Pin	01
443c	6491	" " " " " Set Screw	03
46218	6482	" Rotary Shaft	3 00
38329	6491	" " " Collar with two 457c	25
457c	6491	" " " " Set Screw	02
23872	6490	" " " Flanged Bushing	1 00
159F	6493	" " " " " Screw	03
4784	6533	" " " Oil Pad (felt)	01
144D	6534	" " " Screw	08
17509	6490	" Side Cover (lower)	15
286D	6535	" " " " Thumb Screw	10
52554	6490	" " " (upper)	20
9533	6533	" " " " Pin	02
176D	6494	" " " " Screw	03
23873	6482	Balance Wheel with two 430c	80
430c	6534	" " Set Screw	04
38414	6483	Cloth Plate	2 50
691F	6534	" " Screw (left)	04
1091F	6534	" " " (right)	03
46254	— —	" " Slide (large) with four 1602H	75
46255	6486	Cloth Plate Slide (large) complete, Nos. 46254, two 38416 and four 725H	90
1602H	6535	Cloth Plate Slide (large) Bushing	02
38416	6500	" " " " Spring	05
725H	6500	" " " " " Screw	02
38418	——	" " " (small)	30

NO.	PLATE	NAME	EACH
38420	6486	Cloth Plate Slide (small) complete, Nos. 38418, 38419 and two 725H	$ 40
38419	6500	Cloth Plate Slide (small) Spring	05
725H	6500	" " " " " Screw	02
46256	——	Cloth Plate complete, Nos. 38414, 38420 and 46255	3 65
46221	6490	Crank Connecting Rod with 46222, 46223 and two each 896E and 1057E	2 00
50069C	6535	Crank Connecting Rod Ball Screw Stud	20
1619E	6535	" " " " " " Nut	05
*46222	——	Crank Connecting Rod Cap (lower)	25
896E	6534	" " " " " Screw.	04
*46223	——	" " " " (upper)	35
1057E	6534	" " " " " Screw	04
46225	6533	" " " Washer (fibre)	02
52533	6498	Face Plate with 316F, 442C, 46289, 46428 and 52544	1 00
171D	6534	Face Plate Screw	03
38425	6490	Feed Bar with 231C and 460C	2 50
23716	6491	" " Bushing	40
23726	6491	" " Hinge Pin	50
231C	6534	" " Set Screw	03
38426	6491	" " Slide Block	50
38427	6490	" Connecting Rod with 1057E, 23865 and two 896E	1 50
*23865	——	Feed Connecting Rod Cap	30
896E	6534	" " " " Screw	04
23866	6491	" " " Hinge Pin (eccentric)	20
1057E	6534	Feed Connecting Rod Hinge Pin Clamping Screw	04
52534	6555	Feed Dog, for $\frac{3}{32}$ in. to $\frac{5}{32}$ in. gauge	2 75
52782	6559	" " " $\frac{3}{16}$ in. to $\frac{3}{8}$ in. gauge	2 50
898D	6534	" " Screw	04
460C	6534	" " Stop Screw	02
*38127	——	" Eccentric	2 50
*23729	——	" " Body	2 50
443C	6491	" " " Set Screw	03
21331	6491	" " Pressure Spring	03
21332	6491	" " " " Cap	10
934D	6491	" " " " " Screw	02
196F	6491	" " Set Screw	02
38128	6491	Feed Eccentric (adjustable) complete, Nos. 196F, 934D, 1103C, 21331, 21332, 23729, 38127 and two 443C	5 00
38429	6491	Feed Lifting Eccentric with two 465C	1 00

NO.	PLATE	NAME	EACH
46113	6500	Feed Lifting Eccentric Cover	$ 10
335D	6500	" " " " Screw	02
465C	6491	" " " Set Screw	02
1103C	6491	" Regulating Screw	15
38431	6492	" Rocking Frame	1 25
38432	6492	" " " Bracket with two 465C	50
123E	6494	Feed Rocking Frame Bracket Screw	06
38433	6492	" " " Hinge Pin	50
465C	6491	" " " " " Set Screw	02
46092	6492	Lifting Presser Bar	30
46073	6493	" " " Bushing (lower)	80
1133E	6493	" " " " " Set Screw	02
38456	6493	Lifting Presser Bar Bushing (upper)	50
1133E	6493	" " " " " Set Screw	02
17541	6494	Lifting Presser Bar Lifter	20
17542	6494	" " " " Hinge Pin	05
46282	6499	" " " Lifting Bracket with 704C and 892C	2 50
892C	6494	Lifting Presser Bar Lifting Bracket Adjusting Screw	05
704C	6499	Lifting Presser Bar Lifting Bracket Clamping Screw	04
38467	6492	Lifting Presser Bar Spring (flat)	50
38468	6494	" " " " Stud	03
52535	6555	" " Foot	1 25
190D	6496	" " " Screw	03
52536	6509	Looper (back) with 590D and 38393	2 25
1147C	6510	" " Set Screw	03
38393	6493	" " Thread Guard	03
590D	6493	" " " " Screw	02
52537	6509	" (front)	2 25
1120C	6510	" " Set Screw	03
46226	6490	" Bell Crank with 1037C	50
38436	6490	" " " Hinge Stud	1 00
443C	6491	" " " " " Set Screw.	03
46227	6492	Looper Bell Crank Pitman complete, Nos. 1706E, 1713E and 46233 to 46235	3 25
50070C	6535	Looper Bell Crank Pitman Ball Screw Stud (upper)	15
1636E	6535	Looper Bell Crank Pitman Ball Screw Stud (upper) Nut	03
46228	6493	Looper Bell Crank Pitman Ball Stud (lower)	30

NO.	PLATE	NAME	EACH
1037c	6493	Looper Bell Crank Pitman Ball Stud (lower) Set Screw..................	$ 04
*46229	——	Looper Bell Crank Pitman Cap (lower)	—
171E	6534	“ “ “ “ “ “ Screw............................	03
*46230	——	Looper Bell Crank Pitman Cap (upper)	—
171E	6534	“ “ “ “ “ “ Screw............................	03
*46231	——	Looper Bell Crank Pitman End Bearing (lower)...........................	—
*46232	——	Looper Bell Crank Pitman End Bearing (upper)...........................	—
46233	6492	Looper Bell Crank Pitman Head (lower) Nos. 46228, 46229, 46231 and two 171E	1 50
46234	6492	Looper Bell Crank Pitman Head (upper) Nos. 46230, 46232, 50070c and two 171E	1 50
46235	6492	Looper Bell Crank Pitman Rod.........	20
1706E	6535	“ “ “ “ “ Nut (lower)...........................	03
1713E	6535	Looper Bell Crank Pitman Rod Nut (upper)...........................	03
38496	6510	Looper Carrier with 1120c and three 1147c...........................	1 75
38440	6493	Looper Carrier Hinge Pin.............	20
1147c	6493	“ “ “ “ Set Screw.....	03
46236	6492	Looper Carrier Pitman complete, Nos. 1708E, 1709E and 46241 to 46243.....	3 25
50070c	6535	Looper Carrier Pitman Ball Screw Stud (right)...........................	15
1636E	6535	Looper Carrier Pitman Ball Screw Stud (right) Nut........................	03
46237	6493	Looper Carrier Pitman Ball Stud (left)	25
1147c	6493	“ “ “ “ “ “ Set Screw.........................	03
*46238	——	Looper Carrier Pitman Cap (left).......	—
171E	6534	“ “ “ “ “ Screw..	03
*46238	——	“ “ “ “ (right)......	—
171E	6534	“ “ “ “ “ Screw.	03
*46239	——	“ “ “ End Bearing (left)...........................	—
*46240	——	Looper Carrier Pitman End Bearing (right)...........................	—
46241	6492	Looper Carrier Pitman Head (left) Nos. 46237 to 46239 and two 171E.........	1 50
46242	6492	Looper Carrier Pitman Head (right) Nos. 46238, 46240, 50070c and two 171E...	1 50
46243	6492	Looper Carrier Pitman Rod...........	20

NO.	PLATE	NAME	EACH
1708E	6535	Looper Carrier Pitman Rod Nut (left)...	$ 03
1709E	6535	“ “ “ “ “ (right)..	03
46244	6533	“ “ “ Washer (fibre)...	02
46042	6493	“ “ Rock Shaft with two 175D	2 50
175D	6493	“ “ “ “ Adjusting Screw............................	02
38450	6493	Looper Carrier Rock Shaft Crank (forked) with 159E.........................	2 00
159E	6493	Looper Carrier Rock Shaft Crank Clamping Screw.........................	03
38451	6493	Looper Carrier Rock Shaft Crank Slide Block............................	50
46043	6493	Looper Carrier Rock Shaft Hinge Pin	75
1508E	6493	“ “ “ “ “ “ Nut.............................	06
129E	6493	Looper Carrier Rock Shaft Hinge Pin Set Screw............................	04
38452	6493	Looper Eccentric with two 465c.........	1 00
465c	6493	“ “ Set Screw...........	02
38453	6494	“ Shaft.......................	50
52553	6494	“ “ Bracket.................	50
123E	6494	“ “ “ Screw...........	06
391D	6494	“ “ Screw..................	02
46051	6508	Needle Bar..........................	60
46052	——	Needle Bar complete, Nos. 46051 and 46053............................	1 20
38456	6493	Needle Bar Bushing..................	50
1133E	6493	“ “ “ Set Screw..........	02
38458	6494	“ “ Connecting Link...........	50
38459	6494	“ “ “ “ Hinge Stud	30
1520E	6494	“ “ “ “ “ “ Nut.............................	03
38460	6494	Needle Bar Connecting Stud with two 391E............................	1 00
391E	6494	Needle Bar Connecting Stud Clamping Screw............................	02
46053	6510	Needle Clamp with 46051 and two 1072F	60
46054	6510	“ “ Thread Guide (two pieces)	03
38461	6510	“ Guard (back)..................	75
176D	6494	“ “ “ Screw............	03
46001	6510	“ “ (front) for $\frac{3}{32}$ in. to $\frac{5}{32}$ in. gauge............................	75
46084	6506	Needle Guard (front) for $\frac{3}{16}$ in. to $\frac{1}{4}$ in. gauge............................	75
46085	6506	Needle Guard (front) for $\frac{5}{16}$ in. to $\frac{3}{8}$ in. gauge............................	75
206D	6519	Needle Guard (front) Screw...........	02

NO.	PLATE	NAME	EACH
1072F	6510	Needle Set Screw	$ 02
46002	6533	Oil Cup (tension) double, with two 38463	30
38463	6533	" " " Packing (felt)	02
225F	6533	" " " Screw	03
574D	6536	Pressure Regulating Thumb Screw	15
1539D	6535	" " " " Lock Nut	05
52538	6519	Slack Thread Controller	50
52539	6519	" " " Bracket	25
175D	6534	" " " " Screw	02
52540	6519	" " " Connection with 457c	40
457c	6519	Slack Thread Controller Connection Set Screw	02
110c	6519	Slack Thread Controller Hinge Screw	04
2102	6496	Tension (under thread) Disc	05
1560c	6496	" " " Regulating Thumb Nut	04
916F	6496	Tension (under thread) Screw Stud	08
10148	6496	" " " Spring	03
17547	6496	" " " Thread Guide	25
2102	6496	" (upper thread) Disc	05
1560c	6496	" " " Regulating Thumb Nut	04
916F	6496	Tension (upper thread) Screw Stud	08
2103	6496	" " " Spring	03
17547	6496	" " " Thread Guide	25
38225	6497	Thread (under) Eyelet (back)	10
190D	6497	" " " " Screw	03
38284	6497	" " " (front)	05
46049	6497	" " Nipper Cam with 465c	50
465c	6497	" " " " Set Screw	02
38210	6497	" " " Spring (lower)	15
38211	6497	" " " " (upper)	25
46247	6497	" " " " " Stop	10
176D	6497	" " " " Screw	03
38475	6497	" " Take-up with 465c	1 00
465c	6497	" " " Set Screw	02
46047	6510	" " " Staple	50
46040	6498	" " " " Bracket with 910c	2 00
690D	6534	Thread (under) Take-up Staple Bracket Screw	05
46041	6497	Thread (under) Take-up Staple Spring	05
190D	6497	" " " " " Screw	03

NO.	PLATE	NAME	EACH
910c	6497	Thread (under) Take-up Staple Stop Screw	$ 03
38482	6497	Thread (under) Take-up Stripper	60
207D	6497	" " " " Screw	02
38476	6497	" " " Thread Guard (left)	15
207D	6497	Thread (under) Take-up Thread Guard (left) Screw	02
38477	6497	Thread (under) Take-up Thread Guard (right)	20
207D	6497	Thread (under) Take-up Thread Guard (right) Screw	02
38483	6496	Thread (upper) Controller	40
206F	6496	" " " Screw	02
52511	6519	" " Eyelet	25
190D	6496	" " " Screw	03
46171	6519	" " Take-up with 223D	80
223D	6519	" " " Clamping Screw	02
52512	6555	Throat Plate for 52531	2 50
52783	6559	" " " 52782	2 25
691F	6534	" " Screw	04
52543	6509	Vibrating Presser Bar	1 00
212F	6499	" " " Cap Screw	04
46287	6499	" " " Lifting Bell Crank	1 50
212F	6499	" " " " " " Cap Screw	04
46284	6499	Vibrating Presser Bar Lifting Bell Crank Driving Arm with 157D, 602D and 1989	1 25
157D	6499	Vibrating Presser Bar Lifting Bell Crank Driving Arm Clamping Screw	04
1989	6499	Vibrating Presser Bar Lifting Bell Crank Driving Arm Roller (roller only)	10
602D	6499	Vibrating Presser Bar Lifting Bell Crank Driving Arm Roller Cap Screw	02
52544	6509	Vibrating Presser Bar Spring	02
316F	6509	" " " " Stop Screw	03
46128	6509	" " " " Stud	05
46289	6499	" " " Stop (rawhide)	01
412c	6509	" " " " Adjusting Screw	03
52545	6555	Vibrating Presser Foot	1 25
203D	6534	" " " Screw	03

LIST OF PARTS COMPLETE
FOR
MACHINE NO. 62-45

FOR FOUR LINE SHOE TIPPING. HAS FOUR NEEDLES, TWO LOOPERS. BY REMOVING ONE OR MORE NEEDLES TWO OR THREE LINE STITCHING CAN BE OBTAINED. GAUGES BETWEEN THE FIRST AND SECOND AND BETWEEN THE THIRD AND FOURTH NEEDLES $\frac{1}{32}$ TO $\frac{5}{64}$ INCH, AND BETWEEN THE SECOND AND THIRD NEEDLES $\frac{1}{8}$ TO $\frac{13}{32}$ INCH.

NO.	PLATE	NAME	EACH
*46370	——	Arm, upper and lower (solid) with 381D and 46384	$20 00
52630	6533	Arm Oil Tube with 49092, for oiling 46221	20
49092	6533	Arm Oil Tube Packing (felt)	01
46371	6512	" Rock Shaft	1 00
46217	6491	" " " Crank (back) with two 1497C	80
1497C	6491	Arm Rock Shaft Crank (back) Set Screw	05
38412	6491	" " " " (front) with 443C	1 25
23724	6491	" " " " " Pin	01
443C	6491	" " " " Set Screw	03
46218	6482	" Rotary Shaft	3 00
38329	6491	" " " Collar with two 457C	25
457C	6491	" " " " Set Screw	02
23872	6490	" " " Flanged Bushing	1 00
159F	6493	" " " " " Screw	03
4784	6533	" " " Oil Pad (felt)	01
144D	6534	" " " Screw	08
17509	6490	" Side Cover (lower)	15
286D	6535	" " " " Thumb Screw	10
52554	6490	" " " (upper)	20
9533	6533	" " " " Pin	02
176D	6494	" " " " Screw	03
46220	6482	Balance Wheel, 3 in. pulley, with two 430C	80
430C	6534	Balance Wheel Set Screw	04
38414	6483	Cloth Plate	2 50
691F	6534	" " Screw (left)	04
1094F	6534	" " " (right)	03
46107	——	" " Slide (large) for 46108	60
46108	6489	Cloth Plate Slide (large) complete for 46109, Nos. 46107, two 38416 and four 725H	$ 75
52527	——	Cloth Plate Slide (large) for 52528	60
52528	6489	Cloth Plate Slide (large) complete for 52529, Nos. 52527, two 38416 and four 725H	75
38416	6500	Cloth Plate Slide (large) Spring	05
725H	6500	" " " " " Screw	02
38418	——	" " " (small)	30
38420	6486	Cloth Plate Slide (small) complete, Nos. 38418, 38419 and two 725H	40
38419	6500	Cloth Plate Slide (small) Spring	05
725H	6500	" " " " " Screw	02
46109	——	Cloth Plate complete, for $\frac{1}{32}$ in. to $\frac{3}{64}$ in., $\frac{3}{16}$ in. to $\frac{11}{32}$ in. and $\frac{1}{32}$ in. to $\frac{3}{64}$ in. gauges, Nos. 38414, 38420 and 46108	3 65
52529	——	Cloth Plate complete, for $\frac{1}{32}$ in. to $\frac{3}{64}$ in., $\frac{3}{8}$ in. to $\frac{13}{32}$ in. and $\frac{1}{32}$ in. to $\frac{3}{64}$ in. gauges, Nos. 38414, 38420 and 52528	3 65
46221	6490	Crank Connecting Rod with 46222, 46223 and two each 896E and 1057E	2 00
50069C	6535	Crank Connecting Rod Ball Screw Stud	20
1619E	6535	" " " " " " Nut	05
*46222	——	Crank Connecting Rod Cap (lower)	25
896E	6534	" " " " " Screw	04
*46223	——	" " " " (upper)	35
1057E	6534	" " " " " Screw	04
46225	6533	" " " Washer (fibre)	02
46372	6514	Face Plate	50
46111	6533	" " Pin	02
286D	6535	" " Thumb Screw	10
38425	6490	Feed Bar with 231C and 460C	2 50
23716	6491	" " Bushing	40
23726	6491	" " Hinge Pin	50
231C	6534	" " Set Screw	03
38426	6491	" " Slide Block	50
38427	6490	" Connecting Rod with 1057E, 23865 and two 896E	1 50
*23865	——	Feed Connecting Rod Cap	30
896E	6534	" " " " Screw	04
23866	6491	" " " Hinge Pin (eccentric)	20
1057E	6534	Feed Connecting Rod Hinge Pin Clamping Screw	04

NO.	PLATE	NAME	EACH
46373	6560	Feed Dog, for $\frac{1}{32}$ in. to $\frac{3}{64}$ in., $\frac{3}{16}$ in. to $\frac{7}{32}$ in. and $\frac{1}{32}$ in. to $\frac{3}{64}$ in. gauges	$2 25
46374	6560	Feed Dog, for $\frac{1}{32}$ in. to $\frac{3}{64}$ in., $\frac{1}{4}$ in. to $\frac{13}{32}$ in. and $\frac{1}{32}$ in. to $\frac{3}{64}$ in. gauges	2 25
46459	6560	Feed Dog, for $\frac{1}{32}$ in. to $\frac{5}{64}$ in., $\frac{1}{8}$ in. to $\frac{5}{32}$ in. and $\frac{1}{32}$ in. to $\frac{5}{64}$ in. gauges	2 25
157D	6534	Feed Dog Screw	04
460C	6534	“ “ Stop Screw	02
*38127	—	“ Eccentric	2 50
*23729	—	“ “ Body	2 50
443C	6491	“ “ “ Set Screw	03
21331	6491	“ “ Pressure Spring	03
21332	6491	“ “ “ “ Cap	10
934D	6491	“ “ “ “ “ Screw	02
196F	6491	“ “ Set Screw	02
38128	6491	Feed Eccentric (adjustable) complete, Nos. 196F, 934D, 1103C, 21331, 21332, 23729, 38127 and two 443C	5 00
38429	6491	Feed Lifting Eccentric with two 465C	1 00
46113	6500	“ “ “ Cover	10
335D	6500	“ “ “ “ Screw	02
465C	6491	“ “ “ Set Screw	02
1103C	6491	“ Regulating Screw	15
38431	6492	“ Rocking Frame	1 25
38432	6492	“ “ “ Bracket with two 465C	50
123E	6494	Feed Rocking Frame Bracket Screw	06
38433	6492	“ “ “ Hinge Pin	50
465C	6491	“ “ “ “ “ Set Screw	02
46375	6522	Looper (back) with 590D and 46115	2 25
1147C	6510	“ “ Set Screw	03
46115	6511	“ “ Thread Guard (double)	05
590D	6510	“ “ “ “ Screw	02
46376	6522	“ (front)	2 25
46377	6522	“ “ Needle Guard with 46105	40
46105	6499	“ “ “ “ Pin	01
229D	6499	“ “ “ “ Screw	02
1120C	6510	“ “ Set Screw	03
46226	6490	“ Bell Crank with 1037C	50
38436	6490	“ “ “ Hinge Stud	1 00
443C	6491	“ “ “ “ “ Set Screw	03
46227	6492	Looper Bell Crank Pitman complete, Nos. 1706E, 1713E and 46233 to 46235	3 25
50070C	6535	Looper Bell Crank Pitman Ball Screw Stud (upper)	15

NO.	PLATE	NAME	EACH
1636E	6535	Looper Bell Crank Pitman Ball Screw Stud (upper) Nut	$ 03
46228	6493	Looper Bell Crank Pitman Ball Stud (lower)	30
1037C	6493	Looper Bell Crank Pitman Ball Stud (lower) Set Screw	04
*46229	—	Looper Bell Crank Pitman Cap (lower)	—
171E	6534	“ “ “ “ “ “ Screw	03
*46230	—	Looper Bell Crank Pitman Cap (upper)	—
171E	6534	“ “ “ “ “ “ Screw	03
*46231	—	Looper Bell Crank Pitman End Bearing (lower)	—
*46232	—	Looper Bell Crank Pitman End Bearing (upper)	—
46233	6492	Looper Bell Crank Pitman Head (lower) Nos. 46228, 46229, 46231 and two 171E	1 50
46234	6492	Looper Bell Crank Pitman Head (upper) Nos. 46230, 46232, 50070C and two 171E	1 50
46235	6492	Looper Bell Crank Pitman Rod	20
1706E	6535	“ “ “ “ “ Nut (lower)	03
1713E	6535	Looper Bell Crank Pitman Rod Nut (upper)	03
38496	6510	Looper Carrier with 1120C and three 1147C	1 75
38440	6493	Looper Carrier Hinge Pin	20
1147C	6493	“ “ “ “ Set Screw	03
46236	6492	Looper Carrier Pitman complete, Nos. 1708E, 1709E and 46241 to 46243	3 25
50070C	6535	Looper Carrier Pitman Ball Screw Stud (right)	15
1636E	6535	Looper Carrier Pitman Ball Screw Stud (right) Nut	03
46237	6493	Looper Carrier Pitman Ball Stud (left)	25
1147C	6493	“ “ “ “ “ “ Set Screw	03
*46238	—	Looper Carrier Pitman Cap (left)	—
171E	6534	“ “ “ “ “ Screw	03
*46238	—	“ “ “ “ (right)	—
171E	6534	“ “ “ “ “ Screw	03
*46239	—	“ “ “ End Bearing (left)	—
*46240	—	Looper Carrier Pitman End Bearing (right)	—
46241	6492	Looper Carrier Pitman Head (left) Nos. 46237 to 46239 and two 171E	1 50

NO.	PLATE	NAME	EACH
46242	6492	Looper Carrier Pitman Head (right) Nos. 46238, 46240, 50070C and two 171E	$1 50
46243	6492	Looper Carrier Pitman Rod	20
1708E	6535	" " " " Nut (left)	03
1709E	6535	" " " " " (right)	03
46244	6533	" " " Washer (fibre)	02
46042	6493	" " Rock Shaft with two 175D	2 50
175D	6493	" " " " Adjusting Screw	02
38450	6493	Looper Carrier Rock Shaft Crank (forked) with 159E	2 00
159E	6493	Looper Carrier Rock Shaft Crank Clamping Screw	03
38451	6493	Looper Carrier Rock Shaft Crank Slide Block	50
46043	6493	Looper Carrier Rock Shaft Hinge Pin	75
1508E	6493	" " " " " " Nut	06
129E	6493	Looper Carrier Rock Shaft Hinge Pin Set Screw	04
38452	6493	Looper Eccentric with two 465C	1 00
465C	6493	" " Set Screw	02
38453	6494	" Shaft	50
52553	6494	" " Bracket	50
123E	6494	" " " Screw	06
391D	6494	" " Screw	02
46051	6508	Needle Bar	60
46117	——	Needle Bar complete, Nos. 46051 and 46122	2 25
38456	6493	Needle Bar Bushing	50
1133E	6493	" " " Set Screw	02
46205	6511	" " Connecting Link	40
38459	6494	" " " " Hinge Stud	30
1520E	6494	" " " " " " Nut	03
46206	6511	Needle Bar Connecting Stud with two 391E	1 50
391E	6494	Needle Bar Connecting Stud Clamping Screw	02
46378	6522	Needle Bar Stop Collar with 237F	15
46379	6522	" " " " Connection	15
665D	6522	" " " " " Screw	02
237F	6522	" " " " Set Screw	02
46118	——	" Clamp Body	1 00
46119	6522	" " Collar with 46120 and three 457F	60

NO.	PLATE	NAME	EACH
457F	6522	Needle Clamp Collar Set Screw	$ 02
46120	6522	" " Thread Guard	03
46121	6522	" " Washer	01
46122	6522	Needle Clamp complete, Nos. 46118, 46119 and 46121	1 60
46123	6523	Needle Guard (back) for $\frac{1}{32}$ in. to $\frac{3}{64}$ in., $\frac{1}{8}$ in. to $\frac{1}{4}$ in. and $\frac{1}{32}$ in. to $\frac{3}{64}$ in. gauges	75
46259	6523	Needle Guard (back) for $\frac{1}{32}$ in. to $\frac{3}{64}$ in., $\frac{9}{32}$ in. to $\frac{11}{32}$ in. and $\frac{1}{32}$ in. to $\frac{3}{64}$ in. gauges	75
52530	6523	Needle Guard (back) for $\frac{1}{32}$ in. to $\frac{3}{64}$ in., $\frac{3}{8}$ in. to $\frac{13}{32}$ in. and $\frac{1}{32}$ in. to $\frac{3}{64}$ in. gauges	75
1492D	6534	Needle Guard (back) Screw	03
46124	6523	" " (front) for $\frac{1}{32}$ in. to $\frac{3}{64}$ in., $\frac{1}{8}$ in. to $\frac{1}{4}$ in. and $\frac{1}{32}$ in. to $\frac{3}{64}$ in. gauges	75
46260	6523	Needle Guard (front) for $\frac{1}{32}$ in. to $\frac{3}{64}$ in., $\frac{9}{32}$ in. to $\frac{11}{32}$ in. and $\frac{1}{32}$ in. to $\frac{3}{64}$ in. gauges	75
52531	6523	Needle Guard (front) for $\frac{1}{32}$ in. to $\frac{3}{64}$ in., $\frac{3}{8}$ in. to $\frac{13}{32}$ in. and $\frac{1}{32}$ in. to $\frac{3}{64}$ in. gauges	75
206D	6534	Needle Guard (front) Screw	02
457F	6522	" Set Screw	02
46195	6507	Oil Cup (back of arm)	1 00
46196	6507	" " " " " Cover with 460C	35
14057	6532	Oil Cup (back of arm) Cover Hinge Pin	03
46197	6532	Oil Cup (back of arm) Cover Spring	10
578F	6532	" " " " " " " Screw	02
46198	6532	" " " " " " Stripper (felt)	02
665D	6532	Oil Cup (back of arm) Cover Stripper Screw	02
46199	6532	Oil Cup (back of arm) Cover Thread Guide	05
460C	6534	Oil Cup (back of arm) Cover Thread Guide Set Screw	02
46200	6532	Oil Cup (back of arm) Oil Pad (felt)	02
46201	6532	" " " " " Stripper (felt)	02
46202	——	Oil Cup (back of arm) complete, Nos. 578F, 14057, 46195 to 46197, 46199, two each 46198, 46200, 46201 and four 665D	1 75

NO.	PLATE	NAME	EACH
129D	6534	Oil Cup (back of arm) Screw	$ 04
46380	6532	" " (front of arm)	1 35
1284D	6532	" " " " " Oil Regulating Screw	08
38100	6532	Oil Cup (front of arm) Packing (felt)	01
46381	6532	Oil Cup (front of arm) complete, Nos. 1284D, 38100 and 46380	1 50
190D	6532	Oil Cup (front of arm) Screw	03
17540	6492	Presser Bar	30
52532	6522	" " Bushing (lower)	80
1133E	6493	" " " " Set Screw	02
38456	6493	" " " (upper)	50
1133E	6493	" " " " Set Screw	02
17541	6494	" " Lifter	20
17542	6494	" " " Hinge Pin	05
38466	6494	" " Lifting Bracket with 453C and 892C	1 00
892C	6494	Presser Bar Lifting Bracket Adjusting Screw	05
453C	6494	Presser Bar Lifting Bracket Set Screw	02
46125	6508	" " Spring (flat)	50
38468	6494	" " " Stud	03
15261	6502	" " Stop Collar with 237F	15
237F	6502	" " " " Set Screw	02
46173	6561	" Foot (left guide) with 337D and 46174	3 00
46174	6561	Presser Foot Guide (left) for 46173	1 25
337D	6561	" " " " Screw	02
46126	6561	" " (right guide) with 337D and 46127	3 00
46127	6561	Presser Foot Guide (right) for 46126	1 25
337D	6561	" " " " Screw	02
46296	6561	" " " (left) for 46299	1 50
337D	6561	" " " Screw (back)	02
665D	6561	" " " " (front)	02
26276	6533	" " Hinge Pin	01
46297	——	" " Plate	3 50
46298	——	" " Shank	2 00
46299	6561	Presser Foot (side hinged) with left guide, complete, Nos. 337D, 665D, 26276 and 46296 to 46298	7 00
46300	6561	Presser Foot Guide (right) for 46303	1 50
337D	6561	" " " Screw (back)	02
665D	6561	" " " " (front)	02
26276	6533	" " Hinge Pin	01
46301	——	" " Plate	3 50
46302	——	" " Shank	2 00

NO.	PLATE	NAME	EACH
46303	6561	Presser Foot (side hinged) with right guide, complete, Nos. 337D, 665D, 26276 and 46300 to 46302	$7 00
190D	6496	Presser Foot Screw	03
574D	6536	Pressure Regulating Thumb Screw	15
1539D	6535	" " " " Lock Nut	05
46207	6513	Slack Thread Controller	20
46035	6496	" " " Clamp	10
190D	6496	" " " " Screw	03
2102	6496	Tension (under thread) Disc	05
1560C	6496	" " " Regulating Thumb Nut	04
916F	6496	Tension (under thread) Screw Stud	08
42121	6496	" " " Spring	03
17547	6496	" " " Thread Guide	25
2102	6496	" (upper thread) Disc	05
1560C	6496	" " " Regulating Thumb Nut	04
916F	6496	Tension (upper thread) Screw Stud	08
2103	6496	" " " Spring	03
17547	6496	" " " Thread Guide	25
50105C	6524	" (upper thread, automatic) Body	25
46382	6524	" " " " " Releasing Pin	03
46383	6524	Tension (upper thread, automatic) Cam with two 1253C	1 25
1253C	6524	Tension (upper thread, automatic) Cam Set Screw	03
2102	6524	Tension (upper thread, automatic) Disc	05
46384	6524	" " " " Plate	30
381D	6534	" " " " " Screw	06
1560C	6524	Tension (upper thread, automatic) Regulating Thumb Nut	04
32572	6524	Tension (upper thread, automatic) Releasing Disc	05
50106F	6524	Tension (upper thread, automatic) Screw Stud	10
46385	6524	Tension (upper thread, automatic) Screw Stud Releasing Pin	01
46386	6524	Tension (upper thread, automatic) Separating Disc	10
46387	6524	Tension (upper thread, automatic) Spring	03
46388	6524	" " " " Thread Guide (double)	35

NO.	PLATE	NAME	EACH
38225	6497	Thread (under) Eyelet (back)	$ 10
190D	6497	“ “ “ “ Screw	03
38284	6497	“ “ “ (front)	05
46049	6497	“ “ Nipper Cam with 465c	50
465c	6497	“ “ “ “ Set Screw	02
38210	6497	“ “ “ Spring (lower)	15
38211	6497	“ “ “ “ (upper)	25
46247	6497	“ “ “ “ “ Stop	10
176D	6497	“ “ “ “ Screw	03
46389	6522	“ “ Take-up with 465c	1 00
465c	6497	“ “ “ Set Screw	02
46390	6522	“ “ “ Staple	50
46040	6498	“ “ “ “ Bracket with 910c	2 00
690D	6534	Thread (under) Take-up Staple Bracket Screw	05
46041	6497	Thread (under) Take-up Staple Spring	05
190D	6497	“ “ “ “ “ Screw	03
910c	6497	Thread (under) Take-up Staple Stop Screw	03
46391	6522	Thread (under) Take-up Stripper	60
207D	6497	“ “ “ “ Screw	02
38476	6497	“ “ “ Thread Guard (left)	15
207D	6497	Thread (under) Take-up Thread Guard (left) Screw	02
38477	6497	Thread (under) Take-up Thread Guard (right)	20
207D	6497	Thread (under) Take-up Thread Guard (right) Screw	02
46392	6524	Thread (upper) Controller	1 25
50107F	6524	“ “ “ Hinge Screw	08
1620D	6524	“ “ “ “ “ Nut	03
1964	6524	“ “ “ Roller	20
46393	6524	“ “ “ “ Bracket with 453c and 1964	1 00
453c	6524	Thread (upper) Controller Roller Bracket Set Screw	02
52728	6524	Thread (upper) Take-up with 52729 and two 4604	1 00
52729	6524	Thread (upper) Take-up Thread Guide	20
4604	6524	“ “ “ “ “ Rivet ... per 100	10
228D	6513	Thread (upper) Take-up Screw	02
46394	6560	Throat Plate with two each 665D and 46396, for 46373	2 25

NO.	PLATE	NAME	EACH
46395	6560	Throat Plate with two each 665D and 46396, for 46374	$2 25
46460	6560	Throat Plate with two each 665D and 46075, for 46459	2 25
691F	6534	Throat Plate Screw	04
46396	6560	“ “ Thread Retainer for 46394 and 46395	10
46075	6542	Throat Plate Thread Retainer for 46460	10
665D	6542	“ “ “ “ Screw	02

LIST OF PARTS COMPLETE
FOR
MACHINE NO. 62-46

FOR SKIRTS, SHIRT WAISTS, MILLINERY AND OTHER GOODS. MAKES TWO ROWS OF AIR TUCKING IN ONE OPERATION. MATERIAL TO BE USED MUST BE SENT WITH THE ORDER FOR MACHINE, AND THE HEIGHT OF TUCK $\frac{1}{32}$ TO $\frac{1}{8}$ INCH SPECIFIED. HAS FOUR NEEDLES, TWO LOOPERS. GAUGES BETWEEN THE FIRST AND SECOND AND BETWEEN THE THIRD AND FOURTH NEEDLES $\frac{1}{32}$ TO $\frac{5}{64}$ INCH, AND BETWEEN THE SECOND AND THIRD NEEDLES $\frac{1}{8}$ TO $\frac{13}{32}$ INCH.

NO.	PLATE	NAME	EACH
*52739	----	Arm, upper and lower (solid)	$20 00
52630	6533	“ Oil Tube with 49092, for oiling 46221	20
49092	6533	Arm Oil Tube Packing (felt)	01
46216	6490	“ Rock Shaft	1 00
46217	6491	“ “ “ Crank (back) with two 1497c	80
1497c	6491	Arm Rock Shaft Crank (back) Set Screw	05
38112	6491	“ “ “ “ (front) with 443c	1 25
23724	6491	“ “ “ “ “ Pin	01
443c	6491	“ “ “ “ “ Set Screw	03
46218	6482	“ Rotary Shaft	3 00
38329	6491	“ “ “ Collar with two 457c	25
457c	6491	“ “ “ “ Set Screw	02
23872	6490	“ “ “ Flanged Bushing	1 00
159F	6493	“ “ “ “ “ Screw	03
4784	6533	“ “ “ Oil Pad (felt)	01
144D	6534	“ “ “ Screw	08

NO.	PLATE	NAME	EACH
17509	6490	Arm Side Cover (lower)................	$ 15
286D	6535	“ “ “ “ Thumb Screw...	10
52554	6490	“ “ “ (upper)...............	20
9533	6533	“ “ “ “ Pin...........	02
176D	6494	“ “ “ “ Screw..........	03
23873	6482	Balance Wheel with two 430c...........	80
430c	6534	“ “ Set Screw.............	04
38414	6483	Cloth Plate............................	2 50
691F	6534	“ “ Screw (left)...............	04
1094F	6534	“ “ “ (right)..............	03
46107	——	“ “ Slide (large)...............	60
46108	6489	Cloth Plate Slide (large) complete, Nos. 46107, two 38416 and four 725H.......	75
38416	6500	Cloth Plate Slide (large) Spring.........	05
725H	6500	“ “ “ “ “ Screw....	02
38418	——	“ “ “ (small)..............	30
38420	6486	Cloth Plate Slide (small) complete, Nos. 38418, 38419 and two 725H..........	40
38419	6500	Cloth Plate Slide (small) Spring.........	05
725H	6500	“ “ “ “ “ Screw...	02
46109	——	Cloth Plate complete, Nos. 38414, 38420 and 46108..........................	3 65
46221	6490	Crank Connecting Rod with 46222, 46223 and two each 896E and 1057E.........	2 00
50069c	6535	Crank Connecting Rod Ball Screw Stud	20
1619E	6535	“ “ “ “ “ “ Nut.............................	05
*46222	——	Crank Connecting Rod Cap (lower).....	25
896E	6534	“ “ “ “ “ Screw.	04
*46223	——	“ “ “ “ (upper)......	35
1057E	6534	“ “ “ “ “ Screw	04
46225	6533	“ “ “ Washer (fibre)....	02
46110	6498	Face Plate..........................	50
46111	6533	“ “ Pin........................	02
286D	6535	“ “ Thumb Screw..............	10
38425	6490	Feed Bar with 231c and 460c...........	2 50
23716	6491	“ “ Bushing....................	40
23726	6491	“ “ Hinge Pin..................	50
231c	6534	“ “ Set Screw..................	03
38426	6491	“ “ Slide Block.................	50
38427	6490	“ Connecting Rod with 1057E, 23865 and two 896E......................	1 50
*23865	——	Feed Connecting Rod Cap..............	30
896E	6534	“ “ “ “ Screw........	04
23866	6491	“ “ “ Hinge Pin (eccentric).........................	20

NO.	PLATE	NAME	EACH
1057E	6534	Feed Connecting Rod Hinge Pin Clamping Screw.........................	$ 04
46185	6562	Feed Dog, for $\frac{1}{16}$ in., $\frac{3}{16}$ in. and $\frac{1}{16}$ in. gauges...........................	1 75
157D	6534	Feed Dog Screw......................	04
460c	6534	“ “ Stop Screw.................	02
*38127	——	“ Eccentric........................	2 50
*23729	——	“ “ Body.................	2 50
443c	6491	“ “ “ Set Screw.........	03
21331	6491	“ “ Pressure Spring.........	03
21332	6491	“ “ “ “ Cap.....	10
934D	6491	“ “ “ “ “ Screw	02
196F	6491	“ “ Set Screw..............	02
38128	6491	Feed Eccentric (adjustable) complete, Nos. 196F, 934D, 1103c, 21331, 21332, 23729, 38127 and two 443c...........	5 00
38429	6491	Feed Lifting Eccentric with two 465c....	1 00
46113	6500	“ “ “ Cover...........	10
335D	6500	“ “ “ “ Screw......	02
465c	6491	“ “ “ Set Screw........	02
1103c	6491	“ Regulating Screw................	15
38431	6492	“ Rocking Frame..................	1 25
38432	6492	“ “ “ Bracket with two 465c..............................	50
123E	6494	Feed Rocking Frame Bracket Screw.....	06
38433	6492	“ “ “ Hinge Pin.........	50
465c	6491	“ “ “ “ “ Set Screw............................	02
46114	6525	Looper (back) with 590D and 46115......	2 25
1147c	6510	“ “ Set Screw..............	03
46115	6511	“ “ Thread Guard (double)...	05
590D	6510	“ “ “ “ Screw......	02
46116	6525	“ (front).......................	2 25
1120c	6510	“ “ Set Screw..............	03
38435	6512	“ Bell Crank......	50
38436	6490	“ “ “ Hinge Stud..........	1 00
443c	6491	“ “ “ “ “ Set Screw.	03
46101	6512	“ “ “ Pitman with 46102, 46103 and four 187D...	2 00
777c	6535	Looper Bell Crank Pitman Ball Screw Stud (lower)...........	12
1636E	6535	Looper Bell Crank Pitman Ball Screw Stud (lower) Nut...................	03
50039c	6535	Looper Bell Crank Pitman Ball Screw Stud (upper)......................	20
1636E	6535	Looper Bell Crank Pitman Ball Screw Stud (upper) Nut..................	03

NO.	PLATE	NAME	EACH
*46102	——	Looper Bell Crank Pitman Cap (lower)	$ 30
187D	6532	“ “ “ “ “ “ Screw	02
*46103	——	Looper Bell Crank Pitman Cap (upper)	35
187D	6532	“ “ “ “ “ “ Screw	02
38496	6510	Looper Carrier with 1120C and three 1147C	1 75
38440	6493	Looper Carrier Hinge Pin	20
1147C	6493	“ “ “ “ Set Screw	03
46236	6492	Looper Carrier Pitman complete, Nos. 1708E, 1709E and 46241 to 46243	3 25
50070C	6535	Looper Carrier Pitman Ball Screw Stud (right)	15
1636E	6535	Looper Carrier Pitman Ball Screw Stud (right) Nut	03
46237	6493	Looper Carrier Pitman Ball Stud (left)	25
1147C	6493	“ “ “ “ “ “ Set Screw	03
*46238	——	Looper Carrier Pitman Cap (left)	—
171E	6534	“ “ “ “ “ Screw	03
*46238	——	“ “ “ “ (right)	—
171E	6534	“ “ “ “ “ Screw	03
*46239	——	“ “ “ End Bearing (left)	—
*46240	——	Looper Carrier Pitman End Bearing (right)	—
46241	6492	Looper Carrier Pitman Head (left) Nos. 46237 to 46239 and two 171E	1 50
46242	6492	Looper Carrier Pitman Head (right) Nos. 46238, 46240, 50070C and two 171E	1 50
46243	6492	Looper Carrier Pitman Rod	20
1708E	6535	“ “ “ “ Nut (left)	03
1709E	6535	“ “ “ “ “ (right)	03
46244	6533	“ “ “ Washer (fibre)	02
46042	6493	“ “ Rock Shaft with two 175D	2 50
175D	6493	“ “ “ “ Adjusting Screw	02
38450	6493	Looper Carrier Rock Shaft Crank (forked) with 159E	2 00
159E	6493	Looper Carrier Rock Shaft Crank Clamping Screw	03
38451	6493	Looper Carrier Rock Shaft Crank Slide Block	50
46043	6493	Looper Carrier Rock Shaft Hinge Pin	75
1508E	6493	“ “ “ “ “ “ Nut	06

NO.	PLATE	NAME	EACH
129E	6493	Looper Carrier Rock Shaft Hinge Pin Set Screw	$ 04
38452	6493	Looper Eccentric with two 465C	1 00
465C	6493	“ “ Set Screw	02
38453	6494	“ Shaft	50
52553	6494	“ “ Bracket	50
123E	6494	“ “ “ Screw	06
391D	6494	“ “ Screw	02
46051	6508	Needle Bar	60
46117	——	Needle Bar complete, Nos. 46051 and 46122	2 25
38456	6493	Needle Bar Bushing	50
1133E	6493	“ “ “ Set Screw	02
38458	6494	“ “ Connecting Link	50
38459	6494	“ “ “ “ Hinge Stud	30
1520E	6494	“ “ “ “ “ “ Nut	03
38460	6494	Needle Bar Connecting Stud with two 391E	1 00
391E	6494	Needle Bar Connecting Stud Clamping Screw	02
15261	6502	Needle Bar Stop Collar with 237F	15
237F	6502	“ “ “ “ Set Screw	02
46118	——	“ Clamp Body	1 00
46119	6522	“ “ Collar with 46120 and three 457F	60
457F	6522	Needle Clamp Collar Set Screw	02
46120	6522	“ “ Thread Guard	03
46121	6522	“ “ Washer	01
46122	6522	Needle Clamp complete, Nos. 46118, 46119 and 46121	1 60
46123	6523	Needle Guard (back)	75
1492D	6534	“ “ “ Screw	03
46124	6523	“ “ (front)	75
206D	6534	“ “ “ Screw	02
457F	6522	“ Set Screw	02
17540	6492	Presser Bar	30
38464	6494	“ “ Bushing (lower)	80
1133E	6493	“ “ “ “ Set Screw	02
38456	6493	“ “ “ (upper)	50
1133E	6493	“ “ “ “ Set Screw	02
17541	6494	“ “ Lifter	20
17542	6494	“ “ “ Hinge Pin	05
38466	6494	“ “ Lifting Bracket with 453C and 892C	1 00
892C	6494	Presser Bar Lifting Bracket Adjusting Screw	05

NO.	PLATE	NAME	EACH
453C	6494	Presser Bar Lifting Bracket Set Screw...	$ 02
38467	6492	" " Spring (flat)...............	50
38468	6494	" " " Stud................	03
15261	6502	" " Stop Collar with 237F.......	15
237F	6502	" " " " Set Screw.......	02
26276	6533	" Foot Hinge Pin................	01
46186	——	" " Plate.....................	2 40
46187	——	" " Shank....................	60
46188	6562	Presser Foot (hinged) complete, for continuous tucking, Nos. 26276, 46186 and 46187.............................	3 00
26276	6533	Presser Foot Hinge Pin................	01
46189	——	" " Plate.....................	2 40
46187	——	" " Shank....................	60
46190	6562	Presser Foot (hinged) complete, for space tucking, Nos. 26276, 46187 and 46189.	3 00
46191	6562	Presser Foot Guide (left)...............	10
223F	6562	" " " " Set Screw......	02
46192	6562	" " " (right).............	10
1076F	6562	" " " " Set Screw....	03
46193	6562	" " " Holder with 223F and 1076F............................	50
176D	6494	Presser Foot Screw....................	03
574D	6536	Pressure Regulating Thumb Screw......	15
1539D	6535	" " " " Lock Nut..............................	05
46034	6496	Slack Thread Controller................	05
46035	6496	" " " Clamp.........	10
190D	6496	" " " " Screw....	03
46128	6525	" " Regulator................	1 50
46129	6525	" " " Bracket with 190D and 1981......................	1 25
190D	6525	Slack Thread Regulator Bracket Clamping Screw..........................	03
1981	6525	Slack Thread Regulator Bracket Roller (roller only).......................	08
46130	6525	Slack Thread Regulator Bushing........	20
50040D	6525	" " " Screw..........	07
2102	6496	Tension (under thread) Disc............	05
1560C	6496	" " " Regulating Thumb Nut.......................	04
916F	6496	Tension (under thread) Screw Stud......	08
42121	6496	" " " Spring..........	03
17547	6496	" " " Thread Guide....	25
2102	6496	" (upper thread) Disc............	05
1560C	6496	" " " Regulating Thumb Nut.......................	04

NO.	PLATE	NAME	EACH
916F	6496	Tension (upper thread) Screw Stud......	$ 08
2103	6496	" " " Spring..........	03
17547	6496	" " " Thread Guide....	25
38225	6497	Thread (under) Eyelet (back)...........	10
190D	6497	" " " " Screw.....	03
38284	6497	" " " (front)...........	05
46049	6497	" " Nipper Cam with 465C...	50
465C	6497	" " " " Set Screw...	02
38210	6497	" " " Spring (lower)....	15
38211	6497	" " " " (upper)...	25
46247	6497	" " " " " Stop	10
176D	6497	" " " " Screw.....	03
38475	6497	" " Take-up with 465C......	1 00
465C	6497	" " " Set Screw......	02
46047	6510	" " " Staple..........	50
46040	6498	" " " " Bracket with 910C..........................	2 00
690D	6531	Thread (under) Take-up Staple Bracket Screw.............................	05
46041	6497	Thread (under) Take-up Staple Spring	05
190D	6497	" " " " " Screw.............................	03
910C	6497	Thread (under) Take-up Staple Stop Screw.............................	03
38482	6497	Thread (under) Take-up Stripper.......	60
207D	6497	" " " " Screw..	02
38476	6497	" " " Thread Guard (left).............................	15
207D	6497	Thread (under) Take-up Thread Guard (left) Screw........................	02
38477	6497	Thread (under) Take-up Thread Guard (right)............................	20
207D	6497	Thread (under) Take-up Thread Guard (right) Screw.......................	02
46131	6525	Thread (upper) Controller.............	1 50
38474	6496	" " " Bushing......	20
46132	6525	" " " Eyelet (left)	35
207F	6525	" " " " " Screw.............................	02
46133	6525	Thread (upper) Controller Eyelet (right)	25
207F	6525	" " " " " Screw.............................	02
46134	6525	Thread (upper) Controller Fork.........	80
212C	6525	" " " " Cap Screw	04
166D	6525	" " " Screw........	07
46136	6525	" " Take-up with 457C......	90
457C	6525	" " " Set Screw......	02

NO.	PLATE	NAME	EACH
46194	6562	Throat Plate with 46305, 46306 and two each 665D and 46075, for 46185	$3 50
46305	6562	Throat Plate Ridge Guide (long)	25
46306	6562	" " " " (short)	25
691F	6534	" " Screw	01
46075	6542	" " Thread Retainer	10
665D	6542	" " " " Screw	02

LIST OF PARTS COMPLETE
FOR
MACHINE NO. 62-47

FOR GENERAL WORK IN FABRICS AND LIGHT LEATHER. FOR LAP SEAMING BUTTON LAPS ON SHOES, ETC. TWO NEEDLES, TWO LOOPERS, GAUGES $\frac{3}{32}$ INCH TO $\frac{3}{8}$ INCH. ALTERNATING PRESSERS, INDEPENDENT UPPER AND UNDER FEEDS

NO.	PLATE	NAME	EACH
*52583	——	Arm, upper and lower (solid)	$20 00
52630	6533	" Oil Tube with 49092, for oiling 46221	20
49092	6533	Arm Oil Tube Packing (felt)	01
46216	6490	" Rock Shaft	1 00
46217	6491	" " " Crank (back) with two 1497c	80
1497c	6491	Arm Rock Shaft Crank (back) Set Screw	05
46399	6502	" " " " (front) with 448c and 457c	1 50
23724	6491	Arm Rock Shaft Crank (front) Pin	01
448c	6502	" " " " " Set Screw	03
46218	6482	" Rotary Shaft	3 00
38329	6491	" " " Collar with two 457c	25
457c	6491	" " " " Set Screw	02
23872	6490	" " " Flanged Bushing	1 00
159F	6493	" " " " " Screw	03
4784	6533	Arm Rotary Shaft Oil Pad (felt)	01
144D	6534	" " " Screw	08
17509	6490	" Side Cover (lower)	15
286D	6535	" " " " Thumb Screw	10
52554	6490	" " " (upper)	20
9533	6533	" " " " Pin	02
176D	6494	" " " " Screw	03

NO.	PLATE	NAME	EACH
23873	6482	Balance Wheel with two 430c	$ 80
430c	6534	" " Set Screw	04
38414	6483	Cloth Plate	2 50
691F	6534	" " Screw (left)	04
1094F	6534	" " " (right)	03
38415	——	" " Slide (large) with 1602H	60
38417	6486	Cloth Plate Slide (large) complete, Nos. 38415, two 38416 and four 725H	75
1602H	6535	Cloth Plate Slide (large) Bushing	02
38416	6500	" " " " Spring	05
725H	6500	" " " " " Screw	02
38418	——	" " " (small)	30
38420	6486	Cloth Plate Slide (small) complete, Nos. 38418, 38419 and two 725H	40
38419	6500	Cloth Plate Slide (small) Spring	05
725H	6500	" " " " " Screw	02
38421	——	Cloth Plate complete, Nos. 38414, 38417 and 38420	3 65
46221	6490	Crank Connecting Rod with 46222, 46223 and two each 896E and 1057E	2 00
50069c	6535	Crank Connecting Rod Ball Screw Stud	20
1619E	6535	" " " " " " Nut	05
*46222	——	Crank Connecting Rod Cap (lower)	25
896E	6534	" " " " " Screw	04
*46223	——	" " " " (upper)	35
1057E	6534	" " " " " Screw	04
46225	6533	" " " Washer (fibre)	02
52584	6507	Face Plate	75
171D	6534	" " Screw	03
38425	6490	Feed (lower) Bar with 231c and 460c	2 50
23716	6491	" " " Bushing	40
23726	6491	" " " Hinge Pin	50
231c	6534	" " " Set Screw	03
38426	6491	" " " Slide Block	50
38427	6490	" " Connecting Rod with 1057E, 23865 and two 896E	1 50
*23865	——	Feed (lower) Connecting Rod Cap	30
896E	6534	" " " " " Screw	04
23866	6491	" " " " Hinge Pin (eccentric)	20
1057E	6534	Feed (lower) Connecting Rod Hinge Pin Clamping Screw	04
52534	6555	Feed (lower) Dog	2 75
898D	6534	" " " Screw	04
460c	6534	" " " Stop Screw	02
*38127	——	" " Eccentric	2 50

NO.	PLATE	NAME	EACH
*23729	——	Feed (lower) Eccentric Body	$2 50
443C	6491	" " " " Set Screw	03
21331	6491	" " " Pressure Spring	03
21332	6491	" " " " " Cap	10
934D	6491	Feed (lower) Eccentric Pressure Spring Cap Screw	02
196F	6491	Feed (lower) Eccentric Set Screw	02
38128	6491	Feed (lower) Eccentric (adjustable) complete, Nos. 196F, 934D, 1103C, 21331, 21332, 23729, 38127 and two 443C	5 00
38429	6491	Feed (lower) Lifting Eccentric with two 465C	1 00
46113	6500	Feed (lower) Lifting Eccentric Cover	10
335D	6500	" " " " " Screw	02
465C	6491	Feed (lower) Lifting Eccentric Set Screw	02
1103C	6491	" " Regulating Screw	15
38431	6492	" " Rocking Frame	1 25
38432	6492	" " " " Bracket with two 465C	50
123E	6494	Feed (lower) Rocking Frame Bracket Screw	06
38433	6492	Feed (lower) Rocking Frame Hinge Pin	50
465C	6491	" " " " " " Set Screw	02
52585	6526	Feed (upper) Bar	1 00
199D	6526	" " " Cap Screw	04
52586	6526	" " " Connecting Link	75
1423D	6526	" " " " " Cap Screw	04
1048C	6526	Feed (upper) Bar Connecting Link Hinge Screw	05
19356	6505	Feed (upper) Bar Lifting Bell Crank	1 00
199D	6505	" " " " " " Cap Screw	04
52587	6526	Feed (upper) Bar Lifting Bell Crank Connecting Link	75
199D	6526	Feed (upper) Bar Lifting Bell Crank Connecting Link Cap Screw	04
46416	6505	Feed (upper) Bar Lifting Bell Crank Driving Arm with 1186D	1 25
1186D	6505	Feed (upper) Bar Lifting Bell Crank Driving Arm Clamping Screw	04
46417	6505	Feed (upper) Bar Lifting Bell Crank Driving Arm Connection	75

NO.	PLATE	NAME	EACH
1423D	6526	Feed (upper) Bar Lifting Bell Crank Driving Arm Connection Cap Screw	$ 04
46418	6505	Feed (upper) Bar Lifting Bell Crank Driving Arm Connection Hinge Stud	15
457C	6505	Feed (upper) Bar Lifting Bell Crank Driving Arm Connection Hinge Stud Set Screw	02
1316C	6505	Feed (upper) Bar Lifting Bell Crank Driving Arm Connection Screw Stud	08
46419	6505	Feed (upper) Bar Lifting Bell Crank Driving Arm Shaft	1 00
52588	6526	Feed (upper) Bar Lifting Bell Crank Driving Arm Shaft Bracket	40
896E	6534	Feed (upper) Bar Lifting Bell Crank Driving Arm Shaft Bracket Screw	04
52589	6526	Feed (upper) Connecting Rod with 904C, 52590 and two 896E	80
*52590	——	Feed (upper) Connecting Rod Cap	——
896E	6534	" " " " " Screw	04
40247	6504	" " " " Hinge Pin	05
904C	6504	" " " " " " Set Screw	02
*52723	——	Feed (upper) Eccentric	2 50
*52591	——	" " " Body	2 50
446C	6527	" " " " Set Screw	03
21331	6491	" " " Pressure Spring	03
21332	6491	" " " " " Cap	10
934D	6491	Feed (upper) Eccentric Pressure Spring Cap Screw	02
196F	6491	Feed (upper) Eccentric Set Screw	02
52592	6527	Feed (upper) Eccentric (adjustable) complete, Nos. 196F, 934D, 1106C, 21331, 21332, 52591, 52723 and two 446C	5 00
1106C	6527	Feed (upper) Regulating Screw	18
52593	6512	" " Shaft	1 00
52594	6526	" " " Crank (back) with 157E	2 00
157E	6526	Feed (upper) Shaft Crank (back) Clamping Screw	04
52595	6526	Feed (upper) Shaft Crank (front) with 1057E	1 25
1057E	6526	Feed (upper) Shaft Crank (front) Clamping Screw	04
52596	6555	Feeding Foot	1 25
203F	6534	" " Screw	03
46092	6492	Lifting Presser Bar	30

NO.	PLATE	NAME	EACH
46073	6493	Lifting Presser Bar Bushing (lower)	$ 80
1133E	6493	“ “ “ “ “ Set Screw	02
38456	6493	Lifting Presser Bar Bushing (upper)	50
1133E	6493	“ “ “ “ “ Set Screw	02
46421	6505	Lifting Presser Bar Guide Bracket with 157D and 892c	2 50
892c	6494	Lifting Presser Bar Guide Bracket Adjusting Screw	05
157D	6505	Lifting Presser Bar Guide Bracket Clamping Screw	04
52597	6527	Lifting Presser Bar Lifter	30
52598	6527	“ “ “ “ Hinge Stud	20
465c	6491	“ “ “ “ “ “ Set Screw	02
52599	6527	Lifting Presser Bar Lifting Bracket with 1356E	1 25
1356E	6527	Lifting Presser Bar Lifting Bracket Clamping Screw	04
52600	6527	Lifting Presser Bar Lifting Bracket Connecting Link	25
990F	6527	Lifting Presser Bar Lifting Bracket Connecting Link Cap Screw	03
724c	6527	Lifting Presser Bar Lifting Bracket Connecting Link Hinge Screw	05
46422	6508	Lifting Presser Bar Spring (flat)	50
38468	6494	“ “ “ “ Stud	03
52535	6555	“ “ Foot	1 25
190D	6496	“ “ “ Screw	03
52536	6509	Looper (back) with 590D and 38393	2 25
1147c	6510	“ “ Set Screw	03
38393	6493	“ “ Thread Guard	03
590D	6493	“ “ “ “ Screw	02
52537	6509	“ (front)	2 25
1120c	6510	“ “ Set Screw	03
46226	6490	“ Bell Crank with 1037c	50
38436	6490	“ “ “ Hinge Stud	1 00
443c	6491	“ “ “ “ “ Set Screw	03
46227	6492	Looper Bell Crank Pitman complete, Nos. 1706E, 1713E and 46233 to 46235	3 25
50070c	6535	Looper Bell Crank Pitman Ball Screw Stud (upper)	15
1636E	6535	Looper Bell Crank Pitman Ball Screw Stud (upper) Nut	03
46228	6493	Looper Bell Crank Pitman Ball Stud (lower)	30

NO.	PLATE	NAME	EACH
1037c	6493	Looper Bell Crank Pitman Ball Stud (lower) Set Screw	$ 04
*46229	——	Looper Bell Crank Pitman Cap (lower)	—
171E	6534	“ “ “ “ “ “ Screw	03
*46230	——	Looper Bell Crank Pitman Cap (upper)	—
171E	6534	“ “ “ “ “ “ Screw	03
*46231	——	Looper Bell Crank Pitman End Bearing (lower)	—
*46232	——	Looper Bell Crank Pitman End Bearing (upper)	—
46233	6492	Looper Bell Crank Pitman Head (lower) Nos. 46228, 46229, 46231 and two 171E	1 50
46234	6492	Looper Bell Crank Pitman Head (upper) Nos. 46230, 46232, 50070c and two 171E	1 50
46235	6492	Looper Bell Crank Pitman Rod	20
1706E	6535	“ “ “ “ “ Nut (lower)	03
1713E	6535	Looper Bell Crank Pitman Rod Nut (upper)	03
38496	6510	Looper Carrier with 1120c and three 1147c	1 75
38440	6493	Looper Carrier Hinge Pin	20
1147c	6493	“ “ “ “ Set Screw	03
46236	6492	Looper Carrier Pitman complete, Nos. 1708E, 1709E and 46241 to 46243	3 25
50070c	6535	Looper Carrier Pitman Ball Screw Stud (right)	15
1636E	6535	Looper Carrier Pitman Ball Screw Stud (right) Nut	03
46237	6493	Looper Carrier Pitman Ball Stud (left)	25
1147c	6493	“ “ “ “ “ “ Set Screw	03
*46238	——	Looper Carrier Pitman Cap (left)	—
171E	6534	“ “ “ “ “ Screw	03
*46238	——	“ “ “ “ (right)	—
171E	6534	“ “ “ “ “ Screw	03
*46239	——	“ “ “ End Bearing (left)	—
*46240	——	Looper Carrier Pitman End Bearing (right)	—
46241	6492	Looper Carrier Pitman Head (left) Nos. 46237 to 46239 and two 171E	1 50
46242	6492	Looper Carrier Pitman Head (right) Nos. 46238, 46240, 50070c and two 171E	1 50
46243	6492	Looper Carrier Pitman Rod	20

NO.	PLATE	NAME	EACH
1708E	6535	Looper Carrier Pitman Rod Nut (left) . . .	$ 03
1709E	6535	" " " " " (right) . .	03
46244	6533	" " " Washer (fibre) . . .	02
46042	6493	" " Rock Shaft with two 175D	2 50
175D	6493	" " " " Adjusting Screw.	02
38450	6493	Looper Carrier Rock Shaft Crank (forked) with 159E.	2 00
159E	6493	Looper Carrier Rock Shaft Crank Clamping Screw	03
38451	6493	Looper Carrier Rock Shaft Crank Slide Block.	50
46043	6493	Looper Carrier Rock Shaft Hinge Pin	75
1508E	6493	" " " " " " Nut.	06
129E	6493	Looper Carrier Rock Shaft Hinge Pin Set Screw.	04
38452	6493	Looper Eccentric with two 465C.	1 00
465C	6493	" " Set Screw.	02
38453	6494	" Shaft.	50
52553	6494	" " Bracket.	50
123E	6494	" " " Screw.	06
391D	6494	" " Screw.	02
46051	6508	Needle Bar.	60
46052	——	Needle Bar complete, Nos. 46051 and 46053.	1 20
38456	6493	Needle Bar Bushing.	50
1133E	6493	" " " Set Screw.	02
38458	6494	" " Connecting Link.	50
38459	6494	" " " " Hinge Stud	30
1520E	6494	" " " " " " Nut.	03
38460	6494	Needle Bar Connecting Stud with two 391E.	1 00
391E	6494	Needle Bar Connecting Stud Clamping Screw.	02
46053	6510	Needle Clamp with 46054 and two 1072F.	60
46054	6510	" " Thread Guide (two pieces)	03
38461	6510	" Guard (back).	75
176F	6494	" " " Screw.	03
46001	6510	" " (front).	75
206D	6534	" " " Screw.	02
1072F	6510	" Set Screw.	02
46002	6533	Oil Cup with two 38463.	30
38463	6533	" " Packing (felt).	02
225F	6533	" " Screw.	03
574D	6536	Pressure Regulating Thumb Screw.	15

NO.	PLATE	NAME	EACH
1539D	6535	Pressure Regulating Thumb Screw Lock Nut.	$ 05
52538	6519	Slack Thread Controller.	50
52539	6519	" " " Bracket.	25
175D	6534	" " " " Screw. . .	02
52540	6519	" " " Connection with 457C.	40
457C	6519	Slack Thread Controller Connection Set Screw.	02
110C	6519	Slack Thread Controller Hinge Screw. . . .	04
2102	6496	Tension (under thread) Disc.	05
1560C	6496	" " " Regulating Thumb Nut.	04
916F	6496	Tension (under thread) Screw Stud.	08
10148	6496	" " " Spring.	03
17547	6496	" " " Thread Guide. . . .	25
2102	6496	" (upper thread) Disc.	05
1560C	6496	" " " Regulating Thumb Nut.	04
916F	6496	Tension (upper thread) Screw Stud.	08
13710	6496	" " " Spring.	03
17547	6496	" " " Thread Guide. . . .	25
38225	6497	Thread (under) Eyelet (back).	10
190D	6497	" " " " Screw.	03
38284	6497	" " " (front).	05
46049	6497	" " Nipper Cam with 465C. . .	50
465C	6497	" " " " Set Screw. . .	02
38210	6497	" " " Spring (lower). . . .	15
38211	6497	" " " " (upper). . . .	25
46247	6497	" " " " " Stop	10
176D	6497	" " " " Screw.	03
38475	6497	" " Take-up with 465C.	1 00
465C	6497	" " " Set Screw.	02
46047	6510	" " " Staple.	50
46040	6498	" " " " Bracket with 910C.	2 00
690D	6534	Thread (under) Take-up Staple Bracket Screw.	05
46041	6497	Thread (under) Take-up Staple Spring	05
190D	6497	" " " " " Screw.	03
910C	6497	Thread (under) Take-up Staple Stop Screw.	03
38482	6497	Thread (under) Take-up Stripper.	60
207D	6497	" " " " Screw. .	02
38476	6497	" " " Thread Guard (left).	15

8203—12

NO.	PLATE	NAME	EACH
207D	6497	Thread (under) Take-up Thread Guard (left) Screw	$ 02
38477	6497	Thread (under) Take-up Thread Guard (right)	20
207D	6497	Thread (under) Take-up Thread Guard (right) Screw	02
52601	6527	Thread (upper) Controller	50
206F	6496	“ “ “ Screw	02
46170	6519	“ “ Eyelet	25
190D	6496	“ “ “ Screw	03
46171	6519	“ “ Take-up with 223D	80
223D	6519	“ “ “ Clamping Screw	02
52542	6555	Throat Plate for 52534	2 50
691F	6534	“ “ Screw	04

LIST OF PARTS COMPLETE
FOR
MACHINE NO. 62-48

FOR GENERAL WORK IN LIGHT FABRICS, FOR TRIMMING AND BINDING IN ONE OPERATION, HAS VERTICAL SHEAR TRIMMER OPERATED BY AN ECCENTRIC ON THE ARM ROTARY SHAFT, TRIMS FROM $\frac{1}{16}$ TO $\frac{3}{16}$ INCH FROM THE NEEDLE

NO.	PLATE	NAME	EACH
*52607	——	Arm, upper and lower (solid)	$20 00
52630	6533	“ Oil Tube with 49092, for oiling 46221	20
49092	6533	Arm Oil Tube Packing (felt)	01
46216	6490	“ Rock Shaft	1 00
46217	6491	“ “ “ Crank (back) with two 1497C	80
1497C	6491	Arm Rock Shaft Crank (back) Set Screw	05
38412	6491	“ “ “ “ (front) with 443C	1 25
23724	6491	“ “ “ “ “ Pin	01
443C	6491	“ “ “ “ “ Set Screw	03
46343	6482	“ Rotary Shaft	3 00
38329	6491	“ “ “ Collar with two 457C	25
457C	6491	“ “ “ “ Set Screw	02
23872	6490	“ “ “ Flanged Bushing	1 00

NO.	PLATE	NAME	EACH
159F	6493	Arm Rotary Shaft Flanged Bushing Screw	$ 03
4784	6533	“ “ “ Oil Pad (felt)	01
144D	6534	“ “ “ Screw	08
17509	6490	“ Side Cover (lower)	15
286D	6535	“ “ “ “ Thumb Screw	10
52554	6490	“ “ “ (upper)	20
9533	6533	“ “ “ “ Pin	02
176D	6494	“ “ “ “ Screw	03
23873	6482	Balance Wheel with two 430C	80
430C	6534	“ “ Set Screw	04
52608	6485	Cloth Plate	2 50
52609	6488	“ “ Chute (hinged)	1 25
330D	6519	“ “ “ Screw	02
691F	6534	“ “ Screw (left)	04
1094F	6534	“ “ “ (right)	03
46322H	——	“ “ Slide (left)	40
46323H	6488	Cloth Plate Slide (left) complete, Nos. 38419, 46322H and two 725H	50
38419	6500	Cloth Plate Slide (left) Spring	05
725H	6500	“ “ “ “ “ Screw	02
52610	6488	Cloth Plate Slide (right) with 1602H	30
1602H	6535	“ “ “ “ Bushing	02
286D	6535	“ “ “ “ Thumb Screw	10
52611	——	Cloth Plate complete, Nos. 286D, 46323H, 52608 to 52610 and two 330D	4 70
46221	6490	Crank Connecting Rod with 46222, 46223 and two each 896E and 1057E	2 00
50069C	6535	Crank Connecting Rod Ball Screw Stud	20
1619E	6535	“ “ “ “ “ “ Nut	05
*46222	——	Crank Connecting Rod Cap (lower)	25
896E	6534	“ “ “ “ “ Screw	04
*46223	——	“ “ “ “ (upper)	35
1057E	6534	“ “ “ “ “ Screw	04
46225	6533	“ “ “ Washer (fibre)	02
46179	6490	Face Plate	50
46111	6533	“ “ Pin	02
286D	6535	“ “ Thumb Screw	10
38425	6490	Feed Bar with 231C and 460C	2 50
23716	6491	“ “ Bushing	40
23726	6491	“ “ Hinge Pin	50
231C	6534	“ “ Set Screw	03
38426	6491	“ “ Slide Block	50
38427	6490	“ Connecting Rod with 1057E, 23865 and two 896E	1 50
*23865	——	Feed Connecting Rod Cap	30
896E	6534	“ “ “ “ Screw	04

NO.	PLATE	NAME	EACH
23866	6491	Feed Connecting Rod Hinge Pin (eccentric)	$ 20
1057E	6534	Feed Connecting Rod Hinge Pin Clamping Screw	04
52612	6563	Feed Dog	1 00
898D	6534	" " Screw	04
460C	6534	" " Stop Screw	02
*38127	——	" Eccentric	2 50
*23729	——	" " Body	2 50
443C	6491	" " " Set Screw	03
21331	6491	" " Pressure Spring	03
21332	6491	" " " " Cap	10
934D	6491	" " " " " Screw	02
196F	6491	" " Set Screw	02
38128	6491	Feed Eccentric (adjustable) complete, Nos. 196F, 934D, 1103C, 21331, 21332, 23729, 38127 and two 443C	5 00
1103C	6491	Feed Regulating Screw	15
38431	6492	" Rocking Frame	1 25
52613	6512	" " " Bracket with two 465C	50
123E	6494	Feed Rocking Frame Bracket Screw	06
38433	6492	" " " Hinge Pin	50
465C	6491	" " " " " Set Screw	02
52614	6528	Knife	10
52615	6528	" Bar	4 00
46350	6528	" " Eccentric with two 457C	1 00
457C	6519	" " " Set Screw	02
52616	6528	" Holder	1 00
1259C	6528	" " Adjusting Screw	03
190C	6496	" " Screw	03
52617	6528	" Support	50
206D	6534	" " Screw	02
52618	6529	Looper with 590D and 38393	2 25
46226	6490	" Bell Crank with 1037C	50
38436	6490	" " " Hinge Stud	1 00
443C	6491	" " " " " Set Screw	03
46227	6492	Looper Bell Crank Pitman complete, Nos. 1706E, 1713E and 46233 to 46235	3 25
50070C	6535	Looper Bell Crank Pitman Ball Screw Stud (upper)	15
1636E	6535	Looper Bell Crank Pitman Ball Screw Stud (upper) Nut	03
46228	6493	Looper Bell Crank Pitman Ball Stud (lower)	30
1037C	6493	Looper Bell Crank Pitman Ball Stud (lower) Set Screw	04

NO.	PLATE	NAME	EACH
*46229	——	Looper Bell Crank Pitman Cap (lower)	$ —
171E	6534	" " " " " " Screw	03
*46230	——	Looper Bell Crank Pitman Cap (upper)	—
171E	6534	" " " " " " Screw	03
*46231	——	Looper Bell Crank Pitman End Bearing (lower)	—
*46232	——	Looper Bell Crank Pitman End Bearing (upper)	—
46233	6492	Looper Bell Crank Putman Head (lower) Nos. 46228, 46229, 46231 and two 171E	1 50
46234	6492	Looper Bell Crank Pitman Head (upper) Nos. 46230, 46232, 50070C and two 171E	1 50
46235	6492	Looper Bell Crank Pitman Rod	20
1706E	6535	" " " " " Nut (lower)	03
1713E	6535	Looper Bell Crank Pitman Rod Nut (upper)	03
52619	6529	Looper Carrier with three 1147C	1 50
38440	6493	" " Hinge Pin	20
1147C	6493	" " " " Set Screw	03
52620	6512	Looper Carrier Pitman complete, Nos. 1697E, 1698E, 38445, 38446 and 52621	3 25
50016C	6535	Looper Carrier Pitman Ball Screw Stud (right)	15
1518E	6535	Looper Carrier Pitman Ball Screw Stud (right) Nut	01
38442	6529	Looper Carrier Pitman Ball Stud (left)	25
1147C	6493	" " " " " " Set Screw	03
*42525	——	Looper Carrier Pitman Cap (left)	—
187E	6532	" " " " " Screw	02
*42524	——	" " " " (right)	—
187E	6532	" " " " " Screw	02
*38443	——	" " " End Bearing (left)	—
*38444	——	Looper Carrier Pitman End Bearing (right)	—
38445	6512	Looper Carrier Pitman Head (left) Nos. 38442, 38443, 42525 and two 187E	1 50
38446	6512	Looper Carrier Pitman Head (right) Nos. 38444, 42524, 50016C and two 187E	1 50
52621	6512	Looper Carrier Pitman Rod	10
1697E	6535	" " " " Nut (left)	03
1698E	6535	" " " " " (right)	03
46042	6493	" " Rock Shaft with two 175D	2 50

NO.	PLATE	NAME	EACH
175D	6493	Looper Carrier Rock Shaft Adjusting Screw	$ 02
38450	6493	Looper Carrier Rock Shaft Crank (forked) with 159E	2 00
159E	6493	Looper Carrier Rock Shaft Crank Clamping Screw	03
38451	6493	Looper Carrier Rock Shaft Crank Slide Block	50
46043	6493	Looper Carrier Rock Shaft Hinge Pin	75
1508E	6493	“ “ “ “ “ “ Nut	06
129E	6493	Looper Carrier Rock Shaft Hinge Pin Set Screw	04
38452	6493	Looper Eccentric with two 465C	1 00
465C	6493	“ “ Set Screw	02
52622	6529	“ Needle Guard with 46105	40
46105	6499	“ “ “ Pin	01
229D	6499	“ “ “ Screw	02
1147C	6493	“ Set Screw	03
46358	6502	“ Shaft and Feed Lifting Eccentric	2 50
52553	6494	“ “ “ “ “ “ Bracket	50
123E	6494	Looper Shaft and Feed Lifting Eccentric Bracket Screw	06
391D	6494	Looper Shaft and Feed Lifting Eccentric Screw	02
38393	6493	Looper Thread Guard	03
590D	6493	“ “ “ Screw	02
38455	6492	Needle Bar (hollow) with 857H	1 00
38456	6493	“ “ Bushing	50
1133E	6493	“ “ “ Set Screw	02
38458	6494	“ “ Connecting Link	50
38459	6494	“ “ “ “ Hinge Stud	30
1520E	6494	“ “ “ “ “ “ Nut	03
38460	6494	Needle Bar Connecting Stud with two 391E	1 00
391E	6494	Needle Bar Connecting Stud Clamping Screw	02
52623	6529	Needle Guard	75
190D	6496	“ “ Screw	03
857H	6534	“ Set Screw	02
17540	6492	Presser Bar	30
38464	6494	“ “ Bushing (lower)	80
1133E	6493	“ “ “ “ Set Screw	02
38456	6493	“ “ “ (upper)	50
1133E	6493	“ “ “ “ Set Screw	02

NO.	PLATE	NAME	EACH
17541	6494	Presser Bar Lifter	$ 20
17542	6494	“ “ “ Hinge Pin	05
38466	6494	“ “ Lifting Bracket with 453C and 892C	1 00
892C	6494	Presser Bar Lifting Bracket Adjusting Screw	05
453C	6494	Presser Bar Lifting Bracket Set Screw	02
38467	6492	“ “ Spring (flat)	50
38468	6494	“ “ “ Stud	03
26276	6533	“ Foot Hinge Pin	01
52624	——	“ “ Plate	1 25
46099	——	“ “ Shank	60
52625	6563	Presser Foot (hinged) complete, Nos. 26276, 46099 and 52624	1 85
190D	6496	Presser Foot Screw	03
574D	6536	Pressure Regulating Thumb Screw	15
1539D	6535	“ “ “ “ Lock Nut	05
46169	6500	Slack Thread Controller	05
193F	6500	“ “ “ Set Screw	03
52626	6529	“ “ Regulator	1 50
52569	6529	“ “ “ Bracket with 704C and 1823	1 25
704C	6529	Slack Thread Regulator Bracket Clamping Screw	04
38474	6496	Slack Thread Regulator Bushing	20
1823	6496	“ “ “ Roller and Stud	18
50062D	6496	“ “ “ Screw	07
1620E	6496	“ “ “ “ Nut	03
2102	6496	Tension (under thread) Disc	05
1560C	6496	“ “ “ Regulating Thumb Nut	04
916F	6496	Tension (under thread) Screw Stud	08
10148	6496	“ “ “ Spring	03
17547	6496	“ “ “ Thread Guide	25
2102	6496	“ (upper thread) Disc	05
1560C	6496	“ “ “ Regulating Thumb Nut	04
916F	6496	Tension (upper thread) Screw Stud	08
2103	6496	“ “ “ Spring	03
17547	6496	“ “ “ Thread Guide	25
38225	6497	Thread (under) Eyelet (back)	10
190D	6497	“ “ “ “ Screw	03
38284	6497	“ “ “ (front)	05
46049	6497	“ “ Nipper Cam with 465C	50
465C	6497	“ “ “ “ Set Screw	02
38210	6497	“ “ “ Spring (lower)	15

NO.	PLATE	NAME	EACH
38211	6497	Thread (under) Nipper Spring (upper) . .	$ 25
46247	6497	" " " " " Stop	10
176D	6497	" " " " Screw.	03
38475	6497	" " Take-up with 465c.	1 00
465c	6497	" " " Set Screw.	02
38478	6497	" " " Staple with two each 590D and 38481.	75
46040	6498	Thread (under) Take-up Staple Bracket with 910c.	2 00
690D	6534	Thread (under) Take-up Staple Bracket Screw.	05
46041	6497	Thread (under) Take-up Staple Spring	05
190D	6497	" " " " " Screw.	03
910c	6497	Thread (under) Take-up Staple Stop Screw.	03
38481	6497	Thread (under) Take-up Staple Thread Guard.	10
590D	6497	Thread (under) Take-up Staple Thread Guard Screw.	02
38482	6497	Thread (under) Take-up Stripper.	60
207D	6497	" " " " Screw. .	02
38476	6497	" " " Thread Guard (left).	15
207D	6497	Thread (under) Take-up Thread Guard (left) Screw.	02
38477	6497	Thread (under) Take-up Thread Guard (right).	20
207D	6497	Thread (under)Take-up Thread Guard (right) Screw.	02
38483	6496	Thread (upper) Controller.	40
206F	6496	" " " Screw.	02
52627	6529	" " Eyelet.	25
190D	6496	" " " Screw.	03
46312	6500	" " Take-up with 223D.	80
223D	6500	" " " Clamping Screw.	02
52628	6563	Throat Plate with 665D and 52629, for 52612.	1 75
52629	6563	Throat Plate Cutting Bar.	25
665D	6542	" " " " Screw.	02
691F	6534	" " Screw.	04

LIST OF PARTS COMPLETE

FOR

MACHINE NO. 62-49

FOR TRIMMING AND STITCHING KNIT GOODS AND OTHER FABRICS. HAS AUXILIARY FEED MECHANISM AND VERTICAL SHEAR TRIMMER (ADJUSTABLE) TO TRIM FROM $\frac{1}{16}$ TO $\frac{3}{16}$ INCH FROM THE NEEDLE. ONE NEEDLE, ONE LOOPER

NO.	PLATE	NAME	EACH
*52646	——	Arm, upper and lower (solid) with 129D, 965D and 46445.	$22 00
52630	6533	Arm Oil Tube with 49092, for oiling 46221.	20
49092	6533	Arm Oil Tube Packing (felt).	01
46216	6490	" Rock Shaft.	1 00
46217	6491	" " " Crank (back) with two 1497c.	80
1497c	6491	Arm Rock Shaft Crank (back) Set Screw.	05
38412	6491	" " " " (front) with 443c.	1 25
23724	6491	" " " " " Pin.	01
443c	6491	" " " " " Set Screw.	03
46343	6482	" Rotary Shaft.	3 00
38329	6491	" " " Collar with two 457c. .	25
457c	6491	" " " " Set Screw.	02
23872	6490	" " " Flanged Bushing	1 00
159F	6493	" " " " " Screw	03
4784	6533	" " " Oil Pad (felt).	01
144D	6534	" " " Screw.	08
17509	6490	" Side Cover (lower).	15
286D	6535	" " " " Thumb Screw. . .	10
52554	6490	" " " (upper).	20
9533	6533	" " " " Pin.	02
176D	6494	" " " " Screw.	03
23873	6482	Balance Wheel with two 430c.	80
430c	6534	" " Set Screw.	04
52647	6482	Cloth Plate.	2 50
691F	6534	" " Screw (left).	04
1094F	6534	" " " (right).	03
52648H	——	" " Slide (left).	40
52649H	6486	Cloth Plate Slide (left) complete, Nos. 38419, 52648H and two 725H.	50
38419	6500	Cloth Plate Slide (left) Spring.	05
725H	6500	" " " " " Screw.	02

NO.	PLATE	NAME	EACH
52631H	6487	Cloth Plate Slide (right) with 1602H.....	$ 40
1602H	6535	“ “ “ “ Bushing........	02
286D	6535	“ “ “ “ Thumb Screw...	10
52650	——	Cloth Plate complete, Nos. 286D, 52631H, 52647 and 52649H..................	3 70
46221	6490	Crank Connecting Rod with 46222, 46223 and two each 896E and 1057E........	2 00
50069c	6535	Crank Connecting Rod Ball Screw Stud	20
1619E	6535	“ “ “ “ “ “ Nut................................	05
*46222	——	Crank Connecting Rod Cap (lower).....	25
896E	6534	“ “ “ “ “ Screw.	04
*46223	——	“ “ “ “ (upper)......	35
1057E	6534	“ “ “ “ “ Screw	04
46225	6533	“ “ “ Washer (fibre)....	02
46179	6490	Face Plate..........................	50
46111	6533	“ “ Pin.......................	02
286D	6535	“ “ Thumb Screw..............	10
46332	6498	Feed (back) Bar with 231c............	2 50
23716	6491	“ “ “ Bushing..............	40
23726	6491	“ “ “ Hinge Pin............	50
231c	6534	“ “ “ Set Screw............	03
38426	6491	“ “ “ Slide Block...........	50
38427	6490	“ “ Connecting Rod with 1057E, 23865 and two 896E................	1 50
*23865	——	Feed (back) Connecting Rod Cap.......	30
896E	6534	“ “ “ “ “ Screw..	04
23866	6491	“ “ “ “ Hinge Pin (eccentric).........................	20
46439	6502	Feed (back) Connecting Rod Hinge Pin Bushing..........................	50
178F	6502	Feed (back) Connecting Rod Hinge Pin Bushing Clamping Screw............	03
1057E	6534	Feed (back) Connecting Rod Hinge Pin Clamping Screw....................	04
52651	6547	Feed (back) Dog.....................	1 25
52674	6563	“ “ “ (spiked teeth).........	1 25
172c	6496	“ “ “ Screw...............	04
46441	6501	“ (front) Bar with 174D............	1 00
50109F	6535	“ “ “ Hinge Screw..........	15
46442	6501	“ “ Connecting Rod with two 174D............................	1 00
174D	6534	Feed (front) Connecting Rod Adjusting Screw............................	02
1131c	6535	Feed (front) Connecting Rod Hinge Screw............................	10

NO.	PLATE	NAME	EACH
174D	6534	Feed (front) Connecting Rod Hinge Screw Clamping Screw...............	$ 02
52652	6547	Feed (front) Dog......................	1 25
52675	6563	“ “ “ (spiked teeth).........	1 25
1115D	6534	“ “ “ Screw................	04
46444	6501	“ “ Lifting Rock Shaft.........	60
*46445	——	“ “ “ “ “ Bracket	75
129D	6534	“ “ “ “ “ “ Screw (back).......................	04
965D	6534	Feed (front) Lifting Rock Shaft Bracket Screw (front)......................	04
46446	6501	Feed (front) Lifting Rock Shaft Crank (back) forked, with 647D.............	1 50
647D	6534	Feed (front) Lifting Rock Shaft Crank (back) Clamping Screw.............	03
46447	6502	Feed (front) Lifting Rock Shaft Crank (back) Slide Block..................	1 00
46448	6501	Feed (front) Lifting Rock Shaft Crank (front) with two each 178D and 197D..	1 00
197D	6532	Feed (front) Lifting Rock Shaft Crank (front) Adjusting Screw.............	02
178D	6502	Feed (front) Lifting Rock Shaft Crank (front) Clamping Screw.............	03
50110c	6502	Feed (front) Regulating Stud...........	15
1701c	6502	“ “ “ “ Nut.......	10
46449	6502	“ “ “ “ Sleeve.....	50
*46450	——	“ Eccentric......................	2 50
50043c	6502	“ “ Adjusting Screw.........	04
24691	6502	“ “ “ “ Plate.....	35
641D	6502	“ “ “ “ “ Screw	03
*46451	——	“ “ Body with two 443c.....	3 50
443c	6491	“ “ “ Set Screw.........	03
196F	6491	“ “ Set Screw.............	02
46452	6502	Feed Eccentric and Feed (front) Lifting Eccentric (adjustable) complete, Nos. 196F, 641D, 24691, 46450, 46451 and 50043c............................	6 50
46453	6502	Feed Eccentric Collar with two 454c.....	25
454c	6502	“ “ “ Set Screw........	02
46454	6501	“ Rocking Frame with 178F.........	2 50
38432	6492	“ “ “ Bracket with two 465c.............................	50
123D	6494	Feed Rocking Frame Bracket Screw.....	06
38433	6492	“ “ “ Hinge Pin........	50
465c	6491	“ “ “ “ “ Set Screw	02
52744	6504	Knife (movable) with 52745 and two 1053D...........................	60

NO.	PLATE	NAME	EACH
52745	6504	Knife (movable) Chip Ejector..........	$ 50
1053D	6504	" " " " Screw....	02
52741	6504	" " Connection with 904c...	2 50
46347	6504	" " " Crank......	50
46348	6504	" " " " Bracket with 453c........................	60
134D	6503	Knife (movable) Connection Crank Bracket Screw.....................	05
11204	6504	Knife (movable) Connection Crank Hinge Stud..............................	15
453c	6504	Knife (movable) Connection Crank Hinge Stud Set Screw....................	02
46349	6504	Knife (movable) Connection Extension	1 00
203D	6504	" " " " Screw............................	03
40247	6504	Knife (movable) Connection Hinge Pin	05
904c	6504	" " " " " Set Screw.........................	02
52742	6504	Knife (movable) Eccentric with two 457c	1 00
457c	6504	" " " Set Screw....	02
1042c	6504	" " Hinge Screw..........	06
1554E	6504	" " " " Nut.......	04
46351	6504	" (stationary)....................	40
46352	6504	" " Adjusting Lever......	50
191c	6504	" " " " Screw	03
1250F	6504	" " " " " Stud...............................	03
52659	6504	Knife (stationary) Stop................	1 00
203D	6504	" " " Adjusting Screw (lower)...........................	03
203D	6504	Knife (stationary) Stop Adjusting Screw (upper)...........................	03
52660	6504	Knife Bracket........................	5 00
46355	6504	" " Holder with two 178F.....	1 25
178F	6504	" " " Clamping Screw...	03
898D	6534	" " Screw..................	04
46356	——	Knife Bracket complete, Nos. 191c, 1042c, 1250F, 1554E, 46351, 46352, 52659, 52660, 52744 and two 203D..........	7 75
46335	6493	Looper with 590D and 38393...........	2 25
46226	6490	" Bell Crank with 1037c..........	50
38436	6490	" " " Hinge Stud..........	1 00
443c	6491	" " " " " Set Screw.	03
46227	6492	Looper Bell Crank Pitman complete, Nos. 1706E, 1713E and 46233 to 46235.....	3 25
50070c	6535	Looper Bell Crank Pitman Ball Screw Stud (upper)......................	15

NO.	PLATE	NAME	EACH
1636E	6535	Looper Bell Crank Pitman Ball Screw Stud (upper) Nut..................	$ 03
46228	6493	Looper Bell Crank Pitman Ball Stud (lower)............................	30
1037c	6493	Looper Bell Crank Pitman Ball Stud (lower) Set Screw..................	04
*46229	——	Looper Bell Crank Pitman Cap (lower)	—
171E	6534	" " " " " " Screw.............................	03
*46230	——	Looper Bell Crank Pitman Cap (upper)	—
171E	6534	" " " " " " Screw.............................	03
*46231	——	Looper Bell Crank Pitman End Bearing (lower)...........................	—
*46232	——	Looper Bell Crank Pitman End Bearing (upper)..........................	—
46233	6492	Looper Bell Crank Pitman Head (lower) Nos. 46228, 46229, 46231 and two 171E	1 50
46234	6492	Looper Bell Crank Pitman Head (upper) Nos. 46230, 46232, 50070c and two 171E	1 50
46235	6492	Looper Bell Crank Pitman Rod.........	20
1706E	6535	" " " " " Nut (lower)...........................	03
1713E	6535	Looper Bell Crank Pitman Rod Nut (upper)..........................	03
52784	6527	Looper Carrier with 1143c and two 1147c............................	1 50
38440	6493	Looper Carrier Hinge Pin.............	20
1147c	6493	" " " " Set Screw.....	03
46236	6492	Looper Carrier Pitman complete, Nos. 1708E, 1709E and 46241 to 46243.....	3 25
50070c	6535	Looper Carrier Pitman Ball Screw Stud (right)...........................	15
1636E	6535	Looper Carrier Pitman Ball Screw Stud (right) Nut.......................	03
46237	6493	Looper Carrier Pitman Ball Stud (left)	25
1147c	6493	" " " " " " Set Screw........................	03
*46238	——	Looper Carrier Pitman Cap (left).......	—
171E	6534	" " " " " Screw..	03
*46238	——	" " " " (right)......	—
171E	6534	" " " " " Screw.	03
*46239	——	" " " End Bearing (left)	—
*46240	——	" " " " " (right)	—
46241	6492	" " " Head (left) Nos. 46237 to 46239 and two 171E.........	1 50

NO.	PLATE	NAME	EACH
46242	6492	Looper Carrier Pitman Head (right) Nos. 46238, 46240, 50070C and two 171E...	$1 50
46243	6492	Looper Carrier Pitman Rod...........	20
1708E	6535	“ “ “ “ Nut (left)...	03
1709E	6535	“ “ “ “ “ (right)..	03
46244	6533	“ “ “ Washer (fibre)...	02
46042	6493	“ “ Rock Shaft with two 175D	2 50
175D	6493	“ “ “ “ Adjusting Screw..............................	02
38450	6493	Looper Carrier Rock Shaft Crank (forked) with 159E.........................	2 00
159E	6493	Looper Carrier Rock Shaft Crank Clamping Screw.........................	03
38451	6493	Looper Carrier Rock Shaft Crank Slide Block.............................	50
46043	6493	Looper Carrier Rock Shaft Hinge Pin	75
1508E	6493	“ “ “ “ “ “ Nut..............................	06
129E	6493	Looper Carrier Rock Shaft Hinge Pin Set Screw.............................	04
38452	6493	Looper Eccentric with two 465C.........	1 00
46336H	6500	“ “ Cover...............	05
335D	6500	“ “ “ Screw..........	02
465C	6493	“ “ Set Screw............	02
52661	6500	“ Needle Guard with 46105.......	40
46105	6499	“ “ “ Pin.............	01
229D	6499	“ “ “ Screw...........	02
1143C	6493	“ Set Screw.................	03
52743	6529	“ Shaft and Feed (back) Lifting Eccentric.........................	2 50
52553	6494	Looper Shaft and Feed (back) Lifting Eccentric Bracket..................	50
123E	6494	Looper Shaft and Feed (back) Lifting Eccentric Bracket Screw............	06
391D	6494	Looper Shaft and Feed (back) Lifting Eccentric Screw....................	02
38393	6493	Looper Thread Guard................	03
590D	6493	“ “ “ Screw..........	02
38455	6492	Needle Bar (hollow) with 857H.........	1 00
38456	6493	“ “ Bushing..................	50
1133F	6493	“ “ “ Set Screw.........	02
38458	6494	“ “ Connecting Link...........	50
38459	6494	“ “ “ “ Hinge Stud	30
1520E	6494	“ “ “ “ “ “ Nut.............................	03
38460	6494	Needle Bar Connecting Stud with two 391E.............................	1 00

NO.	PLATE	NAME	EACH
391E	6494	Needle Bar Connecting Stud Clamping Screw............................	$ 02
52673	6505	Needle Guard........................	75
190D	6496	“ “ Screw..................	03
857H	6534	“ Set Screw.....................	02
17540	6492	Presser Bar.........................	30
46359	6505	“ “ Bushing (lower)...........	80
1133E	6493	“ “ “ “ Set Screw...	02
38456	6493	“ “ “ (upper)...........	50
1133E	6493	“ “ “ “ Set Screw...	02
17541	6494	“ “ Lifter.....................	20
17542	6494	“ “ “ Hinge Pin...........	05
38466	6494	“ “ Lifting Bracket with 453C and 892C..........................	1 00
892C	6494	Presser Bar Lifting Bracket Adjusting Screw............................	05
453C	6494	Presser Bar Lifting Bracket Set Screw...	02
38467	6492	“ “ Spring (flat)..............	50
38468	6494	“ “ “ Stud...............	03
15261	6502	“ “ Stop Collar with 237F.......	15
237F	6502	“ “ “ “ Set Screw.......	02
18055	6533	“ Foot Hinge Pin................	01
46360	——	“ “ Plate....................	1 00
46361	——	“ “ Shank...................	75
46362	6547	Presser Foot (hinged) complete for 52651 and 52652, Nos. 18055, 46360 and 46361............................	1 75
18055	6533	Presser Foot Hinge Pin................	01
52676	——	“ “ Plate....................	1 00
46361	——	“ “ Shank...................	75
52677	6563	Presser Foot (hinged) complete for 52674 and 52675, Nos. 18055, 46361 and 52676............................	1 75
190D	6496	Presser Foot Screw....................	03
574D	6536	Pressure Regulating Thumb Screw......	15
1539D	6535	“ “ “ “ Lock Nut...............................	05
46169	6500	Slack Thread Controller................	05
193F	6500	“ “ “ Set Screw.......	03
52626	6529	“ “ Regulator...............	1 50
52569	6529	“ “ “ Bracket with 704C and 1823......................	1 25
704C	6529	Slack Thread Regulator Bracket Clamping Screw...........................	04
38474	6496	Slack Thread Regulator Bushing........	20
1823	6496	“ “ “ Roller and Stud.	18
50062D	6496	“ “ “ Screw..........	07

NO.	PLATE	NAME	EACH
1620E	6496	Slack Thread Regulator Screw Nut.....	03
2102	6496	Tension (under thread) Disc............	05
1560C	6496	“ “ “ Regulating Thumb Nut........................	04
916F	6496	Tension (under thread) Screw Stud......	08
10148	6496	“ “ “ Spring..........	03
17547	6496	“ “ “ Thread Guide....	25
2102	6496	“ (upper thread) Disc............	05
1560C	6496	“ “ “ Regulating Thumb Nut........................	04
916F	6496	Tension (upper thread) Screw Stud......	08
2103	6496	“ “ “ Spring..........	03
17547	6496	“ “ “ Thread Guide....	25
38225	6497	Thread (under) Eyelet (back)...........	10
190D	6497	“ “ “ “ Screw.....	03
38284	6497	“ “ “ (front)...........	05
46049	6497	“ “ Nipper Cam with 465C...	50
465C	6497	“ “ “ “ Set Screw...	02
38210	6497	“ “ “ Spring (lower)....	15
38211	6497	“ “ “ “ (upper)...	25
46247	6497	“ “ “ “ “ Stop	10
176D	6497	“ “ “ “ Screw.....	03
38475	6497	“ “ Take-up with 465C......	1 00
465C	6497	“ “ “ Set Screw......	02
38478	6497	“ “ “ Staple with two each 590D and 38481.................	75
46040	6498	Thread (under) Take-up Staple Bracket with 910C..........................	2 00
690D	6534	Thread (under) Take-up Staple Bracket Screw..............................	05
46041	6497	Thread (under) Take-up Staple Spring	05
190D	6497	“ “ “ “ “ Screw..............................	03
910C	6497	Thread (under) Take-up Staple Stop Screw..............................	03
38481	6497	Thread (under) Take-up Staple Thread Guard.............................	10
590D	6497	Thread (under) Take-up Staple Thread Guard Screw.......................	02
38482	6497	Thread (under) Take-up Stripper.......	60
207D	6497	“ “ “ “ Screw..	02
38476	6497	“ “ “ Thread Guard (left).............................	15
207D	6497	Thread (under) Take-up Thread Guard (left) Screw.........................	02
38477	6497	Thread (under) Take-up Thread Guard (right)............................	20

NO.	PLATE	NAME	EACH
207D	6497	Thread (under) Take-up Thread Guard (right) Screw........................	$ 02
38183	6496	Thread (upper) Controller..............	40
206F	6496	“ “ “ Screw........	02
52627	6529	“ “ Eyelet.................	25
190D	6496	“ “ “ Screw...........	03
46312	6500	“ “ Take-up with 223D......	80
223D	6500	“ “ “ Clamping Screw.	02
52662	6547	Throat Plate for 52651 and 52652.......	1 50
52678	6563	“ “ “ 52674 and 52675.......	1 50
691F	6534	“ “ Screw....................	04

LIST OF PARTS COMPLETE
FOR
MACHINE NO. 62-50

FOR VAMPING AND FOXING SHOES. TWO NEEDLES, ONE LOOPER; GAUGES $\frac{1}{32}$ TO $\frac{1}{16}$ INCH; ROLLER PRESSER.

NO.	PLATE	NAME	EACH
*52740	----	Arm, upper and lower (solid) with 381D and 46384..........................	$20 00
52630	6533	Arm Oil Tube with 49092, for oiling 46221.............................	20
49092	6533	Arm Oil Tube Packing (felt)............	01
46371	6512	“ Rock Shaft......................	1 00
46217	6491	“ “ “ Crank (back) with two 1497C.............................	80
1497C	6491	Arm Rock Shaft Crank (back) Set Screw.	05
38412	6491	“ “ “ “ (front) with 443C.	1 25
23724	6491	“ “ “ “ “ Pin.......	01
443C	6491	“ “ “ “ “ Set Screw.	03
46218	6482	“ Rotary Shaft....................	3 00
38329	6491	“ “ “ Collar with two 457C..	25
457C	6491	“ “ “ “ Set Screw.....	02
23872	6490	“ “ “ Flanged Bushing.....	1 00
159F	6493	“ “ “ “ “ Screw	03
4784	6533	“ “ “ Oil Pad (felt)........	01
144D	6534	“ “ “ Screw...............	08
17509	6490	“ Side Cover (lower)...............	15
286D	6535	“ “ “ “ Thumb Screw...	10
52554	6490	“ “ “ (upper)...............	20

NO.	PLATE	NAME	EACH
9533	6533	Arm Side Cover (upper) Pin	$ 02
176D	6494	“ “ “ “ Screw	03
46220	6482	Balance Wheel, 3 in. pulley, with two 430C	80
430C	6534	Balance Wheel Set Screw	04
38414	6483	Cloth Plate	2 50
691F	6534	“ “ Screw (left)	04
1094F	6534	“ “ “ (right)	03
38415	——	“ “ Slide (large) with 1602H	60
38417	6486	Cloth Plate Slide (large) complete, Nos. 38415, two 38416 and four 725H	75
1602H	6535	Cloth Plate Slide (large) Bushing	02
38416	6500	“ “ “ “ Spring	05
725H	6500	“ “ “ “ “ Screw	02
38418	——	“ “ “ (small)	30
38420	6486	Cloth Plate Slide (small) complete, Nos. 38418, 38419 and two 725H	40
38419	6500	Cloth Plate Slide (small) Spring	05
725H	6500	“ “ “ “ “ Screw	02
38421	——	Cloth Plate complete, Nos. 38414, 38417 and 38420	3 65
46221	6490	Crank Connecting Rod with 46222, 46223 and two each 896E and 1057E	2 00
50069C	6535	Crank Connecting Rod Ball Screw Stud	20
1619E	6535	“ “ “ “ “ “ Nut	05
*46222	——	Crank Connecting Rod Cap (lower)	25
896E	6534	“ “ “ “ “ Screw.	04
*46223	——	“ “ “ “ (upper)	35
1057E	6534	“ “ “ “ “ Screw	04
46225	6533	“ “ “ Washer (fibre)	02
46372	6514	Face Plate	50
46111	6533	“ “ Pin	02
286D	6535	“ “ Thumb Screw	10
38425	6490	Feed Bar with 231C and 460C	2 50
23716	6491	“ “ Bushing	40
23726	6491	“ “ Hinge Pin	50
231C	6534	“ “ Set Screw	03
38426	6491	“ “ Slide Block	50
38427	6490	“ Connecting Rod with 1057E, 23865 and two 896E	1 50
*23865	——	Feed Connecting Rod Cap	30
896E	6534	“ “ “ “ Screw	04
23866	6491	“ “ “ Hinge Pin (eccentric)	20
1057E	6534	Feed Connecting Rod Hinge Pin Clamping Screw	04

NO.	PLATE	NAME	EACH
46065	6551	Feed Dog	$1 00
157D	6534	“ “ Screw	04
460C	6534	“ “ Stop Screw	02
*38127	——	“ Eccentric	2 50
*23729	——	“ “ Body	2 50
443C	6491	“ “ “ Set Screw	03
21331	6491	“ “ Pressure Spring	03
21332	6491	“ “ “ “ Cap	10
934D	6491	“ “ “ “ “ Screw	02
196F	6491	“ “ Set Screw	02
38128	6491	Feed Eccentric (adjustable) complete, Nos. 196F, 934D, 1103C, 21331, 21332, 23729, 38127 and two 443C	5 00
38429	6491	Feed Lifting Eccentric with two 465C	1 00
46113	6500	“ “ “ Cover	10
335D	6500	“ “ “ “ Screw	02
465C	6491	“ “ “ Set Screw	02
1103C	6491	“ Regulating Screw	15
38431	6492	“ Rocking Frame	1 25
38432	6492	“ “ “ Bracket with two 465C	50
123E	6494	Feed Rocking Frame Bracket Screw	06
38433	6492	“ “ “ Hinge Pin	50
465C	6491	“ “ “ “ “ Set Screw	02
46066	6499	Looper with 590D and 38393	2 25
46226	6490	“ Bell Crank with 1037C	50
38436	6490	“ “ “ Hinge Stud	1 00
443C	6491	“ “ “ “ “ Set Screw.	03
46227	6492	Looper Bell Crank Pitman complete, Nos. 1706E, 1713E and 46233 to 46235	3 25
50070C	6535	Looper Bell Crank Pitman Ball Screw Stud (upper)	15
1636E	6535	Looper Bell Crank Pitman Ball Screw Stud (upper) Nut	03
46228	6493	Looper Bell Crank Pitman Ball Stud (lower)	30
1037C	6493	Looper Bell Crank Pitman Ball Stud (lower) Set Screw	04
*46229	——	Looper Bell Crank Pitman Cap (lower)	——
171E	6534	“ “ “ “ “ “ Screw	03
*46230	——	Looper Bell Crank Pitman Cap (upper)	——
171E	6534	“ “ “ “ “ “ Screw	03
*46231	——	Looper Bell Crank Pitman End Bearing (lower)	——

NO.	PLATE	NAME	EACH
*46232	——	Looper Bell Crank Pitman End Bearing (upper)	$ —
46233	6492	Looper Bell Crank Pitman Head (lower) Nos. 46228, 46229, 46231 and two 171E.	1 50
46234	6492	Looper Bell Crank Pitman Head (upper) Nos. 46230, 46232, 50070C and two 171E	1 50
46235	6492	Looper Bell Crank Pitman Rod	20
1706E	6535	“ “ “ “ “ Nut (lower)	03
1713E	6535	Looper Bell Crank Pitman Rod Nut (upper)	03
38439	6493	Looper Carrier with 1143C and two 1147C	1 50
38440	6493	“ “ Hinge Pin	20
1147C	6493	“ “ “ “ Set Screw	03
46236	6492	Looper Carrier Pitman complete, Nos. 1708E, 1709E and 46241 to 46243	3 25
50070C	6535	Looper Carrier Pitman Ball Screw Stud (right)	15
1636E	6535	Looper Carrier Pitman Ball Screw Stud (right) Nut	03
46237	6493	Looper Carrier Pitman Ball Stud (left)	25
1147C	6493	“ “ “ “ “ “ Set Screw	03
*46238	——	Looper Carrier Pitman Cap (left)	—
171E	6534	“ “ “ “ “ Screw	03
*46238	——	“ “ “ “ (right)	—
171E	6534	“ “ “ “ “ Screw	03
*46239	——	“ “ “ End Bearing (left)	—
*46240	——	Looper Carrier Pitman End Bearing (right)	—
46241	6492	Looper Carrier Pitman Head (left) Nos. 46237 to 46239 and two 171E	1 50
46242	6492	Looper Carrier Pitman Head (right) Nos. 46238, 46240, 50070C and two 171E	1 50
46243	6492	Looper Carrier Pitman Rod	20
1708E	6535	“ “ “ “ Nut (left)	03
1709E	6535	“ “ “ “ “ (right)	03
46244	6533	“ “ “ Washer (fibre)	02
46042	6493	“ “ Rock Shaft with two 175D	2 50
175D	6493	“ “ “ “ Adjusting Screw	02
38450	6493	Looper Carrier Rock Shaft Crank (forked) with 159E	2 00
159E	6493	Looper Carrier Rock Shaft Crank Clamping Screw	03

NO.	PLATE	NAME	EACH
38451	6493	Looper Carrier Rock Shaft Crank Slide Block	$ 50
46043	6493	Looper Carrier Rock Shaft Hinge Pin	75
1508E	6493	“ “ “ “ “ “ Nut	06
129E	6493	Looper Carrier Rock Shaft Hinge Pin Set Screw	04
38452	6493	Looper Eccentric with two 465C	1 00
465C	6493	“ “ Set Screw	02
1143C	6493	“ Set Screw	03
38453	6494	“ Shaft	50
52553	6494	“ “ Bracket	50
123E	6494	“ “ “ Screw	06
391D	6494	“ “ Screw	02
38393	6493	“ Thread Guard	03
590D	6493	“ “ “ Screw	02
46067	6508	Needle Bar (hollow)	60
46165	——	Needle Bar complete, Nos. 2273, 46067, 46070 and 46166	1 50
38456	6493	Needle Bar Bushing	50
1133E	6493	“ “ “ Set Screw	02
46205	6511	“ “ Connecting Link	40
38459	6494	“ “ “ “ Hinge Stud	30
1520E	6494	“ “ “ “ “ “ Nut	03
46206	6511	Needle Bar Connecting Stud with two 391E	1 50
391E	6494	Needle Bar Connecting Stud Clamping Screw	02
46378	6522	Needle Bar Stop Collar with 237F	15
46379	6522	“ “ “ “ Connection	15
665D	6522	“ “ “ “ “ Screw	02
237F	6522	“ “ “ “ Set Screw	02
46166	6506	“ Clamp with 462F	75
46070	6506	“ “ Gib	15
2273	6506	“ “ Pin	01
462F	6506	“ “ Screw	02
46050	6494	“ Guard	75
190D	6496	“ “ Screw	03
46380	6532	Oil Cup	1 35
1284D	6532	“ “ Oil Regulating Screw	08
38100	6532	“ “ Packing (felt)	01
46381	6532	Oil Cup complete, Nos. 1284D, 38100 and 46380	1 50
190D	6532	Oil Cup Screw	03
46072	6498	Presser Bar	30
46073	6493	“ “ Bushing (lower)	80

NO.	PLATE	NAME	EACH
1133E	6493	Presser Bar Bushing (lower) Set Screw...	$ 02
38456	6493	" " " (upper)...........	50
1133E	6493	" " " " Set Screw...	02
17541	6494	" " Lifter....................	20
17542	6494	" " " Hinge Pin...........	05
38466	6494	" " Lifting Bracket with 453c and 892c..........................	1 00
892c	6494	Presser Bar Lifting Bracket Adjusting Screw............................	05
453c	6494	Presser Bar Lifting Bracket Set Screw...	02
38467	6492	" " Spring (flat)..............	50
38468	6494	" " " Stud...............	03
15261	6502	" " Stop Collar with 237F.......	15
237F	6502	" " " " Set Screw.......	02
574D	6536	Pressure Regulating Thumb Screw......	15
1539D	6535	" " " " Lock Nut..............................	05
1868	6541	Roller, 7/8 in. diam., coarse, with 652D and 1528D, for 52670................	25
1923	6541	Roller, 1¼ in. diam., coarse, with 652D and 1528D, for 52671................	40
38285	6541	Roller Arm for 52670.................	15
38219	6541	" " " 52671.................	15
440F	6541	" " Adjusting Screw............	03
1547D	6541	" " " " Nut........	03
38302	6541	" " Bracket..................	20
7556	6541	" " Lock Spring..............	05
176D	6541	" " " " Screw..........	03
1549D	6541	" " " " " Nut......	03
316F	6541	" " Screw Centre..............	03
1547D	6541	" " " " Nut...........	03
52669	6530	" Needle Guard.................	45
171F	6541	" " " Set Screw.........	03
652D	6541	" Screw........................	08
1528D	6541	" " Nut....................	03
52670	6530	Roller Presser complete, 7/8 in. coarse roller, Nos. 171F, 176D, 440F, 1549D, 1868, 7556, 38285, 38302, 52669, two 316F and three 1547D................	1 35
52671	6530	Roller Presser complete, 1¼ in. coarse roller, Nos. 171F, 176D, 440F, 1549D, 1923, 7556, 38219, 38302, 52669, two 316F and three 1547D................	1 50
190D	6496	Roller Presser Screw..................	03
46207	6513	Slack Thread Controller...............	20
46035	6496	" " " Clamp.........	10
190D	6496	" " " " Screw....	03

NO.	PLATE	NAME	EACH
2102	6496	Tension (under thread) Disc............	$ 05
1560c	6496	" " " Regulating Thumb Nut.......................	04
916F	6496	Tension (under thread) Screw Stud......	08
10148	6496	" " " Spring..........	03
17547	6496	" " " Thread Guide....	25
2102	6496	" (upper thread) Disc............	05
1560c	6496	" " " Regulating Thumb Nut.......................	04
916F	6496	Tension (upper thread) Screw Stud......	08
2103	6496	" " " Spring..........	03
17547	6496	" " " Thread Guide....	25
50105c	6524	" (upper thread, automatic) Body	25
46382	6524	" " " " " Releasing Pin......................	03
46383	6524	Tension (upper thread, automatic) Cam with two 1253c....................	1 25
1253c	6524	Tension (upper thread, automatic) Cam Set Screw..........................	03
2102	6524	Tension (upper thread, automatic) Disc..	05
46384	6524	" " " " Plate	30
381D	6534	" " " " " Screw.............................	06
1560c	6524	Tension (upper thread, automatic) Regulating Thumb Nut.................	04
32572	6524	Tension (upper thread, automatic) Releasing Disc.......................	05
50106F	6524	Tension (upper thread, automatic) Screw Stud..............................	10
46385	6524	Tension (upper thread, automatic) Screw Stud Releasing Pin.................	01
46386	6524	Tension (upper thread, automatic) Separating Disc.......................	10
46387	6524	Tension (upper thread, automatic) Spring	03
46388	6524	" " " " Thread Guide (double).....................	35
38225	6497	Thread (under) Eyelet (back)..........	10
190D	6497	" " " " Screw.....	03
38284	6497	" " " (front)..........	05
46049	6497	" " Nipper Cam with 465c...	50
465c	6497	" " " " Set Screw...	02
38210	6497	" " " Spring (lower)....	15
38211	6497	" " " " (upper)...	25
46247	6497	" " " " " Stop	10
176D	6497	" " " " Screw.....	03
46389	6522	" " Take-up with 465c......	1 00
465c	6497	" " " Set Screw......	02

NO.	PLATE	NAME	EACH
38478	6497	Thread (under) Take-up Staple with two each 590D and 38481	$ 75
46040	6498	Thread (under) Take-up Staple Bracket with 910C	2 00
690D	6534	Thread (under) Take-up Staple Bracket Screw	05
46041	6497	Thread (under) Take-up Staple Spring	05
190D	6497	" " " " " Screw	03
910C	6497	Thread (under) Take-up Staple Stop Screw	03
38481	6497	Thread (under) Take-up Staple Thread Guard	10
590D	6497	Thread (under) Take-up Staple Thread Guard Screw	02
46391	6522	Thread (under) Take-up Stripper	60
207D	6497	" " " " Screw	02
38476	6497	" " " Thread Guard (left)	15
207D	6497	Thread (under) Take-up Thread Guard (left) Screw	02
38477	6497	Thread (under) Take-up Thread Guard (right)	20
207D	6497	Thread (under) Take-up Thread Guard (right) Screw	02
46392	6524	Thread (upper) Controller	1 25
50107F	6524	" " " Hinge Screw	08
1620D	6524	" " " " " Nut	03
1964	6524	" " " Roller	20
46393	6524	" " " " Bracket with 453C and 1964	1 00
453C	6524	Thread (upper) Controller Roller Bracket Set Screw	02
52672	6527	Thread (upper) Take-up	80
228D	6513	" " " Screw	02
46074	6551	Throat Plate with 665D and 46075, for 46065	1 50
691F	6534	Throat Plate Screw	04
46075	6542	" " Thread Retainer	10
665D	6542	" " " " Screw	02

LIST OF PARTS COMPLETE

FOR

MACHINE NO. 62-51

FOR ORNAMENTING THE BACKS OF GLOVES WITH A BRAID STITCH. ONE NEEDLE, ONE LOOPER.

NO.	PLATE	NAME	EACH
*52746	——	Arm, upper and lower (solid)	$20 00
52630	6533	" Oil Tube with 49092, for oiling 46221	20
49092	6533	Arm Oil Tube Packing (felt)	01
46216	6490	" Rock Shaft	1 00
46217	6491	" " " Crank (back) with two 1497C	80
1497C	6491	Arm Rock Shaft Crank (back) Set Screw	05
38412	6491	" " " " (front) with 443C	1 25
23724	6491	" " " " " Pin	01
443C	6491	" " " " " Set Screw	03
46218	6482	" Rotary Shaft	3 00
38329	6491	" " " Collar with two 457C	25
457C	6491	" " " " Set Screw	02
23872	6490	" " " Flanged Bushing	1 00
159F	6493	" " " " " Screw	03
4784	6533	" " " Oil Pad (felt)	01
144D	6534	" " " Screw	08
17509	6490	" Side Cover (lower)	15
286D	6535	" " " " Thumb Screw	10
52554	6490	" " " (upper)	20
9533	6533	" " " " Pin	02
176D	6494	" " " " Screw	03
23873	6482	Balance Wheel with two 430C	80
430C	6534	" Set Screw	04
38414	6483	Cloth Plate	2 50
691F	6534	" " Screw (left)	04
1094F	6534	" " " (right)	03
38415	——	" " Slide (large) with 1602H	60
38417	6486	Cloth Plate Slide (large) complete, Nos. 38415, two 38416 and four 725H	75
1602H	6535	Cloth Plate Slide (large) Bushing	02
38416	6500	" " " " Spring	05
725H	6500	" " " " " Screw	02
38418	——	" " " (small)	30

NO.	PLATE	NAME	EACH
38420	6486	Cloth Plate Slide (small) complete, Nos. 38418, 38419 and two 725H	$ 40
38419	6500	Cloth Plate Slide (small) Spring	05
725H	6500	" " " " " Screw	02
38421	——	Cloth Plate complete, Nos. 38414, 38117 and 38420	3 65
46221	6490	Crank Connecting Rod with 46222, 46223 and two each 896E and 1057E	2 00
50069C	6535	Crank Connecting Rod Ball Screw Stud	20
1619E	6535	" " " " " " Nut	05
*46222	——	Crank Connecting Rod Cap (lower)	25
896E	6534	" " " " " Screw.	04
*46223	——	" " " " (upper)	35
1057E	6534	" " " " " Screw	04
46225	6533	" " " Washer (fibre)	02
46110	6498	Face Plate	50
46111	6533	" " Pin	02
286D	6535	" " Thumb Screw	10
38425	6490	Feed Bar with 231C and 460C	2 50
23716	6491	" " Bushing	40
23726	6491	" " Hinge Pin	50
231C	6534	" " Set Screw	03
38426	6491	" " Slide Block	50
38427	6490	" Connecting Rod with 1057E, 23865 and two 896E	1 50
*23865	——	Feed Connecting Rod Cap	30
896E	6534	" " " " Screw	04
23866	6491	" " " Hinge Pin (eccentric)	20
1057E	6534	Feed Connecting Rod Hinge Pin Clamping Screw	04
38428	6567	Feed Dog, 15 teeth (16 teeth to the inch).	75
898D	6534	" " Screw	04
460C	6534	" " Stop Screw	02
*38127	——	" Eccentric	2 50
*23729	——	" " Body	2 50
443C	6491	" " " Set Screw	03
21331	6491	" " Pressure Spring	03
21332	6491	" " " " Cap	10
934D	6491	" " " " " Screw	02
196F	6491	" " Set Screw	02
38128	6491	Feed Eccentric (adjustable) complete, Nos. 196F, 934D, 1103C, 21331, 21332, 23729, 38127 and two 443C	5 00
38429	6491	Feed Lifting Eccentric with two 465C	1 00
46113	6500	" " " Cover	10

NO.	PLATE	NAME	EACH
335D	6500	Feed Lifting Eccentric Cover Screw	$ 02
465C	6491	" " " Set Screw	02
1103C	6491	" Regulating Screw	15
38431	6492	" Rocking Frame	1 25
38432	6492	" " " Bracket with two 465C	50
123E	6494	Feed Rocking Frame Bracket Screw	06
38433	6492	" " " Hinge Pin	50
465C	6491	" " " " " Set Screw	02
46066	6499	Looper with 590D and 38393	2 25
46226	6490	" Bell Crank with 1037C	50
38436	6490	" " " Hinge Stud	1 00
443C	6491	" " " " " Set Screw.	03
46227	6492	Looper Bell Crank Pitman complete, Nos. 1706E, 1713E and 46233 to 46235	3 25
50070C	6535	Looper Bell Crank Pitman Ball Screw Stud (upper)	15
1636E	6535	Looper Bell Crank Pitman Ball Screw Stud (upper) Nut	03
46228	6493	Looper Bell Crank Pitman Ball Stud (lower)	30
1037C	6493	Looper Bell Crank Pitman Ball Stud (lower) Set Screw	04
*46229	——	Looper Bell Crank Pitman Cap (lower)	—
171E	6534	" " " " " " Screw	03
*46230	6534	Looper Bell Crank Pitman Cap (upper)	—
171E	6534	" " " " " " Screw	03
*46231	——	Looper Bell Crank Pitman End Bearing (lower)	—
*46232	——	Looper Bell Crank Pitman End Bearing (upper)	—
46233	6492	Looper Bell Crank Pitman Head (lower) Nos. 46228, 46229, 46231 and two 171E	1 50
46234	6492	Looper Bell Crank Pitman Head (upper) Nos. 46230, 46232, 50070C and two 171E	1 50
46235	6492	Looper Bell Crank Pitman Rod	20
1706E	6535	" " " " " Nut (lower)	03
1713E	6535	Looper Bell Crank Pitman Rod Nut (upper)	03
38439	6493	Looper Carrier with 1143C and two 1147C	1 50
38440	6493	" " Hinge Pin	20
1147C	6493	" " " " Set Screw	03
46236	6492	Looper Carrier Pitman complete, Nos. 1708E, 1709E and 46241 to 46243	3 25

NO.	PLATE	NAME	EACH
50070c	6535	Looper Carrier Pitman Ball Screw Stud (right)	$ 15
1636E	6535	Looper Carrier Pitman Ball Screw Stud (right) Nut	03
46237	6493	Looper Carrier Pitman Ball Stud (left)	25
1147c	6493	" " " " " " Set Screw	03
*46238	——	Looper Carrier Pitman Cap (left)	—
171E	6534	" " " " " Screw	03
*46238	——	" " " " (right)	—
171E	6534	" " " " " Screw	03
*46239	——	" " " End Bearing (left)	—
*46240	——	Looper Carrier Pitman End Bearing (right)	—
46241	6492	Looper Carrier Pitman Head (left) Nos. 46237 to 46239 and two 171E	1 50
46242	6492	Looper Carrier Pitman Head (right) Nos. 46238, 46240, 50070c and two 171E	1 50
46243	6492	Looper Carrier Pitman Rod	20
1708E	6535	" " " " Nut (left)	03
1709E	6535	" " " " " (right)	03
46244	6533	" " " Washer (fibre)	02
46042	6493	" " Rock Shaft with two 175D	2 50
175D	6493	" " " " Adjusting Screw	02
38450	6493	Looper Carrier Rock Shaft Crank (forked) with 159E	2 00
159E	6493	Looper Carrier Rock Shaft Crank Clamping Screw	03
38451	6493	Looper Carrier Rock Shaft Crank Slide Block	50
46043	6493	Looper Carrier Rock Shaft Hinge Pin	75
1508E	6493	" " " " " " Nut	06
129E	6493	Looper Carrier Rock Shaft Hinge Pin Set Screw	04
38452	6493	Looper Eccentric with two 465c	1 00
465c	6493	" " Set Screw	02
1143c	6493	" Set Screw	03
38453	6494	" Shaft	50
52553	6494	" " Bracket	50
123E	6494	" " " Screw	06
391D	6494	" " Screw	02
38393	6493	" Thread Guard	03
590D	6493	" " " Screw	02
38455	6492	Needle Bar (hollow) with 857H	1 00

NO.	PLATE	NAME	EACH
38456	6493	Needle Bar Bushing	$ 50
1133E	6493	" " " Set Screw	02
38458	6494	" " Connecting Link	50
38459	6494	" " " " Hinge Stud	30
1520E	6494	" " " " " " Nut	03
38460	6494	Needle Bar Connecting Stud with two 391E	1 00
391E	6494	Needle Bar Connecting Stud Clamping Screw	02
46050	6494	Needle Guard	75
190D	6496	" " Screw	03
857H	6534	" Set Screw	02
17540	6492	Presser Bar	30
38464	6494	" " Bushing (lower)	80
1133E	6493	" " " " Set Screw	02
38456	6493	" " " (upper)	50
1133E	6493	" " " " Set Screw	02
17541	6494	" " Lifter	20
17542	6494	" " " Hinge Pin	05
38466	6494	" " Lifting Bracket with 453c and 892c	1 00
892c	6494	Presser Bar Lifting Bracket Adjusting Screw	05
453c	6494	Presser Bar Lifting Bracket Set Screw	02
38467	6492	" " Spring (flat)	50
38468	6494	" " " Stud	03
52747	6518	" Foot	1 00
190D	6496	" " Screw	03
574D	6536	Pressure Regulating Thumb Screw	15
1539D	6535	" " " " Lock Nut	05
46169	6500	Slack Thread Controller	05
193F	6500	" " " Set Screw	03
2102	6496	Tension (under thread) Disc	05
1560c	6496	" " " Regulating Thumb Nut	04
916F	6496	Tension (under thread) Screw Stud	08
10148	6496	" " " Spring	03
17547	6496	" " " Thread Guide	25
2102	6496	" (upper thread) Disc	05
1560c	6496	" " " Regulating Thumb Nut	04
916F	6496	Tension (upper thread) Screw Stud	08
2103	6496	" " " Spring	03
17547	6496	" " " Thread Guide	25
38225	6497	Thread (under) Eyelet (back)	10

NO.	PLATE	NAME	EACH
190D	6497	Thread (under) Eyelet (back) Screw.....	$ 03
38284	6497	" " " (front)..........	05
46049	6497	" " Nipper Cam with 465C...	50
465C	6497	" " " " Set Screw...	02
38210	6497	" " " Spring (lower)....	15
38211	6497	" " " " (upper)...	25
46247	6497	" " " " " Stop	10
176D	6497	" " " " Screw.....	03
38475	6497	" " Take-up with 465C......	1 00
465C	6497	" " " Set Screw......	02
38478	6497	" " " Staple with two each 590D and 38481...............	75
46040	6498	Thread (under) Take-up Staple Bracket with 910C.........................	2 00
690D	6534	Thread (under) Take-up Staple Bracket Screw............................	05
46041	6497	Thread (under) Take-up Staple Spring	05
190D	6497	" " " " " Screw............................	03
910C	6497	Thread (under) Take-up Staple Stop Screw............................	03
38481	6497	Thread (under) Take-up Staple Thread Guard...........................	10
590D	6497	Thread (under) Take-up Staple Thread Guard Screw......................	02
38482	6497	Thread (under) Take-up Stripper.......	60
207D	6497	" " " " Screw..	02
38476	6497	" " " Thread Guard (left).............................	15
207D	6497	Thread (under) Take-up Thread Guard (left) Screw........................	02
38477	6497	Thread (under) Take-up Thread Guard (right)...........................	20
207D	6497	Thread (under) Take-up Thread Guard (right) Screw......................	02
38483	6496	Thread (upper) Controller.............	40
206F	6496	" " " Screw........	02
38484	6496	" " Eyelet................	25
190D	6496	" " " Screw..........	03
46312	6500	" " Take-up with 223D......	80
223D	6500	" " " Clamping Screw	02
52785	6567	Throat Plate with 665D and 46075, for 38428............................	3 25
691F	6534	Throat Plate Screw...................	04
46075	6542	" " Thread Retainer..........	10
665D	6542	" " " " Screw.....	02

LIST OF PARTS COMPLETE
FOR
MACHINE NO. 62-53

FOR TWO LINE STITCHING IN FABRICS. HAS CLOTH PLATE SPECIALLY FITTED FOR LAP SEAM FELLER. TWO NEEDLES, TWO LOOPERS; GAUGES FROM $\frac{1}{32}$ IN. TO $\frac{9}{16}$ IN.

NO.	PLATE	NAME	EACH
*52736	——	Arm, upper and lower (solid)...........	$20 00
52630	6533	" Oil Tube with 49092, for oiling 46221............................	20
49092	6533	Arm Oil Tube Packing (felt)...........	01
46216	6490	" Rock Shaft.....................	1 00
46217	6491	" " " Crank (back) with two 1497C............................	80
1497C	6491	Arm Rock Shaft Crank (back) Set Screw.	05
38412	6491	" " " " (front) with 443C.	1 25
23724	6491	" " " " " Pin.......	01
443C	6491	" " " " " Set Screw.	03
46218	6482	" Rotary Shaft....................	3 00
38329	6491	" " " Collar with two 457C..	25
457C	6491	" " " " Set Screw.....	02
23872	6490	" " " Flanged Bushing.....	1 00
159F	6493	" " " " " Screw	03
4784	6533	" " " Oil Pad (felt)........	01
144D	6534	" " " Screw..............	08
17509	6490	" Side Cover (lower)...............	15
286D	6535	" " " " Thumb Screw...	10
52554	6490	" " " (upper)...............	20
9533	6533	" " " " Pin...........	02
176D	6494	" " " " Screw..........	03
23873	6482	Balance Wheel with two 430C...........	80
430C	6534	" " Set Screw.............	04
46078	6484	Cloth Plate..........................	2 50
691F	6534	" " Screw (left)...............	04
1094F	6534	" " " (right)..............	03
46461	——	" " Slide (left)................	30
46462	6486	Cloth Plate Slide (left) complete, Nos. 38419, 46461 and two 725H...........	40
38419	6500	Cloth Plate Slide (left) Spring..........	05
725H	6500	" " " " " Screw.....	02
38105H	6486	" " " (right) with 1602H.....	30
1602H	6535	" " " " Bushing........	02
286D	6535	" " " " Thumb Screw...	10

NO.	PLATE	NAME	EACH
46079	——	Cloth Plate complete, Nos. 286D, 1460H, 38105H, 46078, 46082 and 46462	$4 00
46221	6490	Crank Connecting Rod with 46222, 46223 and two each 896E and 1057E	2 00
50069C	6535	Crank Connecting Rod Ball Screw Stud	20
1619E	6535	" " " " " " Nut	05
*46222	——	Crank Connecting Rod Cap (lower)	25
896E	6534	" " " " " Screw	04
*46223	——	" " " " (upper)	35
1057E	6534	" " " " " Screw	04
46225	6533	" " " Washer (fibre)	02
46179	6490	Face Plate	50
46111	6533	" " Pin	02
286D	6535	" " Thumb Screw	10
38425	6490	Feed Bar with 231C and 460C	2 50
23716	6491	" " Bushing	40
23726	6491	" " Hinge Pin	50
231C	6534	" " Set Screw	03
38426	6491	" " Slide Block	50
38427	6490	" Connecting Rod with 1057E, 23865 and two 896E	1 50
*23865	——	Feed Connecting Rod Cap	30
896E	6534	" " " " Screw	04
23866	6491	" " " Hinge Pin (eccentric)	20
1057E	6534	Feed Connecting Rod Hinge Pin Clamping Screw	04
46080	6550	Feed Dog, for $\frac{1}{32}$ in. to $\frac{5}{32}$ in. gauge	2 75
46081	6550	" " " $\frac{3}{16}$ in. to $\frac{3}{8}$ in. gauge	2 75
52817	6550	" " " $\frac{13}{32}$ in. to $\frac{9}{16}$ in. gauge	2 75
50073D	6534	" " Screw	05
460C	6534	" " Stop Screw	02
*38127	——	" Eccentric	2 50
*23729	——	" " Body	2 50
443C	6491	" " " Set Screw	03
21331	6491	" " Pressure Spring	03
21332	6491	" " " " Cap	10
934D	6491	" " " " " Screw	02
196F	6491	" " Set Screw	02
38128	6491	Feed Eccentric (adjustable) complete, Nos. 196F, 934D, 1103C, 21331, 21332, 23729, 38127 and two 443C	5 00
38429	6491	Feed Lifting Eccentric with two 465C	1 00
46113	6500	" " " Cover	10
335D	6500	" " " " Screw	02
465C	6491	" " " Set Screw	02

NO.	PLATE	NAME	EACH
1103C	6491	Feed Regulating Screw	$ 15
38431	6492	" Rocking Frame	1 25
38432	6492	" " " Bracket with two 465C	50
123E	6494	Feed Rocking Frame Bracket Screw	06
38433	6492	" " " Hinge Pin	50
465C	6491	" " " " " Set Screw	02
46082	6501	Folder Holder Seat Cover	50
1460H	6534	" " " " Screw	07
52774	6585	Looper (back) with 590D and 52776	2 25
52775	6585	" " Carrier with 1147C	1 25
193F	6585	" " " Screw	03
1147C	6510	" " Set Screw	03
52776	6585	" " Thread Guard (double)	05
590D	6585	" " " " Screw	02
52777	6585	" (front)	2 25
52778	6585	" " Carrier with 1120C and two 1147C	2 00
1120C	6510	Looper (front) Set Screw	03
46226	6490	" Bell Crank with 1037C	50
38436	6490	" " " Hinge Stud	1 00
443C	6491	" " " " " Set Screw	03
46227	6492	Looper Bell Crank Pitman complete, Nos. 1706E, 1713E and 46233 to 46235	3 25
50070C	6535	Looper Bell Crank Pitman Ball Screw Stud (upper)	15
1636E	6535	Looper Bell Crank Pitman Ball Screw Stud (upper) Nut	03
46228	6493	Looper Bell Crank Pitman Ball Stud (lower)	30
1037C	6493	Looper Bell Crank Pitman Ball Stud (lower) Set Screw	04
*46229	——	Looper Bell Crank Pitman Cap (lower)	—
171E	6534	" " " " " " Screw	03
*46230	——	Looper Bell Crank Pitman Cap (upper)	—
171E	6534	" " " " " " Screw	03
*46231	——	Looper Bell Crank Pitman End Bearing (lower)	—
*46232	——	Looper Bell Crank Pitman End Bearing (upper)	—
46233	6492	Looper Bell Crank Pitman Head (lower) Nos. 46228, 46229, 46231 and two 171E	1 50
46234	6492	Looper Bell Crank Pitman Head (upper) Nos. 46230, 46232, 50070C and two 171E	1 50
46235	6492	Looper Bell Crank Pitman Rod	20

NO.	PLATE	NAME	EACH
1706E	6535	Looper Bell Crank Pitman Rod Nut (lower)	$ 03
1713E	6535	Looper Bell Crank Pitman Rod Nut (upper)	03
52779	6585	Looper Carrier (adjustable) complete, for $\frac{1}{32}$ in. to $\frac{9}{16}$ in. gauge, Nos. 193F, 52775 and 52778	3 25
38440	6493	Looper Carrier Hinge Pin	20
1147C	6493	" " " " Set Screw	03
46236	6492	Looper Carrier Pitman complete, Nos. 1708E, 1709E and 46241 to 46243	3 25
50070C	6535	Looper Carrier Pitman Ball Screw Stud (right)	15
1636E	6535	Looper Carrier Pitman Ball Screw Stud (right) Nut	03
46237	6493	Looper Carrier Pitman Ball Stud (left)	25
1147C	6493	" " " " " " Set Screw	03
*46238	——	Looper Carrier Pitman Cap (left)	—
171E	6534	" " " " " Screw	03
*46238	——	" " " " (right)	—
171E	6534	" " " " " Screw	03
*46239	——	" " " End Bearing (left)	—
*46240	——	Looper Carrier Pitman End Bearing (right)	—
46241	6492	Looper Carrier Pitman Head (left) Nos. 46237 to 46239 and two 171E	1 50
46242	6492	Looper Carrier Pitman Head (right) Nos. 46238, 46240, 50070C and two 171E	1 50
46243	6492	Looper Carrier Pitman Rod	20
1708E	6535	" " " " Nut (left)	03
1709E	6535	" " " " " (right)	03
46244	6533	" " " Washer (fibre)	02
46042	6493	" " Rock Shaft with two 175D	2 50
175D	6493	" " " " Adjusting Screw	02
38450	6493	Looper Carrier Rock Shaft Crank (forked) with 159E	2 00
159E	6493	Looper Carrier Rock Shaft Crank Clamping Screw	03
38451	6493	Looper Carrier Rock Shaft Crank Slide Block	50
46043	6493	Looper Carrier Rock Shaft Hinge Pin	75
1508E	6493	" " " " " " Nut	06

NO.	PLATE	NAME	EACH
129E	6493	Looper Carrier Rock Shaft Hinge Pin Set Screw	$ 04
38452	6493	Looper Eccentric with two 465C	1 00
465C	6493	" " Set Screw	02
38453	6494	" Shaft	50
52553	6494	" " Bracket	50
123E	6494	" " " Screw	06
391F	6494	" " Screw	02
46051	6508	Needle Bar	60
46052	——	Needle Bar complete, Nos. 46051 and 46053	1 20
38456	6493	Needle Bar Bushing	50
1133E	6493	" " " Set Screw	02
38458	6494	" " Connecting Link	50
38459	6494	" " " " Hinge Stud	30
1520E	6494	" " " " " " Nut	03
38460	6494	Needle Bar Connecting Stud with two 391E	1 00
391E	6494	Needle Bar Connecting Stud Clamping Screw	02
46053	6510	Needle Clamp with 46054 and two 1072F	60
46054	6510	" " Thread Guide (two pieces)	03
52819	6586	" Guard (back)	75
190D	6496	" " " Screw	03
52820	6586	" " (front) for $\frac{1}{32}$ in. to $\frac{5}{32}$ in. gauge	75
52821	6586	Needle Guard (front) for $\frac{3}{16}$ in. to $\frac{1}{4}$ in. gauge	75
52822	6586	Needle Guard (front) for $\frac{9}{32}$ in. to $\frac{3}{8}$ in. gauge	75
52823	6586	Needle Guard (front) for $\frac{13}{32}$ in. to $\frac{1}{2}$ in. gauge	75
52824	6586	Needle Guard (front) for $\frac{17}{32}$ in. to $\frac{9}{16}$ in. gauge	75
206D	6534	Needle Guard (front) Screw	02
1072F	6534	" Set Screw	02
17540	6492	Presser Bar	30
38464	6494	" " Bushing (lower)	80
1133E	6493	" " " " Set Screw	02
38456	6493	" " " (upper)	50
1133E	6493	" " " " Set Screw	02
17541	6494	" " Lifter	20
17542	6494	" " " Hinge Pin	05
38466	6494	" " Lifting Bracket with 453C and 892C	1 00

NO.	PLATE	NAME	EACH
892C	6494	Presser Bar Lifting Bracket Adjusting Screw	$ 05
453C	6494	Presser Bar Lifting Bracket Set Screw	02
38467	6492	" " Spring (flat)	50
38468	6494	" " " Stud	03
26276	6533	" Foot Hinge Pin	01
46086	——	" " Plate	1 25
46087	——	" " Shank	75
46088	6568	Presser Foot (hinged) complete, for general work, Nos. 26276, 46086 and 46087	2 00
190D	6496	Presser Foot Screw	03
574D	6536	Pressure Regulating Thumb Screw	15
1539D	6535	" " " " Lock Nut	05
46034	6496	Slack Thread Controller	05
46035	6496	" " " Clamp	10
190D	6496	" " " " Screw	03
46007	6510	" " Regulator	1 25
38473	6496	" " " Bracket with 172C and 1823	1 25
172C	6496	Slack Thread Regulator Bracket Clamping Screw	04
38474	6496	Slack Thread Regulator Bushing	20
1823	6496	" " " Roller and Stud	18
50062D	6496	" " " Screw	07
1620E	6496	" " " " Nut	03
2102	6496	Tension (under thread) Disc	05
1560C	6496	" " " Regulating Thumb Nut	04
916F	6496	Tension (under thread) Screw Stud	08
10148	6496	" " " Spring	03
17547	6496	" " " Thread Guide	25
2102	6496	" (upper thread) Disc	05
1560C	6496	" " " Regulating Thumb Nut	04
916F	6496	Tension (upper thread) Screw Stud	08
2103	6496	" " " Spring	03
17547	6496	" " " Thread Guide	25
38225	6497	Thread (under) Eyelet (back)	10
190D	6497	" " " " Screw	03
38284	6497	" " " (front)	05
46049	6497	" " Nipper Cam with 465C	50
465C	6497	" " " " Set Screw	02
38210	6497	" " " Spring (lower)	15
38211	6497	" " " " (upper)	25
46247	6497	" " " " " Stop	10
176D	6497	" " " " Screw	03

NO.	PLATE	NAME	EACH
38475	6497	Thread (under) Take-up with 465C	$1 00
465C	6497	" " " Set Screw	02
46047	6510	" " " Staple	50
46040	6498	" " " " Bracket with 910C	2 00
690D	6534	Thread (under) Take-up Staple Bracket Screw	05
46041	6497	Thread (under) Take-up Staple Spring	05
190D	6497	" " " " " Screw	03
910C	6497	Thread (under) Take-up Staple Stop Screw	03
38482	6497	Thread (under) Take-up Stripper	60
207D	6497	" " " " Screw	02
38476	6497	" " " Thread Guard (left)	15
207D	6497	Thread (under) Take-up Thread Guard (left) Screw	02
38477	6497	Thread (under) Take-up Thread Guard (right)	20
207D	6497	Thread (under) Take-up Thread Guard (right) Screw	02
38483	6496	Thread (upper) Controller	40
206F	6496	" " " Screw	02
46009	6510	" " Eyelet	25
190D	6496	" " " Screw	03
46010	6510	" " Take-up with 457C	80
457C	6510	" " " Set Screw	02
46089	6550	Throat Plate for 46080	2 50
46090	6550	" " " 46081	2 75
52825	6550	" " " 52817	2 75
691F	6534	" " Screw	04

ATTACHMENTS AND ACCESSORIES

NO.	PLATE	NAME	EACH
2015	6533	Machine Cushion (rubber)	$ 02
——	——	1¾ in. Wood Screw No. 16, to secure machine to table	—
4718	6533	Machine Rest (felt)	01
35859	2112	Oiler with Cap and 35861	07
35860	——	" 35859, filled with oil	10
35861	2112	" Spout, 3½ in. long	03
26026	2112	Screw Driver (large)	10
26485	2112	" " (small)	05
35964	2112	Stiletto	10
38487	2112	Threading Wire	05
35095	2112	Tweezers, 6 in	40
8908	2112	Wrench for 1520, 1620, 1706, 1708 and 1709	08
23766	2112	Wrench for 1508 and 1636	10
4822	2112	" " 1528, 1547 and 1549	05
19221	2112	" " 1619	15
22003	2112	" " 1550	05

BINDERS

BINDER FOR MACHINE NO. 62-28

NO.	PLATE	NAME	EACH
36305	4847	Binder with 36306 and two 1443F	$11 00
36498	4847	" " 36306, 36499 and two each 662D and 1443F, for neck binding, for selvage edge material	12 00
36306	4847	Binder Bracket with two 194D	2 00
36307	4848	" " Lock Spring	75
1425B	4848	" " " " Guide Screw	06
1443F	4848	" " " " Screw	04
1136B	4848	" " " " Thumb Screw	10
36308	4847	" " Plate	1 50
50004B	6534	" " " Screw (left)	04
1423B	6534	" " " " (right)	04
194D	6535	" " Screw Stud	02
35724	4848	" Ribbon Tension Block	30
35726	4848	" " " Bracket with two 185H	30
185H	4848	Binder Ribbon Tension Bracket Clamping Screw	02

NO.	PLATE	NAME	EACH
162D	4848	Binder Ribbon Tension Bracket Screw	$ 04
35725	4848	" " " Pin	10
35727	4848	" " " Stud	10
35728	4848	" " " " 35727 with 35724 and two 35725	60
1443F	4848	Binder Screw	04
36499	4848	" Tension Spring for 36498	75
662D	4848	" " " Screw	02
36596	4848	Edge Guide for 36305	50

BINDER FOR MACHINE NO. 62-48

NO.	PLATE	NAME	EACH
36473	4849	Binder on Block with two 910F	4 00
910F	4849	" Adjusting Screw	03
36474	4849	" Pin (long)	01
36475	4849	" " (short)	01
36476	4849	" Plate with 36474 and 36475	50
219F	4849	" " Screw	02
26614	4849	Ribbon Tension Pin (bent)	05
26615	4849	" " " (straight)	05
26616	4849	" " Plate	35
25717	4849	Ribbon Tension complete, Nos. 26614, 26616 and four 26615	25
219F	4849	Ribbon Tension Screw	02

BINDER ON SHANK

FOR MACHINE NO. 62-25

NO.	PLATE	NAME	EACH
36198	4850	Binder on Shank	$6 50
36006	4849	" Friction Washer	05
36192	4850	" Hinge Plate	1 50
1423D	6534	" " " Screw	04
1425D	4848	" " Screw	06
36199	4850	Binder on Shank (hinged) complete, for mattress work, Nos. 1425D, 36006, 36192 and 36198	8 00
36194	4851	Feed Dog	1 50
36200	——	Presser Foot Body	2 00
36201	4851	" " Tension Plate with 36202	1 00
36202	4851	" " " " Guide Pin	15
93H	4851	" " " " Screw	01
2656	4851	" " " " Spring	02
36203	4851	Presser Foot (tension plate) complete, Nos. 93H, 2656, 36200 and 36201	3 00
36197	4851	Throat Plate for 36194	1 25

EDGE FOLDERS

FOR MACHINE NO. 62-29

NO.	PLATE	NAME	EACH
36627	6584	Edge Folder (left hand) on Slide with separating blade and left hand upper guide	$4 50
35998	4856	Holder with 8505 and 18116	1 50
18116	4849	" Spring	05
8505	4849	" " Rivet . . . per 100	10
1460H	6534	" Screw	07

FOR MACHINE NO. 62-42

NO.	PLATE	NAME	EACH
36544	4850	Edge Folder on Shank	6 50
36006	4849	" " Friction Washer	05
36192	4850	" " Hinge Plate	1 50
1423D	6534	" " " " Screw	04
1425D	4848	" " " Screw	06
36545	4850	Edge Folder on Shank (hinged) complete, for bottom of skirts, etc., Nos. 1425D, 36006, 36192 and 36544	8 00
36360	4852	Edge Folder on Shank, for joined or endless ruffles, for right hand needle only, for 52513, to be used with either 36354, 36356 or 36358	3 50
36361	4852	Edge Folder on Shank, for folded headings, used without covering strip, for two row stitching, for 52513	3 50
36362	4852	Edge Folder on Shank, for folded headings ($\frac{3}{8}$ in. wide) used without covering strip, for two row stitching, for 52513	4 00
230H	4852	Edge Folder Screw for 36360 and 36361	02
1443D	4848	" " " " 36362	04
26276	6533	Presser Foot Hinge Pin	01
36352	——	" " Plate	7 25
36353	——	" " Shank	75
36354	6554	Presser Foot (strip folding) hinged, complete, for general work, for 36360, Nos. 26276, 36352 and 36353	8 00
26276	6533	Presser Foot Hinge Pin	01
36355	——	" " Plate	7 25
36353	——	" " Shank	75
36356	6554	Presser Foot (strip folding) hinged, complete, for lawn, for 36360, Nos. 26276, 36353 and 36355	8 00

NO.	PLATE	NAME	EACH
26276	6533	Presser Foot Hinge Pin	$ 01
36357	——	" " Plate	7 75
36353	——	" " Shank	75
36358	6554	Presser Foot (strip folding) hinged, complete, grooved for $\frac{1}{16}$ in. to $\frac{3}{16}$ in. cord, for cord covered headings, for 36360, Nos. 26276, 36353 and 36357	8 50

NOTE. When ordering No. 36358 state gauge of machine and sample of cord to be used.

EDGE GUIDES

FOR MACHINE NO. 62-25

NO.	PLATE	NAME	EACH
46055	4853	Feed Dog	$1 50
26276	6533	Presser Foot Hinge Pin	01
36037	——	" " Plate	3 25
36038	——	" " Shank	75
36039	4853	Presser Foot (hinged) with right hand edge folder complete, for top facings, for shoe linings, Nos. 26276, 36037 and 36038	4 00
46059	4853	Throat Plate for 46055	1 50
36040	4853	Edge Guide for 36039	50
46055	4853	Feed Dog	1 50
26276	6533	Presser Foot Hinge Pin	01
36126	——	" " Plate	3 25
36038	——	" " Shank	75
36127	4853	Presser Foot (hinged) with left hand edge folder, complete, for top facings for shoe linings, Nos. 26276, 36038 and 36126	4 00
46059	4853	Throat Plate for 46055	1 50
36128	4853	Edge Guide for 36127	50

FOR MACHINE NO. 62-42

NO.	PLATE	NAME	EACH
36363	4854	Edge Guide (adjustable) on Shank, for bottom of skirts, etc., for 46470	3 50
36364	4852	Edge Guide on Shank, for joined or endless ruffles, for right hand needle only, for 52513, to be used with either 36354, 36356 or 36358	3 00
230H	4852	Edge Guide Screw for 36364	02

NO.	PLATE	NAME	EACH
26276	6533	Presser Foot Hinge Pin	$ 01
36352	——	" " Plate	7 25
36353	——	" " Shank	75
36354	6554	Presser Foot (strip folding) hinged, complete, for general work, for 36364, Nos. 26276, 36352 and 36353	8 00
26276	6533	Presser Foot Hinge Pin	01
36355	——	" " Plate	7 25
36353	——	" " Shank	75
36356	6554	Presser Foot (strip folding) hinged, complete, for lawn, for 36364, Nos. 26276, 36353 and 36355	8 00
26276	6533	Presser Foot Hinge Pin	01
36357	——	" " Plate	7 75
36353	——	" " Shank	75
36358	6554	Presser Foot (strip folding) hinged, complete, grooved, for $\frac{1}{16}$ in. to $\frac{3}{16}$ in. cord, for cord covered headings, for 36364, Nos. 26276, 36353 and 36357	8 50

NOTE. When ordering No. 36358 state gauge of machine and send sample of cord to be used.

FOLDERS

FOR MACHINE NO. 62-38

NO.	PLATE	NAME	EACH
36440	4855	Folder	$6 75
131B	6534	" Adjusting Screw	04
36441	4855	" Block	75
50004B	6534	" Screw	04
36443	4855	" Slide	1 00
36442	4855	" Tongue	3 50
36444	4855	Folder on Slide complete, for buckle straps, for short lengths of material, Nos. 36440 to 36443 and two each 131B and 50004B	12 00
35998	4856	Folder Holder with 8505 and 18116	1 50
1460H	6534	" " Screw	07
18116	4849	" " Spring	05
8505	4849	" " " Rivet....per 100	10
36028	4857	Feed Dog	4 00
26276	6533	Presser Foot Hinge Pin	01
36445	——	" " Plate	2 75
36030	——	" " Shank	75
36446	4857	Presser Foot (hinged) complete, Nos. 26276, 36030 and 36445	3 50

NO.	PLATE	NAME	EACH
36032	4857	Throat Plate for 36028	$3 50
36326	4856	Folder	4 50
218B	6532	" Adjusting Screw	02
36327	4856	" Block	50
50004B	6534	" Screw	04
36330	4856	" Slide	75
36328	4856	" Tongue with 36567	2 25
36567	4856	" " Tip	50
36027	4856	Folder on Slide complete, for belt loops of trousers, for short lengths of material, Nos. 36326 to 36328, 36330 and two each 218B and 50004B	8 00
35998	4856	Folder Holder with 8505 and 18116	1 50
1460H	6534	" " Screw	07
18116	4849	" " Spring	05
8505	4849	" " " Rivet......per 100	10
36028	4857	Feed Dog	4 00
26276	6533	Presser Foot Hinge Pin	01
36029	——	" " Plate	2 75
36030	——	" " Shank	75
36031	4857	Presser Foot (hinged) complete, Nos. 26276, 36029 and 36030	3 50
36032	4857	Throat Plate for 36028	3 50

STAY GUIDE

FOR MACHINE NO. 62-35

NO.	PLATE	NAME	EACH
35717	4849	Stay Guide (lower)	$ 20
35718	4849	" " (upper)	20
35719	——	Stay Guide complete, Nos. 35717 and 35718	40
1499D	4849	Stay Guide Screw	04

HEMMERS ON SHANK

FOR MACHINE NO. 62-25

NO.	PLATE	NAME	EACH
36194	4851	Feed Dog	$1 50
36191	4858	Hemmer on Shank	5 50
36006	4849	" Friction Washer	05
36192	4858	" Hinge Plate	1 50
1423D	6534	" " " Screw	04
1425D	4848	" " Screw	06

NO.	PLATE	NAME	EACH
36193	4858	Hemmer on Shank (hinged) complete, for towels, Nos. 1425D, 36006, 36191 and 36192	$7 00
26276	6533	Presser Foot Hinge Pin	01
36195	——	“ “ Plate	2 25
46057	——	“ “ Shank	60
36196	4851	Presser Foot (hinged) complete, Nos. 26276, 36195 and 46057	3 00
36197	4851	Throat Plate for 36194	1 25

LAP SEAM FELLERS

FOR MACHINE NO. 62-25

NO.	PLATE	NAME	EACH
36301	6475	Lap Seam Feller, to turn top edge only	$2 50
36302	6475	Feed Dog for 36301	1 00
36303	6475	Presser Foot for 36301	1 00
36304	6475	Throat Plate for 36302	1 00

FOR MACHINE NO. 62-36

NO.	PLATE	NAME	EACH
*26269	——	Folder	3 25
18114	——	“ Slide	15
18116	4849	“ “ Spring	05
8505	4849	“ “ “ Rivet ....per 100	10
35998	4856	Holder with 8505 and 18116	1 50
1460H	6534	“ Screw	07
26272	6476	Lap Seam Feller (right hand) complete, Nos. 18114 and 26269	3 40
46060	6477	Feed Dog, for $\frac{3}{32}$ in. to $\frac{1}{4}$ in. gauge	2 75
52724	6477	“ “ (spiked teeth) for $\frac{3}{32}$ in. to $\frac{1}{4}$ in. gauge	2 75
46062	6477	Feed Dog, for $\frac{9}{32}$ in. to $\frac{3}{8}$ in. gauge	2 75
52655	6477	“ “ (spiked teeth) for $\frac{9}{32}$ in. to $\frac{3}{8}$ in. gauge	3 00
35990	6477	Presser Foot Guide	1 25
233D	6477	“ “ “ Screw	02
26276	6533	“ “ Hinge Pin	01
35991	——	“ “ Plate	2 00
35992	——	“ “ Shank	75
35250	6477	“ “ Spring	02
35993	6477	Presser Foot (spring hinged) complete, with left hand stationary guide, Nos. 233D, 26276, 35250 and 35990 to 35992	4 00

NO.	PLATE	NAME	EACH
36347	6477	Presser Foot Guide	$1 25
233D	6477	“ “ “ Screw	02
26276	6533	“ “ Hinge Pin	01
36348	——	“ “ Plate	2 00
36349	——	“ “ Shank	75
35250	6477	“ “ Spring	02
36350	6477	Presser Foot (spring hinged) complete, with right hand stationary guide, Nos. 233D, 26276, 35250 and 36347 to 36349	4 00
46061	6477	Throat Plate for 46060 and 52724	3 00
46063	6477	“ “ “ 46062 and 52655	3 00
36609	6476	Lap Seam Feller (left hand) on Slide 18114	3 40
36599	6476	Lap Seam Feller (right hand) on Slide 18114	3 40
36600	6478	Feed Dog, for $\frac{1}{4}$ in. to $\frac{3}{8}$ in. gauge	2 00
26276	6533	Presser Foot Hinge Pin	01
36601	——	“ “ Plate	1 75
36602	——	“ “ Shank	75
36603	6478	Presser Foot (hinged) complete, Nos. 26276, 36601 and 36602	2 50
36604	6478	Throat Plate for 36600	1 75

LAP SEAM GUIDE

FOR MACHINE NO. 62-44

NO.	PLATE	NAME	EACH
36384	4849	Lap Seam Guide on Shank	$1 25
190D	4849	“ “ “ Screw	03
7071	4849	“ “ “ “ Washer	01

STRIP FOLDERS

FOR MACHINE NO. 62-29

NO.	PLATE	NAME	EACH
36631	6570	Ruffling Blade Tripping Arm	$1 00
197D	6570	“ “ “ “ Screw	02
36628	6570	Strip Folder	10 00
36629	6570	“ “ Foot	4 00
2818	6570	“ “ Friction Washer	01
76D	6570	“ “ Hinge Screw	06
36630	6570	Strip Folder with Presser Foot complete, for folding the top edging of casket lining, Nos. 76D, 197D, 2818, 36628, 36629 and 36631	15 00

FOR MACHINE NO. 62-36

NO.	PLATE	NAME	EACH
36144	6478	Strip Folder on Slide 18114, to fold over the edges so that they will meet in centre with two lines of braid effect on under side of strip, produced by coarse looper threads	$4 50
46081	6478	Feed Dog	2 75
26276	6533	Presser Foot Hinge Pin	01
36145	——	" " Plate	1 75
46087	——	" " Shank	75
36146	6478	Presser Foot (hinged) complete, grooved on bottom, Nos. 26276, 36145 and 46087	2 50
46090	6478	Throat Plate for 46081	2 75

FOR MACHINE NO. 62-43

NO.	PLATE	NAME	EACH
36541	4849	Strip Folder on Shank	3 00
1443F	4848	" " Screw	04

TAPE HOLDER (6 in. Disc)

FOR MACHINE NO. 62-42

NO.	PLATE	NAME	EACH
35821	1518	Bracket Wire	$ —
35822	1518	Bracket Wire complete, Nos. 26918, 35821 and 35823	75
35823	——	Disc	20
35824	1518	" Hub	25
26070	6480	" " Rivet ... per 100	10
35825	1518	Disc complete, Nos. 35823, 35824 and three 26070	45
26918	1518	Tape Guide	—
35826	6480	Tension Adjusting Collar with 286D	15
286D	6480	" " " Thumb Screw	10
13211	6480	" " Spring	02
35827	1518	Tape Holder (straight) complete, Nos. 13211, 35822, 35825 and 35826	1 45
190D	6480	Tape Holder Set Screw	03

TAPE HOLDER (8 in. Disc)

NO.	PLATE	NAME	EACH
26912	1016	Bracket Wire	$ —
26913	——	Bracket Wire complete, Nos. 26912, 26915 and 26919	60
26915	1016	Disc	15
26069	——	" Hub	25
26070	6480	" " Rivet ... per 100	10
26917	1016	Disc complete, Nos. 26069, 26915 and three 26070	40
26919	1016	Tape Guide	—
26073	6480	Tension Adjusting Collar with 286D	15
286D	6480	" " " Thumb Screw	10
13211	6480	" " Spring	02
28809	1016	Tape Holder (straight) 8 in. disc, complete, Nos. 13211, 26073, 26913 and 26917	1 15
736D	6480	Tape Holder Set Screw	10

TAPE HOLDER (10 in. Disc)

FOR MACHINE NO. 62-28

NO.	PLATE	NAME	EACH
35908	——	Disc	$ 15
35909	6479	" 35908 with 35910 and five 4604	90
35910	6479	" Hub	75
4604	6480	" Rivet ... per 100	10
35911	6480	Shaft	75
35912	6480	" Bushing with 35913	1 25
35913	6480	" " Guide	40
793D	6480	" " Thumb Screw	08
35914	6480	Spindle	30
35915	6479	Stand	75
35916	6480	Tension Spring	25
288D	6480	" " Thumb Screw	05
35917	——	Tape Holder complete, Nos. 288D, 793D, 35909, 35911, 35912, 35914 to 35916 and three wood screws 1 in. No. 10	5 00

TAPE HOLDER (5 in. diam.)

FOR TWO-NEEDLE MACHINES

NO.	PLATE	NAME	EACH
28994	2116	Tape Holder (5 in. diam.) with two wood screws 1¼ in. No. 10, for under the bench	$1 50

WELT GUIDE (Adjustable)

FOR MACHINES NOS. 62-26 AND 62-27

NO.	PLATE	NAME	EACH
35260	2148	Bed	$2 00
35261	2148	" Extension	75
35262	2148	" Spring	20
35263	2148	" " Cap (left)	15
35264	2148	" " " (right)	15
590D	2148	" " " Screw	02
35265	2148	Cap with 7480	1 75
238D	2148	" Screw	02
35266	2148	Slide with 35267	50
26344	2148	" Stop	25
240D	2148	" " Screw	02
35267	2148	" Stud	05
35268	2148	Switch Lever with 7480	75
106D	2148	" " Hinge Screw	04
10309	2148	" " Spring	02
7480	2148	" " " Hook	01
910F	2148	Welt Guide Adjusting Screw	03
28991	2148	Width Guide	50
240D	2148	" " Screw	02
35269	2148	Welt Guide complete, Nos. 106D, 910F, 10309, 26344, 28991, 35260 to 35266, 35268, two 240D, three 238D and four 590D	7 00
190D	4849	Welt Guide Screw	03
7071	4849	" " " Washer	01
36417	4851	Feed Dog	75
36380	4851	Lifting Presser Foot for 62-27 Machine	80
36418	4851	Presser Foot for 62-26 Machine	75
36007	4851	Throat Plate with 665D and 46075, for 36417	1 75
46075	6542	Throat Plate Thread Retainer	10
665D	6542	" " " " Screw	02
36381	4851	Vibrating Presser Foot for 62-27 Machine	80

CUTTER GRINDER PARTS

FOR MACHINE NO. 62-30

NO.	PLATE	NAME	EACH
27565	1104	Emery Wheel, 2 in. diam	$ 25
1508E	1105	" " Clamping Nut	06
27822	1105	" " " " Washer	10

NO.	PLATE	NAME	EACH
27567	1105	Emery Wheel Shaft	$1 00
27568	1105	" " " Oil Hole Cover (rubber)	01
27569	1105	Emery Wheel Shaft Pulley	30
310F	1105	" " " Screw Centre	08
1516D	1105	" " " " " Nut	05
27925	4874	Frame with 27574	75
27926	4875	Cutter Holder	25
27927	4874	" " Bracket with 27574	30
310F	1105	" " " Screw Centre	08
1516D	1105	" " " " " Nut	05
27573	1105	" " " Spring	05
27574	1105	" " " " Hook	02
27928	4875	" " Clamp with 27930	15
27929	4875	" " " Spring	03
27930	4875	" " " Steady Pin	05
939D	4875	" " " Thumb Screw	10
27931	4875	" " Collar with two 460C	15
460C	4875	" " " Set Screw	02
27932	4875	" " Handle	05
27933	4875	" " Stop	10
286D	4875	" " " Thumb Screw	10
261D	1105	" Regulating Thumb Screw	12
27662	1104	Wrench for 1508 and 1516	15
27934	——	Cutter Grinder complete, Nos. 261D, 286D, 939D, 1508E, 27565, 27567, 27569, 27573, 27662, 27822, 27925 to 27929, 27931 to 27933, two 27568, three wood screws 1 in. No. 10 and four each 310F and 1516D	4 50

FOOT LIFTER PARTS

NO.	PLATE	NAME	EACH
6439	——	Chain, 36 in. to 45 in	$ 20
	NOTE.	When ordering No. 6439 give length required.	
4879	6508	Chain Connecting Link	03
23759	2114	Lifting Lever for 23769	25
52520	6537	" " " 52522	25
52516	6537	" " " 52519	25
52602	6537	" " " 52604	25
802D	6535	" " Hinge Screw	10
52603	6531	" " Link for 52604	25
957D	6531	" " " Hinge Screw for 52604	05

NO.	PLATE	NAME	EACH
23761	2114	Lifting Lever Spring for 23769 and 52604.	$ 05
52547	6508	" " " " 52549..........	05
52521	6508	" " " " 52522..........	05
1002D	6535	" " Stop Screw for 23769 and 52604...........................	03
871D	6535	Lifting Lever Stop Screw for 52549......	04
52548	6531	" Presser Bar Lifting Bracket with 704c, for 52549.....................	1 50
704c	6531	Lifting Presser Bar Lifting Bracket Clamping Screw.....................	04
4881	2114	Treadle.............................	30
4882	6508	" Shaft.........................	05
4883	6508	" Spring.......................	10
4884	2114	" Stand........................	25
4885	2114	Treadle complete, Nos. 4879, 4881 to 4884 and two wood screws 1 in. No. 16.....	75
23769	——	Foot Lifter complete for 62-25 to 62-28, 62-30, 62-31, 62-35 to 62-41, 62-43 to 62-46 and 62-48 to 62-51 Machines, Nos. 802D, 1002D, 4885, 6439, 23759 and 23761............................	1 35
52549	——	Foot Lifter complete for 62-32 Machine, Nos. 802D, 871D, 4885, 6439 and 52546 to 52548..........................	2 90
52522	——	Foot Lifter complete for 62-42 Machine, Nos. 802D, 4885, 6439, 52520 and 52521	1 35
52604	——	Foot Lifter complete for 62-47 Machine, Nos. 802D, 957D, 1002D, 4885, 6439, 23761, 52602 and 52603.............	1 70

KNEE LIFTER PARTS

NO.	PLATE	NAME	EACH
46261	——	Chain, 13 in. long, for 46263...........	$ 10
23759	2114	Lifting Lever for 23768, 38385 and 46263	25
52520	6537	" " " 52523 and 52524.......	25
52546	6537	" " " 52550 and 52551.......	25
52602	6537	" " " 52605 and 52606.......	25
23760	2114	" " Connecting Rod for 23768, 52523, 52550 and 52605.............	05
38384	2114	Lifting Lever Connecting Rod for 38385, 52524, 52551 and 52606.............	05
802D	6535	Lifting Lever Hinge Screw............	10
52603	6531	" " Link for 52605 and 52606..	25
957D	6531	" " " Hinge Screw for 52605 and 52606.........................	05

NO.	PLATE	NAME	EACH
23761	2114	Lifting Lever Spring for 23768, 38385, 46263, 52605 and 52606.............	$ 05
52521	6508	Lifting Lever Spring for 52523 and 52524	05
52547	6508	" " " " 52550 and 52551	05
871D	6535	" " Stop Screw for 52550 and 52551............................	04
1002D	6535	Lifting Lever Stop Screw for 23768, 38385, 46263, 52605 and 52606.............	03
52548	6531	Lifting Presser Bar Lifting Bracket with 704c, for 52550 and 52551...........	1 50
704c	6531	Lifting Presser Bar Lifting Bracket Clamping Screw....................	04
2763	2114	Rock Shaft for 23767 and 46262.........	10
12242	2114	" " Hanger with two wood screws 1 in. No. 10 for 23767	08
7539	6537	Rock Shaft Hanger with two wood screws 1 in. No. 10 for 46262...............	08
6335	2114	Rock Shaft Knee Arm for 6336.........	10
16646	6537	" " " " " 16647.........	10
6336	——	Rock Shaft Knee Arm complete for 23767, Nos. 2766, 2767 and 6335...........	40
16647	——	Rock Shaft Knee Arm complete for 46262, Nos. 2766, 2767 and 16646...........	40
2766	2114	Rock Shaft Knee Arm Hub with 356c...	15
356c	6535	" " " " " Set Screw....	06
2767	2114	" " " Plate with 356c.......	18
356c	6535	" " " " Set Screw.......	06
6337	2114	" " Lifting Bracket with two 356c, for 23767 and 46262...........	20
7125	2114	Rock Shaft Lifting Bracket Hook for 23767 and 46262....................	15
356c	6535	Rock Shaft Lifting Bracket Hook Set Screw.............................	06
356c	6535	Rock Shaft Lifting Bracket Set Screw...	06
2770	2114	" " Stop Dog with 356c.........	12
356c	6535	" " " " Set Screw.........	06
23767	2114	Rock Shaft complete for 23768, 38385, 52523, 52524, 52550, 52551, 52605 and 52606, Nos. 2763, 2770, 6336, 6337, 7125 and two 12242......................	1 10
46262	6537	Rock Shaft complete for 46263, Nos. 2763, 2770, 6337, 7125, 16647 and two 7539..	1 15
23768	——	Knee Lifter complete (power table) for 62-25 to 62-28, 62-30, 62-31, 62-35 to 62-38, 62-40, 62-41, 62-43 to 62-46 and 62-48 to 62-51 Machines, Nos. 802D, 1002D, 23759 to 23761 and 23767.....	1 55

NO.	PLATE	NAME	EACH
46263	——	Knee Lifter complete (power table) for 62-39 Machine, Nos. 802D, 1002D, 23759, 23761, 46261 and 46262	$1 70
52523	——	Knee Lifter complete (power table) for 62-42 Machine, Nos. 802D, 23760, 23767, 52520 and 52521	1 55
52550	——	Knee Lifter complete (power table) for 62-32 Machine, Nos. 802D, 871D, 23760, 23767 and 52546 to 52548	3 10
52605	——	Knee Lifter complete (power table) for 62-47 Machine, Nos. 802D, 957D 1002D, 23760, 23761, 23767, 52602 and 52603	1 90
38385	——	Knee Lifter complete (bench stand) for 62-25 to 62-28, 62-30, 62-31, 62-35 to 62-41, 62-43 to 62-46 and 62-48 to 62-51 Machines, Nos. 802D, 1002D, 23759, 23761, 23767 and 38384	1 60
52524	——	Knee Lifter complete (bench stand) for 62-42 Machine, Nos. 802D, 23767, 38384, 52520 and 52521	1 55
52551	——	Knee Lifter complete (bench stand) for 62-32 Machine, Nos. 802D, 871D, 23767, 38384 and 52546 to 52548	3 10
52606	——	Knee Lifter complete (bench stand) for 62-47 Machine, Nos. 802D, 957D, 1002D, 23761, 23767, 38384, 52602 and 52603	1 90

KNIFE GRINDER PARTS

FOR MACHINES NOS. 62-31 AND 62-49

NO.	PLATE	NAME	EACH
27565	1104	Emery Wheel, 2 in. diam	$ 25
1508E	1105	" " Clamping Nut	06
27822	1105	" " " " Washer	10
27567	1105	" " Shaft	1 00
27568	1105	" " " Oil Hole Cover (rubber)	01
27569	1105	Emery Wheel Shaft Pulley	30
310F	1105	" " " Screw Centre	08
1516D	1105	" " " " " Nut	05
27564	1104	Frame with 27574	75
1656D	6536	Knife Clamping Thumb Nut	10
41717	——	" Holder Body for 41719	25
41718	——	" " " " 41720	25

NO.	PLATE	NAME	EACH
41719	6536	Knife Holder complete for 46345 and 52744, Nos. 38D, 574D, 1528H, 1656D, 11833 and 41717	$ 65
41720	6536	Knife Holder complete for 46351, Nos. 38D, 574D, 1528H, 1656D, 11833 and 41718	65
574D	6536	Knife Holder Adjusting Thumb Screw	15
1528H	6536	" " " " " Lock Nut	03
27323	1105	Knife Holder Guide Bar	05
27572	1104	" " " " Bracket with 27574	30
310F	1105	Knife Holder Guide Bar Bracket Screw Centre	08
1516D	1105	Knife Holder Guide Bar Bracket Screw Centre Nut	05
27573	1105	Knife Holder Guide Bar Bracket Spring	05
27574	1105	" " " " " " Hook	02
27659	1105	Knife Holder Stop Collar with 237F	10
237F	1105	" " " " Set Screw	02
11833	6536	" Position Pin	01
261D	1105	" Regulating Thumb Screw	12
38D	6536	" Screw	08
41721	——	Knife Grinder complete for 46345, 46351 and 52744, Nos. 261D, 1508E, 27323, 27564, 27565, 27567, 27569, 27572, 27573, 27659, 27662, 27822, 41719, 41720, two 27568, three wood screws 1 in. No. 10 and four each 310F and 1516D	5 00
27662	1104	Wrench for 1508 and 1516	15

THREAD UNWINDERS

THREAD UNWINDER

FOR TWO LARGE SPOOLS OR TWO LARGE CONES OF THREAD

NO.	PLATE	NAME	EACH
27623	2837	Spool Pin	$ 08
155C	6534	" " Set Screw	03
41530	2837	" Rest	30
41531	——	" " 41530 with 1149C and two each 155C and 27623	50
1149C	6534	Spool Rest Set Screw	04
27940	2837	" Stand with 453C	20
41514	2837	" Weight, 4 in. diam., with 41515	15

NO.	PLATE	NAME	EACH
41515	6531	Spool Weight Centre Pin	$ 05
27739	2837	Thread Cone (wood)	05
41631	2837	" Guard with 208E and two 41569	35
41569	6531	" " Eyelet	02
41637	2837	" " Rod (lower)	10
41638	2837	" " " (upper)	15
41639	2837	" " " Coupling with two 456c	20
456c	6515	Thread Guard Rod Coupling Set Screw	02
41640	——	Thread Guard Rod complete, 30 in. long, Nos. 41637 to 41639	45
453c	6518	Thread Guard Rod Set Screw	02
208E	6532	" " Screw	02
41533	2837	Thread Unwinder complete, Nos. 27940, 41531, 41631, 41640, two each 27739, 41514 and three wood screws 1 in. No. 12	1 80

THREAD UNWINDER

FOR THREE LARGE SPOOLS OR THREE LARGE CONES OF THREAD

NO.	PLATE	NAME	EACH
27623	5571	Spool Pin	$ 08
155c	6534	" " Set Screw	03
41434	5571	" Rest	40
41435	——	" " 41434 with 1149c and three each 155c and 27623	75
1149c	6534	Spool Rest Set Screw	04
27940	5571	" Stand with 453c	20
41514	5571	" Weight, 4 in. diam., with 41515	15
41515	6531	" " Centre Pin	05
27739	5571	Thread Cone (wood)	05
41632	5571	" Guard with 208E and three 41569	40
41569	6531	" " Eyelet	02
41637	5571	" " Rod (lower)	10
41638	5571	" " " (upper)	15
41639	5571	" " " Coupling with two 456c	20
456c	6515	Thread Guard Rod Coupling Set Screw	02
41640	——	Thread Guard Rod complete, 30 in. long, Nos. 41637 to 41639	45
453c	6518	Thread Guard Rod Set Screw	02
208E	6532	" " Screw	02
41438	5571	Thread Unwinder complete, Nos. 27940, 41435, 41632, 41640 and three each 27739, 41514 and wood screws 1 in. No. 12	2 30

THREAD UNWINDER

FOR FOUR LARGE SPOOLS OR FOUR LARGE CONES OF THREAD

NO.	PLATE	NAME	EACH
27623	2838	Spool Pin	$ 08
155c	6534	" " Set Screw	03
41534	2838	" Rest	50
41535	----	" " 41534 with 1149c and four each 155c and 27623	1 00
1149c	6534	Spool Rest Set Screw	04
27940	2838	" Stand with 453c	20
41514	2838	" Weight, 4 in. diam., with 41515	15
41515	6531	" " Centre Pin	05
27739	2838	Thread Cone (wood)	05
41633	2838	" Guard with 208E and four 41569	45
41569	6531	" " Eyelet	02
41637	2838	" " Rod (lower)	10
41638	2838	" " " (upper)	15
41639	2838	" " " Coupling with two 456c	20
456c	6515	Thread Guard Rod Coupling Set Screw	02
41640	——	Thread Guard Rod complete, 30 in. long, Nos. 41637 to 41639	45
453c	6518	Thread Guard Rod Set Screw	02
208E	6532	" " Screw	02
41537	2838	Thread Unwinder complete, Nos. 27940, 41535, 41633, 41640, three wood screws 1 in. No. 12 and four each 27739 and 41514	2 80

UNDER DRIVERS

UNDER DRIVER

LEVER PRESSURE, THREE SPEED, RIGHT HAND (OIL CONTROLLING PULLEY)

NO.	PLATE	NAME	EACH
27508	362	Belt Guard	$ 08
649E	6532	" " Screw	05
27509	362	Cone Pulley (grooved) three speed, 2½ in., 3¾ in. and 5¼ in. diam., with 27473	60
27473	1101	Cone Pulley Centre Bearing	08
27474	363	Dress Guard (right hand)	08
138E	1101	" " Screw	05
27630	362	Driving Pulley (grooved) 6 in. diam., with 433c, 27598 and two 7958	60
27598	——	Driving Pulley Friction Ring (leather)	05

NO.	PLATE	NAME	EACH
7958	2642	Driving Pulley Friction Ring Stop Pin	$ 01
27631	1101	“ “ Hollow Stud with 27600	15
27600	1101	“ “ “ “ Position Stud	02
356c	6535	Driving Pulley Hollow Stud Set Screw	06
27632	——	“ “ “ “ Wick	01
27633	——	“ “ “ “ “ Wire with 27632	05
433c	1101	Driving Pulley Screw Centre Bearing	08
7958	2642	“ “ “ “ “ Dowel Pin	01
27634	362	Frame	60
41338	362	Lever	25
27483	1101	“ Brake Spring	02
27497	1101	“ “ Strip (leather)	02
12178	1101	“ Centre Plug (wood)	01
427E	1101	“ “ “ Adjusting Screw	08
1508E	1101	“ “ “ “ “ Nut	06
27485	1101	“ Hinge Pin	01
27635	362	Oil Cup	25
127E	6534	“ “ Screw	04
27070	363	Shaft Driving Pulley (sectional, grooved) 10 in. diam., $1\frac{3}{16}$ in. bore, with two 597c	45
597c	2642	Shaft Driving Pulley Clamping Screw	08
27636	363	Treadle	30
9082	1101	“ Bearing Cotter Pin	01
27637	362	“ Pitman Rod (lower)	05
27638	1101	“ “ “ “ Spring	03
27639	362	“ “ “ (upper)	05
9079	362	“ “ “ Clamp with 354c	12
354c	1101	“ “ “ “ Screw	06
27640	362	Treadle Pitman complete, Nos. 2762, 9079 and 27637 to 27639	35
2878	363	Treadle Stand	15
2762	2642	“ Stop Collar with 362F	10
362F	2642	“ “ “ Set Screw	05
27642	——	Treadle complete, Nos. 2878, 9082, 27636 and four wood screws 1 in. No. 16	45
27643	——	Treadle and Pitman complete, Nos. 27640 and 27642	80
27644	——	Transmitter complete for 27645, Nos. 138E, 356c, 427E, 649E, 1508E, 12178, 27474, 27483, 27485, 27497, 27508, 27509, 27630, 27631, 27633 to 27635, 41338, two 127E and four wood screws $1\frac{1}{2}$ in. No. 16	3 00

NO.	PLATE	NAME	EACH
27645	——	Under Driver, lever pressure, three speed, right hand (oil controlling pulley) complete, Nos. 27070, 27643 and 27644	$4 00

UNDER DRIVER

BALL BEARING, LEVER PRESSURE, TWO SPEED, RIGHT HAND

NO.	PLATE	NAME	EACH
27750	2640	Cone Pulley (grooved) two speed, $3\frac{3}{4}$ in. and $5\frac{1}{4}$ in. diam., with 878D and 12459	$ 60
25303	2641	Cone Pulley Ball, size $\frac{1}{4}$ in. per 100	1 00
27753	2641	“ “ “ Bearing Adjusting Ring	15
1143c	2641	Cone Pulley Ball Bearing Adjusting Ring Set Screw	03
27795	2641	Cone Pulley Ball Bearing Adjusting Ring Set Screw Washer per 100	25
878D	2641	Cone Pulley Oil Hole Stop Screw	06
12459	2641	“ “ “ “ “ “ Washer (leather) per 100	50
27755	2640	Dress Guard	10
348c	2642	“ “ Screw	06
2718	2642	“ “ “ Washer	01
27756	2640	Driving Pulley (grooved) 6 in. diam., with 315c, 7958 and 27598	60
27598	——	Driving Pulley Friction Ring (leather)	05
7958	2642	“ “ “ “ Stop Pin	01
315c	2642	“ “ Set Screw	04
27757	2641	“ “ Shaft	60
25303	2641	“ “ “ Ball, size $\frac{1}{4}$ in. per 100	1 00
27751	2641	Driving Pulley Shaft Ball Bearing Collar	25
27752	2641	“ “ “ “ “ “ Pin	04
27758	2641	Driving Pulley Shaft Ball Safety Washer	01
27759	2641	“ “ “ Screw Bearing Ball Case (left)	20
27760	——	Driving Pulley Shaft Screw Bearing Ball Case (left) complete, Nos. 27758, 27759, 27761 to 27763 and twelve 25303	50
27761	2641	Driving Pulley Shaft Screw Bearing Ball Case (left) Friction Stud	10
25303	2641	Driving Pulley Shaft Screw Bearing Ball Case (left) Friction Stud Ball, size $\frac{1}{4}$ in. per 100	1 00

NO.	PLATE	NAME	EACH
27762	2641	Driving Pulley Shaft Screw Bearing Ball Case (left) Friction Stud Ball Plate....	$ 05
27763	2641	Driving Pulley Shaft Screw Bearing Ball Case (left) Friction Stud Ball Plate Washer..........................	01
27754	2641	Driving Pulley Shaft Screw Bearing Ball Case (left) Friction Stud Extension Pin.............................	02
1122c	2641	Driving Pulley Shaft Screw Bearing Ball Case (left) Set Screw...............	03
27764	2641	Driving Pulley Shaft Screw Bearing Ball Case (right).......................	20
27765	——	Driving Pulley Shaft Screw Bearing Ball Case (right) complete, Nos. 27758, 27764 and eight 25303..............	30
1122c	2641	Driving Pulley Shaft Screw Bearing Ball Case (right) Set Screw..............	03
27766	2640	Frame with two 1122c................	75
27767	2640	Lever with 27768 and two 27878........	35
1093c	2642	" Adjusting Screw................	10
1513E	2642	" " " Nut............	05
27768	2642	" Brake (leather) two pieces........	03
27878	2642	" " Rivet....................	01
1092E	2642	" Hinge Screw....................	20
1507E	2642	" " " Nut................	05
27769	2642	" Spring.........................	10
27070	363	Shaft Driving Pulley (sectional, grooved) 10 in. diam., $1\frac{3}{16}$ in. bore, with two 597c	45
597c	2642	Shaft Driving Pulley Clamping Screw....	08
27636	363	Treadle............................	30
9082	2642	" Bearing Cotter Pin............	01
27637	2640	" Pitman Rod (lower)...........	05
27638	2642	" " " " Spring......	03
27639	2640	" " " (upper)...........	05
9079	2640	" " " Clamp with 354c...	12
354c	2642	" " " " Screw.......	06
27640	2640	Treadle Pitman complete, Nos. 2762, 9079 and 27637 to 27639.................	35
2878	363	Treadle Stand.......................	15
2762	2642	" Stop Collar with 362F..........	10
362F	2642	" " " Set Screw..........	05
27642	——	Treadle complete, Nos. 2878, 9082, 27636 and four wood screws 1 in. No. 16.....	45
27643	——	Treadle and Pitman complete, Nos. 27640 and 27642.........................	80

NO.	PLATE	NAME	EACH
27770	——	Transmitter complete, Nos. 348c, 1092E, 1093c, 1507E, 1513E, 2718, 27750 to 27752, 27754 to 27757, 27760, 27765 to 27767, 27769, two each 1143c, 27753, 27795, three wood screws 2 in. No. 16 and twenty-two 25303...............	$3 00
27771	——	Under Driver (ball bearing) lever pressure, two speed, right hand, complete, Nos. 27070, 27643 and 27770..............	4 00

OBSOLETE PARTS

NO.	PLATE	NAME	EACH
*38410	——	Arm, upper and lower (solid) for 62-25 and 62-26 Machines..................	$20 00
*46279	——	Arm, upper and lower (solid) for 62-27 and 62-44 Machines.................	20 00
*46320	——	Arm, upper and lower (solid) for 62-30 and 62-31 Machines.................	22 00
*38488	——	Arm, upper and lower (solid) for 62-35 to 62-37 Machines..................	20 00
*46106	——	Arm, upper and lower (solid) for 62-45 and 62-46 Machines.................	20 00
*46163	——	Arm, upper and lower (solid) for 62-39 and 62-40 Machines.................	20 00
*46370	——	Arm, upper and lower (solid) with 381D and 46384, for 62-50 Machine........	20 00
23702	6538	Arm Rock Shaft for 62-25, 62-26, 62-30, 62-31, 62-35 to 62-40, 62-45 and 62-46 Machines.........................	1 00
38411	6531	Arm Rock Shaft Crank (back) with two 1497c, for 62-25 to 62-27, 62-30, 62-31, 62-35 to 62-37, 62-39 to 62-41, 62-45 and 62-46 Machines.................	80
38413	6482	Arm Rotary Shaft for 62-25 to 62-27, 62-30, 62-35 to 62-37, 62-39 to 62-41, 62-45 and 62-46 Machines............	3 00
23933	6507	Arm Side Cover (upper) for 62-25, 62-27, 62-30, 62-31, 62-40 and 62-41 Machines	15
46366	6507	Arm Side Cover (upper) for 62-28, 62-32 and 62-44 Machines.................	20
46467	6514	Arm Side Cover (upper) for 62-42 Machine..........................	20

NO.	PLATE	NAME	EACH
46219	6514	Arm Side Cover (upper) for 62-45 Machine	$ 20
38489	——	Arm Side Cover (upper) for 38490	15
38490	6538	" " " " 38489 with 38491 and two 26092, for 62-26, 62-35 to 62-39, 62-45 and 62-46 Machines	25
190D	6496	Arm Side Cover (upper) Screw for 62-25, 62-26, 62-35 to 62-40, 62-45 and 62-46 Machines	03
38491	6531	Arm Side Cover (upper) Thread Eyelet (double) for 38490	40
26092	6531	Arm Side Cover (upper) Thread Eyelet Rivet for 38490 ... per 100	15
286D	6535	Arm Side Cover (upper) Thumb Screw for 62-27, 62-30, 62-31 and 62-41 Machines	10
46096	6484	Cloth Plate for 46097	2 50
46097	——	Cloth Plate complete for 62-26 Machine, Nos. 286D, 38296H, 38420 and 46096, use 46256	3 25
46463H	6486	Cloth Plate Slide (right) with 1602H, for 46324 and 52650	40
38296H	——	Cloth Plate Slide (right) with 1602H, for 46097	30
286D	6535	Cloth Plate Slide (right) Thumb Screw for 46097	10
922D	6535	Cloth Plate Slide (right) Thumb Screw for 46079	10
1602H	6535	Cloth Plate Slide (right) Thumb Screw Nut for 286D	02
38422	6538	Crank Connecting Rod with 38423 and two 158E, for 62-25, 62-26, 62-35 to 62-40 and 62-46 Machines	1 25
*38423	——	Crank Connecting Rod Cap for 38422	—
158E	6534	" " " " Screw for 38422	03
372C	6534	Crank Connecting Rod Hinge Screw for 62-25 to 62-27, 62-30, 62-31, 62-35 to 62-41, 62-45 and 62-46 Machines	12
1518E	6535	Crank Connecting Rod Hinge Screw Nut for 62-25 to 62-27, 62-30, 62-31, 62-35 to 62-41, 62-45 and 62-46 Machines	04
46224	6531	Crank Connecting Rod Oil Cup for 46221	05
52632	6532	Cutting Lever for 52636	40
38150	6532	" Plate for 46331 and 52636	40
46325	6539	" Lever for 46331	40
46326	6539	" " Adjusting Slide for 46331	2 00

NO.	PLATE	NAME	EACH
46328	6539	Cutting Lever Connection for 62-30 Machine	$1 25
1099F	6539	Cutting Lever Connection Hinge Screw for 62-30 Machine	03
46329	6539	Cutting Plate Bracket for 46331	6 25
46331	——	Cutting Plate Bracket complete for 62-30 Machine, Nos. 87F, 1246C, 1389F, 1643D, 38150, 38152, 38155, 46325 to 46327, 46329, two each 190D, 1247C and four 207F	12 20
36359	6481	Edge Folder (adjustable) on Shank, for bottom of skirts, etc., for 46470	8 00
38424	6514	Face Plate for 62-25, 62-26, 62-35 and 62-36 Machines	50
46064	6514	Face Plate for 62-37 Machine	50
211F	6534	" " Screw for 62-25, 62-26 and 62-35 to 62-37 Machines	02
465C	6497	Feed Bar Set Screw for 38425	02
1057E	6534	" Connecting Rod Cap Screw for 38427	04
1057E	6534	Feed (back) Connecting Rod Cap Screw for 38427	04
1057E	6534	Feed (lower) Connecting Rod Cap Screw for 38427	04
46334	6565	Feed Dog for 62-30 Machine	2 50
46344	6565	" " " 62-31 Machine	2 50
46065	6551	" " " 62-32 Machine	1 00
46267	6566	" " " 62-40 Machine	1 75
46112	6564	" " " $\frac{1}{32}$ in. to $\frac{3}{64}$ in., $\frac{1}{4}$ in. to $\frac{11}{32}$ in. and $\frac{1}{32}$ in. to $\frac{3}{64}$ in. gauges, for 62-45 Machine	2 25
46138	6564	Feed Dog, for $\frac{1}{32}$ in. to $\frac{3}{64}$ in., $\frac{3}{16}$ in. to $\frac{7}{32}$ in. and $\frac{1}{32}$ in. to $\frac{3}{64}$ in. gauges, for 62-45 Machine	2 25
46307	6564	Feed Dog, for $\frac{1}{32}$ in. to $\frac{3}{64}$ in., $\frac{1}{8}$ in. to $\frac{5}{32}$ in. and $\frac{1}{32}$ in. to $\frac{3}{64}$ in. gauges, for 62-45 Machine	2 25
172C	6496	Feed Dog Screw for 62-31 Machine	04
50073D	6534	" " " for $\frac{3}{64}$ in., $\frac{11}{32}$ in. and $\frac{3}{64}$ in. gauges, for 62-45 Machine	05
704C	6499	Feed (back) Dog Screw for 62-49 Machine	04
203C	6534	" (front) Dog Screw for 62-49 Machine	03
*21230	——	" (upper) Eccentric for 52592	—
38430	6531	" Lifting Eccentric Cover for 62-25, 62-26 and 62-35 to 62-37 Machines	10
723D	6535	Guide Thumb Screw for 62-25 Machine	08

NO.	PLATE	NAME	EACH
46409	6539	Knife Bar Guide Bar with 237F, for 62-32 Machine	$ 30
46410	6539	Knife Bar Guide Bar Connecting Stud with 223D, for 62-32 Machine	50
223D	6500	Knife Bar Guide Bar Connecting Stud Clamping Screw for 46410	02
237F	6502	Knife Bar Guide Bar Connecting Stud Set Screw for 46409	02
46354	6539	Knife Bracket for 46356	5 00
206F	6534	" Holder Adjusting Bracket Screw for 46413	02
206F	6534	Knife Holder Screw for 46413	02
46345	6539	" (movable) use 52744	60
46346	6539	" " Connection with 904c, for 62-31 and 62-49 Machines	2 50
46350	6528	Knife (movable) Eccentric with two 457c, for 62-31 and 62-49 Machines	1 00
46353	6539	Knife (stationary) Stop for 46356	1 00
38464	6494	Lifting Presser Bar Bushing (lower) for 62-32 Machine	80
46073	6493	Lifting Presser Bar Bushing (upper) for 62-44 Machine	80
38434	6529	Looper with 590D and 38393, for 62-25 Machine, use 46335	2 25
46114	6525	Looper (back) with 590D and 46115, for 62-45 Machine	2 25
46116	6525	Looper (front) for 62-45 Machine	2 25
1143c	6493	" " Set Screw for 38496	03
38435	6512	" Bell Crank for 62-25 to 62-27, 62-30, 62-31, 62-35 to 62-37, 62-39 to 62-41 and 62-45 Machines	50
38437	6538	Looper Bell Crank Pitman with 7320, 38438 and four 187D, for 62-25 to 62-27, 62-30, 62-31, 62-35 to 62-37, 62-39 to 62-41, 62-45 and 62-46 Machines, use 46101	2 00
46101	6512	Looper Bell Crank Pitman with 46102, 46103 and four 187D, for 62-25 to 62-27, 62-30, 62-31, 62-35 to 62-37, 62-39 to 62-41 and 62-45 Machines	2 00
777c	6535	Looper Bell Crank Pitman Ball Screw Stud (lower) for 62-25 to 62-27, 62-30, 62-31, 62-35 to 62-37, 62-39 to 62-41 and 62-45 Machines	12
1519E	6535	Looper Bell Crank Pitman Ball Screw Stud (lower) Nut for 777c	03

NO.	PLATE	NAME	EACH
1636E	6535	Looper Bell Crank Pitman Ball Screw Stud (lower) Nut for 777c, for 62-25 to 62-27, 62-30, 62-31, 62-35 to 62-37, 62-39 to 62-41 and 62-45 Machines	$ 03
777c	6535	Looper Bell Crank Pitman Ball Screw Stud (upper) for 62-25 to 62-27, 62-30, 62-31, 62-35 to 62-37 and 62-39 to 62-41 Machines	12
50039c	6535	Looper Bell Crank Pitman Ball Screw Stud (upper) for 62-45 Machine	20
50016c	6535	Looper Bell Crank Pitman Ball Screw Stud (upper) for 62-38 Machine	15
1519E	6535	Looper Bell Crank Pitman Ball Screw Stud (upper) Nut for 777c	03
1037c	6493	Looper Bell Crank Pitman Ball Stud (lower) Set Screw for 62-38 Machine	04
*7320	——	Looper Bell Crank Pitman Cap (lower) for 38437	30
196E	6491	Looper Bell Crank Pitman Cap (lower) Screw for 38445	02
*38438	——	Looper Bell Crank Pitman Cap (upper) for 38437	35
196E	6491	Looper Bell Crank Pitman Cap (upper) Screw for 38446	02
1707E	6535	Looper Bell Crank Pitman Rod Nut (upper) for 46227	03
38441	6538	Looper Carrier Pitman complete for 62-25 to 62-27, 62-30, 62-31, 62-35 to 62-41, 62-45 and 62-46 Machines, Nos. 1697E, 1698E and 38445 to 38447	3 25
1518E	6535	Looper Carrier Pitman Ball Screw Stud (right) Nut for 62-25, 62-27, 62-30, 62-36 to 62-40, 62-45 and 62-46 Machines	04
196E	6491	Looper Carrier Pitman Cap (left) Screw for 38445	02
196E	6491	Looper Carrier Pitman Cap (right) Screw for 38446	02
38445	6538	Looper Carrier Pitman Head (left) Nos. 38442, 38443, 42525 and two 187E, for 38441	1 50
38446	6538	Looper Carrier Pitman Head (right) Nos. 38444, 42524, 50016c and two 187E, for 38441 and 46175	1 50
46175	6538	Looper Carrier Pitman complete for 62-38 Machine, Nos. 1697E, 1698E, 38445, 38446 and 46176	3 25

NO.	PLATE	NAME	EACH
38447	6538	Looper Carrier Pitman Rod for 38441, use 46243	$ 10
1697E	6535	Looper Carrier Pitman Rod Nut (left) for 38441	03
1698E	6535	Looper Carrier Pitman Rod Nut (right) for 38441	03
38449	6540	Looper Carrier Rock Shaft for 62-25 and 62-35 Machines	2 50
23738	6540	Looper Carrier Rock Shaft Hinge Pin for 62-25 and 62-35 Machines	50
46357H	6531	Looper Eccentric Cover for 62-31 and 62-49 Machines, use 46336	10
38454	6540	Looper Shaft Bracket for 62-25 to 62-28, 62-30, 62-32, 62-35 to 62-41, 62-46, 62-47 and 62-50 Machines, use 52553	30
38454	6540	Looper Shaft and Feed Lifting Eccentric Bracket for 62-31 and 62-48 Machines, use 52553	30
129E	6534	Looper Shaft Screw for 62-42 Machine	04
38497	6538	Needle Bar (hollow) with 15588 for 38498	60
38498	——	Needle Bar complete for 62-35 Machine, Nos. 8569, 38497 and 38499, use 46052	1 20
46068	——	Needle Bar complete for 62-37 Machine, Nos. 2273, 46067, 46069 and 46070, use 46165	1 50
15261	6502	Needle Bar Stop Collar with 237F, for 62-45 Machine	15
38499	6540	Needle Clamp with 38500 and two 1498F, for 38498	60
46069	6540	Needle Clamp with 462F and 46071, for 46068, use 46166	75
8569	6540	Needle Clamp Pin for 38498	02
38500	6540	" " Thread Guide for 38499	03
46071	6540	" " " " " 46069	02
46050	6494	" Guard for 62-31, 62-32 and 62-49 Machines	75
38461	6510	Needle Guard for 62-25 Machine	75
1498F	6511	" Set Screw for 38499	02
904F	6504	" " " " 46053	02
15588	6540	" Stop Pin for 38497	01
38464	6494	Presser Bar Bushing (lower) for 62-45 Machine	80
38467	6492	Presser Bar Spring (flat) for 62-35 Machine	50
52653	——	" Foot Plate for 52654	1 00
38010	——	" " Shank for 38366	60

NO.	PLATE	NAME	EACH
52654	6547	Presser Foot (hinged) complete for 62-49 Machine, Nos. 18055, 46361 and 52653, use 46362	$1 75
201D	6534	Presser Foot Screw for 62-25 and 62-35 Machines	03
794E	6534	Ruffling Connecting Rod Adjusting Screw for 62-42 Machine	05
46034	6496	Slack Thread Controller for 62-38 Machine	05
50004D	6534	Slack Thread Controller Clamp Screw for 62-25, 62-28 and 62-35 Machines	04
211F	6534	Slack Thread Controller Set Screw for 62-48 Machine	02
46128	6525	Slack Thread Regulator for 62-45 Machine	1 50
46245	6531	" " " " " "	1 50
46129	6525	" " " Bracket with 190D and 198I, for 62-45 Machine	1 25
46130	6525	Slack Thread Regulator Bushing for 62-45 Machine	20
50040D	6525	Slack Thread Regulator Screw for 62-45 Machine	07
166D	6525	Slack Thread Regulator Screw for 62-25, 62-26, 62-28, 62-35, 62-36 and 62-37 Machines	07
46246	6540	Thread Guard (side of arm) for 62-45 Machine	05
46046	2112	Threading Wire (Accessories) for 62-25 and 62-35 Machines, use 38487	05
38209	6540	Thread (under) Nipper Eccentric with 465C, for 62-25 and 62-35 Machines	50
465C	6497	Thread (under) Nipper Eccentric Set Screw for 38209	02
46047	6510	Thread (under) Take-up Staple for 62-45 Machine	50
38479	6538	Thread (under) Take-up Staple Bracket for 62-25 and 62-35 Machines	2 00
910C	6497	Thread (under) Take-up Staple Bracket Screw for 38479	03
38480	6540	Thread (under) Take-up Staple Spring for 62-25 and 62-35 Machines	05
217D	6540	Thread (under) Take-up Staple Spring Screw for 38480	03
590D	6497	Thread (under) Take-up Thread Guard (right) Screw for 62-35 Machine	02
46248	6540	Thread (upper) Controller with 337D and 46249, for 62-45 Machine	75

NO.	PLATE	NAME	EACH
46131	6525	Thread (upper) Controller for 62-45 Machine	$1 50
38474	6496	Thread (upper) Controller Bushing for 62-45 Machine	20
46132	6525	Thread (upper) Controller Eyelet (left) for 62-45 Machine	35
207F	6525	Thread (upper) Controller Eyelet (left) Screw for 62-45 Machine	02
46133	6525	Thread (upper) Controller Eyelet (right) for 62-45 Machine	25
207F	6525	Thread (upper) Controller Eyelet (right) Screw for 62-45 Machine	02
46134	6525	Thread (upper) Controller Fork for 62-45 Machine	80
212C	6525	Thread (upper) Controller Fork Cap Screw for 62-45 Machine	04
46249	6540	Thread (upper) Controller Plate for 46248	10
337D	6515	Thread (upper) Controller Plate Screw for 46248	02
46131	6525	Thread (upper) Controller (right) for 62-38 Machine	1 50
38474	6496	Thread (upper) Controller (right) Bushing for 62-38 Machine	20
46134	6525	Thread (upper) Controller (right) Fork for 62-38 Machine	80
212C	6525	Thread (upper) Controller (right) Fork Cap Screw for 62-38 Machine	04
50041C	6535	Thread (upper) Controller (right) Fork Screw Stud for 62-38 Machine	12
1519E	6535	Thread (upper) Controller (right) Fork Screw Stud Nut for 62-38 Machine	03
166D	6525	Thread (upper) Controller (right) Screw for 62-38 Machine	07
46009	6510	Thread (upper) Controller (right) Thread Eyelet for 62-38 Machine	25
190D	6497	Thread (upper) Controller (right) Thread Eyelet Screw for 62-38 Machine	03
166D	6525	Thread (upper) Controller Screw for 62-45 Machine	07
228D	6513	Thread (upper) Controller Screw for 62-45 Machine	02
46136	6525	Thread (upper) Take-up with 457C for 62-45 Machine	90
46250	6540	Thread (upper) Take-up for 62-45 Machine, use 52728	90

NO.	PLATE	NAME	EACH
457C	6496	Thread (upper) Take-up Set Screw for 46136	$ 02
38095	6565	Throat Plate Slide for 46426	20
52526	6565	" " " " "	25
46339	6565	" " for 46334, 46344, 52651 and 52652	1 50
52657	6565	Throat Plate for 52651, 52652, 52656 and 52658, use 52662	1 50
46426	6565	Throat Plate complete for 46065, Nos. 242D, 38094, 38096, 52526 and two 238D	2 00
		NOTE: When ordering No. 46426 state required distance of trimmed edge from seam.	
46274	6566	Throat Plate (flush) with 665D and 46075, for 46267	2 00
46275	——	Throat Plate Body for 46276 and 46277	1 90
46276	——	Throat Plate complete for 46267, for imitation cording and tucking, Nos. 665D, 23788, 23789, 46075 and 46275	3 25
		NOTE: When ordering No. 46276 give height of tongue.	
46277	6566	Throat Plate complete for 46267, for cording, Nos. 665D, 23787, 23789, 46075 and 46275	3 50
46139	6564	Throat Plate with two each 665D and 46075, for 46138	2 25
46137	6564	Throat Plate with two each 665D and 46075, for 46112	2 25
46308	6564	Throat Plate with two each 665D and 46075, for 46307	2 25
52748	6548	Throat Plate for 38428 for 62-51 Machine	3 00
602D	6499	Vibrating Presser Bar Lifting Bell Crank Driving Arm Slide Block Cap Screw for 46284	02

NUMERICAL LIST OF PARTS

NO.	PLATE	NAME	EACH
22C	6515	Ruffling Lever Hinge Screw for 62-12 Machine	$ 12
38D	6536	Knife Grinder Knife Screw for 41719 and 41720	08
76D	6570	Strip Folder Hinge Screw for 36630	06
87F	6503	Cutting Plate Hinge Screw for 46331 and 52636	05
93H	4851	Presser Foot Tension Plate Screw for 36203	04
106D	2148	Welt Guide Switch Lever Hinge Screw for 35269	04
110C	6519	Slack Thread Controller Hinge Screw for 62-44 and 62-47 Machines	04
123E	6494	Feed Rocking Frame Bracket Screw for all machines except 62-47	06
123E	6494	Feed (lower) Rocking Frame Bracket Screw for 62-47 Machine	06
123E	6494	Looper Shaft Bracket Screw for all machines except 62-31, 62-48 and 62-49	06
123E	6494	Looper Shaft and Feed Lifting Eccentric Bracket Screw for 62-31 and 62-48 Machines	06
123E	6494	Looper Shaft and Feed (back) Lifting Eccentric Bracket Screw for 62-49 Machine	06
127E	6534	Under Driver Oil Cup Screw for 27644	04
127E	6534	Ruffling Connecting Rod Cap Screw for 46489	04
129D	6534	Feed (front) Lifting Rock Shaft Bracket Screw (back) for 46430 and 52646	04
129E	6493	Looper Carrier Rock Shaft Hinge Pin Set Screw	04
129E	6534	Looper Shaft Screw for 62-42 Machine, obsolete	04
129D	6534	Oil Cup (back of arm) Screw for 62-45 Machine	04
129D	6534	Ruffler Shaft Bracket (front) Screw (long) for 46464	04
129E	6534	Ruffling Shaft Bracket (right) Screw for 62-29 Machine	04
131B	6534	Folder Adjusting Screw for 36444	04
134D	6503	Cutting Plate Bracket Holder Screw for 62-30 Machine	05

NO.	PLATE	NAME	EACH
134D	6503	Knife (movable) Connection Crank Bracket Screw for 62-31 and 62-49 Machines	$ 05
134D	6503	Ruffling Shaft Bracket (back) Screw for 46464	05
136D	6520	Ruffling Driving Crank Slide Block Pin Holder Screw for 52697	04
138E	1101	Under Driver Dress Guard Screw for 27644	05
144D	6534	Arm Rotary Shaft Screw	08
145D	6518	Ruffling Separating Blade Bar Handle Clamping Screw for 52509	04
145D	6521	Ruffling Shaft Crank (left) Clamping Screw for 52713	04
155C	6534	Thread Unwinder Spool Pin Set Screw for 41435, 41531 and 41535	03
157D	6534	Cloth Plate Extension Screw for 52687	04
157D	6534	Feed Dog Screw for 62-25, 62-26, 62-32, 62-36 to 62-38, 62-40, 62-42, 62-45, 62-46 and 62-50 Machines	04
157E	6526	Feed (upper) Shaft Crank (back) Clamping Screw for 52594	04
157D	6505	Lifting Presser Bar Guide Bracket Clamping Screw for 46421	04
157D	6505	Lifting Presser Bar Lifting Bracket Clamping Screw for 46421	04
157D	6499	Vibrating Presser Bar Lifting Bell Crank Driving Arm Clamping Screw for 46284	04
158E	6534	Crank Connecting Rod Cap Screw for 38422, obsolete	03
159F	6493	Arm Rotary Shaft Flanged Bushing Screw	03
159E	6493	Looper Carrier Rock Shaft Crank Clamping Screw for 38450	03
162D	4848	Binder Ribbon Tension Bracket Screw for 36305 and 36498	04
166D	6525	Slack Thread Regulator Screw for 62-25, 62-26, 62-28, 62-35, 62-36 and 62-37 Machines, obsolete	07
166D	6525	Thread (upper) Controller Screw for 62-46 Machine and obsolete for 62-45 Machine	07
166D	6525	Thread (upper) Controller (right) Screw for 62-38 Machine, obsolete	07
171D	6503	Cutting Plate Bracket Screw (upper) for 62-30 Machine	03
171D	6534	Face Plate Screw for 62-27, 62-32, 62-41, 62-44 and 62-47 Machines	03

NO.	PLATE	NAME	EACH
171E	6534	Looper Bell Crank Pitman Cap (lower) Screw for 46233 and 46317	$ 03
171E	6534	Looper Bell Crank Pitman Cap (upper) Screw for 46234 and 46318	03
171E	6534	Looper Carrier Pitman Cap (left) Screw for 46241	03
171E	6534	Looper Carrier Pitman Cap (right) Screw for 46242	03
171F	6541	Roller Needle Guard Set Screw for 24000, 38286, 52670 and 52671	03
171D	6516	Ruffling Lever Arm Lifting Bracket Clamping Screw for 46497	03
172C	6496	Feed Dog Screw for 62-31 Machine, obsolete	04
172C	6496	Feed (back) Dog Screw for 62-49 Machine	04
172C	6496	Slack Thread Regulator Bracket Clamping Screw for 38473	04
174D	6534	Feed (front) Connecting Rod Adjusting Screw for 46442	02
174D	6534	Feed (front) Connecting Rod Hinge Screw Clamping Screw for 46441	02
175D	6493	Looper Carrier Rock Shaft Adjusting Screw for 46042	02
175D	6582	Ruffling Arm Adjusting Screw for 52806	02
175D	6534	Slack Thread Controller Bracket Screw for 62-44 and 62-47 Machines	02
176D	6494	Arm Side Cover (upper) Screw	03
176D	6503	Cutting Plate Bracket Screw (lower) for 62-30 Machine	03
176D	6494	Needle Guard Screw for 62-25 to 62-27, 62-30 to 62-32, 62-37 and 62-39 Machines	03
176D	6494	Needle Guard (back) Screw for 62-35, 62-36, 62-42 to 62-44 and 62-47 Machines	03
176D	6494	Presser Foot Screw for 62-28, 62-40 and 62-46 Machines	03
176D	6495	Roller Arm Lock Spring Screw for 24000, 38012, 38286, 46252, 46253, 52670 and 52671	03
176D	6497	Thread (under) Nipper Spring Screw	03
177C	6521	Ruffling Shaft Crank (left) Set Screw for 52713	04
178F	6502	Feed (back) Connecting Rod Hinge Pin Bushing Clamping Screw for 46454	03
178D	6502	Feed (front) Lifting Rock Shaft Crank (front) Clamping Screw for 46448	03
178F	6504	Knife Bracket Holder Clamping Screw for 46355	03

NO.	PLATE	NAME	EACH
178F	6518	Ruffling Separator Blade Bar Handle Plate Screw for 62-42 Machine........	$ 03
185H	4848	Binder Ribbon Tension Bracket Clamping Screw for 35726....................	02
187D	6532	Looper Bell Crank Pitman Cap (lower) Screw for 38437 and 46101...........	02
187D	6532	Looper Bell Crank Pitman Cap (upper) Screw for 38437 and 46101...........	02
187E	6532	Looper Carrier Pitman Cap (left) Screw for 38445..........................	02
187E	6532	Looper Carrier Pitman Cap (right) Screw for 38446..........................	02
190D	6496	Arm Side Cover (upper) Screw for 62-25, 62-26, 62-35 to 62-40, 62-45 and 62-46 Machines, obsolete..................	03
190D	6503	Cutting Lever Adjusting Slide Screw for 46331 and 52636....................	03
190C	6496	Knife Holder Screw for 62-48 Machine...	03
190D	4849	Lap Seam Guide Screw for 36384........	03
190D	6496	Lifting Presser Foot Screw for 62-27, 62-41, 62-44 and 62-47 Machines............	03
190D	6496	Needle Guard Screw for 62-28, 62-29, 62-40, 62-41 and 62-48 to 62-51 Machines	03
190D	6496	Needle Guard (back) Screw for 62-53 Machine..........................	03
190D	6532	Oil Cup (front of arm) Screw for 62-45 Machine..........................	03
190D	6532	Oil Cup Screw for 62-50 Machine.......	03
190D	6496	Presser Foot Screw for 62-25, 62-26, 62-29 to 62-31, 62-35 to 62-39, 62-42, 62-43, 62-45, 62-48, 62-49, 62-51 and 62-53 Machines..........................	03
190D	6496	Roller Presser Screw for 62-25, 62-26, 62-37 and 62-50 Machines............	03
190D	6582	Ruffling Arm Clamping Screw for 38179..	03
190D	6496	" Shaft Bracket (left) Screw for 62-29 Machine......................	03
190D	6496	Slack Thread Controller Clamp Screw for 62-25, 62-26, 62-28, 62-29, 62-35 to 62-38, 62-42, 62-43, 62-45, 62-46, 62-50 and 62-53 Machines.................	03
190D	6525	Slack Thread Regulator Bracket Clamping Screw for 46129....................	03
190D	6480	Tape Holder Set Screw for 35827......	03
190D	6497	Thread (upper) Controller (right) Thread Eyelet Screw for 62-38 Machine, obsolete..........................	03

NO.	PLATE	NAME	EACH
190D	6497	Thread (under) Eyelet (back) Screw....	$ 03
190D	6496	" (upper) Eyelet Screw for 62-25 to 62-32, 62-35 to 62-37, 62-39 to 62-44, 62-47 to 62-49, 62-51 and 62-53 Machines..........................	03
190D	6497	Thread (under) Take-up Staple Spring Screw............................	03
190D	4849	Welt Guide Screw for 35269............	03
191C	6534	Feed Dog Screw for 62-30 Machine......	03
191C	6504	Knife (stationary) Adjusting Lever Screw for 46356..........................	03
193F	6585	Looper (back) Carrier Screw for 52779...	03
193F	6500	Slack Thread Controller Set Screw for 62-27, 62-30 to 62-32, 62-39 to 62-41, 62-48, 62-49 and 62-51 Machines......	03
194D	6535	Binder Bracket Screw Stud for 36306....	02
196F	6491	Feed Eccentric Set Screw for 38128, 46452 and 52731....................	02
196F	6491	Feed (lower) Eccentric Set Screw for 38128............................	02
196F	6491	Feed (upper) Eccentric Set Screw for 52592............................	02
196F	6506	Knife Clamping Screw for 46412........	02
196E	6491	Looper Bell Crank Pitman Cap (lower) Screw for 38445, obsolete............	02
196E	6491	Looper Bell Crank Pitman Cap (upper) Screw for 38446, obsolete...........	02
196E	6491	Looper Carrier Pitman Cap (left) Screw for 38445, obsolete..................	02
196E	6491	Looper Carrier Pitman Cap (right) Screw for 38446, obsolete............	02
197D	6532	Feed (front) Lifting Rock Shaft Crank (front) Adjusting Screw for 46448.....	02
197D	6569	Ruffling Blade Tripping Arm Screw for 52804............................	02
197D	6570	Strip Folder Ruffling Blade Tripping Arm Screw for 36630....................	02
199F	6505	Lifting Presser Bar Bell Crank Cap Screw for 62-32 Machine..................	04
199F	6505	Lifting Presser Bar Bell Crank Connecting Link Cap Screw for 62-32 Machine..........................	04
199D	6526	Feed (upper) Bar Cap Screw for 62-47 Machine..........................	04
199D	6505	Feed (upper) Bar Lifting Bell Crank Cap Screw for 62-47 Machine............	04

NO.	PLATE	NAME	EACH
199D	6526	Feed (upper) Bar Lifting Bell Crank Connecting Link Cap Screw for 62-47 Machine	$ 04
199F	6505	Vibrating Presser Bar Cap Screw for 62-32 Machine	04
201D	6534	Presser Foot Screw for 62-25 and 62-35 Machines, obsolete	03
202F	6506	Knife Holder Body Clamping Screw for 46415	02
203C	6534	Feed (front) Dog Screw for 62-49 Machine, obsolete	03
203F	6534	Feeding Foot Screw for 62-47 Machine	03
203D	6504	Knife (movable) Connection Extension Screw for 62-31 and 62-49 Machines	03
203D	6504	Knife (stationary) Stop Adjusting Screw (lower) for 46356	03
203D	6504	Knife (stationary) Stop Adjusting Screw (upper) for 46356	03
203D	6534	Lifting Presser Foot Screw for 62-32 Machine	03
203D	6534	Vibrating Presser Foot Screw for 62-27, 62-32, 62-41 and 62-44 Machines	03
206F	6534	Knife Holder Adjusting Bracket Screw for 46413, obsolete	02
206F	6534	Knife Holder Screw for 46413, obsolete	02
206D	6534	" Support Screw for 62-48 Machine	02
206D	6534	Needle Guard (front) Screw for 62-35, 62-36, 62-42 to 62-47 and 62-53 Machines	02
206F	6513	Slack Thread Regulator Arm Screw for 62-38 Machine	02
206F	6496	Thread (upper) Controller Screw for 62-25 to 62-32, 62-35 to 62-37, 62-39 to 62-44, 62-47 to 62-49, 62-51 and 62-53 Machines	02
207D	6497	Feed (front) Dog Screw for 62-28 Machine	02
207D	6497	Thread (under) Take-up Stripper Screw	02
207D	6497	" " " Thread Guard (left) Screw	02
207D	6497	Thread (under) Take-up Thread Guard (right) Screw	02
207F	6503	Cutting Lever Cap Screw for 46331 and 52636	02
207F	6503	Cutting Plate Adjusting Slide Screw for 46331 and 52636	02
207F	6525	Thread (upper) Controller Eyelet (left) Screw for 62-46 Machine and obsolete for 62-45 Machine	02

NO.	PLATE	NAME	EACH
207F	6525	Thread (upper) Controller Eyelet (right) Screw for 62-46 Machine and obsolete for 62-45 Machine	$ 02
208E	6532	Thread Unwinder Thread Guard Screw for 41631 to 41633	02
211F	6534	Face Plate Screw for 62-42 Machine and obsolete for 62-25, 62-26 and 62-35 to 62-37 Machines	02
211F	6534	Slack Thread Controller Set Screw for 62-48 Machine, obsolete	02
212D	6506	Knife Bar Connecting Link Cap Screw for 62-32 Machine	04
212D	6505	Lifting Presser Bar Bell Crank Driving Arm Connection Cap Screw for 62-32 Machine	04
212C	6525	Thread (upper) Controller Fork Cap Screw for 62-46 Machine and obsolete for 62-45 Machine	04
212C	6525	Thread (upper) Controller (right) Fork Cap Screw for 62-38 Machine, obsolete	04
212F	6499	Vibrating Presser Bar Cap Screw for 62-27, 62-41 and 62-44 Machines	04
212F	6499	Vibrating Presser Bar Lifting Bell Crank Cap Screw for 62-27, 62-41 and 62-44 Machines	04
217D	6540	Thread (under) Take-up Staple Spring Screw for 38480, obsolete	03
218B	6532	Folder Adjusting Screw for 36027	02
219F	4849	Binder Plate Screw for 36476	02
219F	4849	" Ribbon Tension Screw for 25717	02
220D	6515	Ruffling Regulating Stud Nut Handle Clamping Screw for 46499	02
223D	6500	Knife Bar Guide Bar Connecting Stud Clamping Screw for 46410, obsolete	02
223F	6562	Presser Foot Guide (left) Set Screw for 46193	02
223D	6500	Thread (upper) Take-up Clamping Screw for 46171 and 46312	02
225F	6533	Oil Cup Screw for 62-26, 62-27, 62-39 and 62-47 Machines	03
225F	6533	Oil Cup (tension) Screw for 62-35, 62-37, 62-41 and 62-44 Machines	03
226D	6582	Ruffling Blade Holder Cap Screw for 52807	02
228D	6513	Thread ((upper) Controller Screw for 62-38 Machine and obsolete for 62-45 Machine	02

NO.	PLATE	NAME	EACH
228D	6513	Thread (upper) Take-up Screw for 62-38, 62-45 and 62-50 Machines	$ 02
229D	6499	Looper Needle Guard Screw for 62-27, 62-28, 62-30 to 62-32, 62-37 to 62-41, 62-48 and 62-49 Machines	02
229D	6499	Looper (front) Needle Guard Screw for 62-45 Machine	02
230H	4852	Edge Folder Screw for 36360 and 36361	02
230H	4852	" Guide Screw for 36364	02
231C	6534	Feed Bar Set Screw for 38425 and 46332.	03
231C	6534	" (back) Bar Set Screw for 38425 and 46332	03
231C	6534	Feed (lower) Bar Set Screw for 38425	03
233D	6477	Presser Foot Guide Screw for 35993 and 36350	02
237F	6502	Knife Bar Guide Bar Connecting Stud Set Screw for 46409, obsolete	02
237F	1105	Knife Grinder Knife Holder Stop Collar Set Screw for 27659	02
237F	6502	Needle Bar Stop Collar Set Screw for 15261 and 46378	02
237F	6502	Presser Bar Stop Collar Set Screw for 15261	02
238D	6548	Throat Plate Cutting Bar Screw for 46126 and 52727	02
238D	2148	Welt Guide Cap Screw for 35269	02
240D	2148	" " Slide Stop Screw for 35269	02
240D	2148	" " Width Guide Screw for 35269	02
242D	6541	Roller Needle Guard Edge Guide Screw for 38081, obsolete	02
242D	6548	Throat Plate Slide Spring Screw for 46126 and 52727	02
261D	1105	Cutter Grinder Cutter Regulating Thumb Screw for 27934	12
261D	1105	Knife Grinder Knife Regulating Thumb Screw for 41721	12
283D	6521	Ruffling Regulator Thumb Screw for 62-43 Machine	10
286D	6535	Arm Side Cover (lower) Thumb Screw	10
286D	6535	" " " (upper) Thumb Screw for 62-27, 62-30, 62-31 and 62-41 Machines, obsolete	10
286D	6535	Cloth Plate Slide (right) Thumb Screw for 46079, 46097, 46324, 46401, 52611 and 52650	10
286D	4875	Cutter Grinder Cutter Holder Stop Thumb Screw for 27934	10

NO.	PLATE	NAME	EACH
286D	6535	Face Plate Thumb Screw for 62-25, 62-26, 62-28 to 62-31, 62-35 to 62-40, 62-43, 62-45, 62-46, 62-48 to 62-51 and 62-53 Machines	$ 10
286D	6535	Guide Thumb Screw for 62-25, 62-26, 62-32 and 62-38 Machines	10
286D	6480	Tape Holder Tension Adjusting Collar Thumb Screw for 26073 and 35826	10
287D	6506	Knife Bar Cap Screw for 62-32 Machine	10
288D	6480	Tape Holder Tension Spring Thumb Screw for 35917	05
310F	1105	Cutter Grinder Emery Wheel Shaft Screw Centre for 27934	08
310F	1105	Cutter Grinder Cutter Holder Bracket Screw Centre for 27934	08
310F	1105	Knife Grinder Emery Wheel Shaft Screw Centre for 41721	08
310F	1105	Knife Grinder Knife Holder Guide Bar Bracket Screw Centre for 41721	08
315C	2642	Under Driver Driving Pulley Set Screw for 27756	04
316F	6495	Roller Arm Screw Centre for 24000, 38012, 38286, 46252, 46253, 52670 and 52671	03
316F	6509	Vibrating Presser Bar Spring Stop Screw for 46402 and 52533	03
330D	6519	Cloth Plate Chute Screw for 52611	02
330E	6519	" " Slide (large) Spring Bracket (back) Screw for 52687	02
330E	6519	Cloth Plate Slide (large) Spring Bracket (front) Screw for 52687	02
335D	6500	Feed Lifting Eccentric Cover Screw for 62-25 to 62-27, 62-29, 62-32, 62-35 to 62-46, 62-50, 62-51 and 62-53 Machines	02
335D	6500	Feed (back) Lifting Eccentric Cover Screw for 62-28 Machine	02
335D	6500	Feed (lower) Lifting Eccentric Cover Screw for 62-47 Machine	02
335H	6506	Knife Holder Adjusting Bracket Screw for 46413	02
335H	6506	Knife Holder Screw for 46413	02
335D	6500	Looper Eccentric Cover Screw for 62-30, 62-31 and 62-49 Machines	02
337D	6549	Presser Foot Guide Screw for 52722	02
337D	6549	" " " " (back) for 46299, 46303 and 52582	02
337D	6561	Presser Foot Guide (left) Screw for 46173	02
337D	6561	" " " (right) Screw for 46126	02

NO.	PLATE	NAME	EACH
337D	6515	Ruffling Regulating Stud Stop Screw for 62-42 Machine	$ 02
337D	6515	Thread (upper) Controller Plate Screw for 46248, obsolete	02
348C	2642	Under Driver Dress Guard Screw for 27770	06
354C	1101	Under Driver Treadle Pitman Rod Clamp Screw for 9079	06
356C	6535	Rock Shaft Knee Arm Hub Set Screw for 2766	06
356C	6535	Rock Shaft Knee Plate Set Screw for 2767	06
356C	6535	Rock Shaft Lifting Bracket Hook Set Screw for 6337	06
356C	6535	Rock Shaft Lifting Bracket Set Screw for 6337	06
356C	6535	Rock Shaft Stop Dog Set Screw for 2770.	06
356C	6535	Under Driver Driving Pulley Hollow Stud Set Screw for 27644	06
362F	2642	Under Driver Treadle Stop Collar Set Screw for 2762	05
372C	6534	Crank Connecting Rod Hinge Screw for 62-25 to 62-27, 62-30, 62-31, 62-35 to 62-41, 62-45 and 62-46 Machines, obsolete	12
378C	6518	Ruffling Connecting Link Hinge Screw for 62-42 Machine	10
381D	6534	Tension (upper thread, automatic) Plate Screw for 46370 and 52740	06
391F	6506	Knife Bar Connecting Link Hinge Bracket Screw for 62-32 Machine	02
391D	6494	Looper Shaft Screw for all machines except 62-31, 62-48 and 62-49	02
391D	6494	Looper Shaft and Feed Lifting Eccentric Screw for 62-31 and 62-48 Machines	02
391D	6494	Looper Shaft and Feed (back) Lifting Eccentric Screw for 62-49 Machine	02
391E	6494	Needle Bar Connecting Stud Clamping Screw for 38460, 46206 and 46425	02
427E	1101	Under Driver Lever Centre Plug Adjusting Screw for 27644	08
430C	6534	Balance Wheel Ruffling Eccentric Set Screw for 52800	04
430C	6534	Balance Wheel Set Screw for 23873 and 46220	04
433C	1101	Under Driver Driving Pulley Screw Centre Bearing for 27630	08

NO.	PLATE	NAME	EACH
440F	6495	Roller Arm Adjusting Screw for 24000, 38012, 38286, 46252, 46253, 52670 and 52671	$ 03
440F	6506	Knife Bar Guide Bar Set Screw for 62-32 Machine	03
440C	6520	Ruffling Driving Crank Slide Block Pin Set Screw for 52703	03
442C	6509	Vibrating Presser Bar Stop Adjusting Screw for 52533	03
443C	6491	Arm Rock Shaft Crank (front) Set Screw for 38412 and 46280	03
443C	6491	Feed Eccentric Body Set Screw for 38128, 46451 and 52731	03
443C	6491	Feed (lower) Eccentric Body Set Screw for 38128	03
443C	6491	Looper Bell Crank Hinge Stud Set Screw	03
446C	6527	Feed (upper) Eccentric Body Set Screw for 52592	03
448C	6502	Arm Rock Shaft Crank (front) Set Screw for 46399	03
448C	6520	Ruffling Driving Crank Set Screw for 52696	03
448C	6516	Ruffling Eccentric Set Screw for 46492 and 52704	03
448C	6521	Ruffling Shaft Crank (right) Set Screw for 52714	03
453C	6504	Knife (movable) Connection Crank Hinge Stud Set Screw for 46348	02
453C	6494	Presser Bar Lifting Bracket Set Screw for 38466 and 46482	02
453C	6518	Ruffling Regulator Bushing Set Screw for 62-42 Machine	02
453C	6518	Ruffling Regulator Crank Set Screw for 52504	02
453C	6518	Ruffling Shaft Crank (front) Set Screw for 52518	02
453C	6518	Ruffling Separating Blade Bar Bracket (lower) Set Screw for 52507	02
453C	6518	Ruffling Separating Blade Bar Bracket (upper) Set Screw for 52508	02
453C	6524	Thread (upper) Controller Roller Bracket Set Screw for 46393	02
453C	6518	Thread Unwinder Thread Guard Rod Set Screw for 27940	02
454C	6502	Feed Eccentric Collar Set Screw for 46453	02
454C	6516	Ruffling Lever Arm Set Screw for 46495.	02
456C	6515	Ruffling Shaft Collar Set Screw for 20251	02

NO.	PLATE	NAME	EACH
456C	6515	Thread Unwinder Thread Guard Rod Coupling Set Screw for 41639	$ 02
457C	6491	Arm Rotary Shaft Collar Set Screw for 38329	02
457C	6505	Feed (upper) Bar Lifting Bell Crank Driving Arm Connection Hinge Stud Set Screw for 46399	02
457C	6519	Knife Bar Eccentric Set Screw for 46350	02
457C	6504	" (movable) Eccentric Set Screw for 46350 and 52742	02
457C	6505	Lifting Presser Bar Bell Crank Driving Arm Connection Hinge Stud Set Screw for 46399	02
457F	6522	Needle Clamp Collar Set Screw for 46119	02
457F	6522	" Set Screw for 46119	02
457C	6520	Ruffling Driving Crank Shaft Collar Set Screw for 52700	02
457C	6582	Ruffling Shaft Collar Set Screw for 21506	02
457C	6519	Slack Thread Controller Connection Set Screw for 52540	02
457C	6496	Thread (upper) Take-up Set Screw for 38485, 46010 and 46136	02
460C	4875	Cutter Grinder Cutter Holder Collar Set Screw for 27931	02
460C	6534	Feed Dog Stop Screw for 38425	02
460C	6534	" (back) Dog Stop Screw for 38425	02
460C	6534	" (lower) Dog Stop Screw for 38425	02
460C	6534	Oil Cup (back of arm) Cover Thread Guide Set Screw for 46196	02
460C	6515	Ruffling Blade Holder Stop Set Screw for 52507	02
462F	6506	Needle Clamp Screw for 46069 and 46166	02
465C	6497	Feed Bar Set Screw for 38425, obsolete	02
465C	6491	" Lifting Eccentric Set Screw for 38429	02
465C	6491	Feed (back) Lifting Eccentric Set Screw for 38429	02
465C	6491	Feed (lower) Lifting Eccentric Set Screw for 38429	02
465C	6491	Feed Rocking Frame Hinge Pin Set Screw for 38432 and 52613	02
465C	6491	Feed (lower) Rocking Frame Hinge Pin Set Screw for 38432	02
465C	6491	Lifting Presser Bar Lifter Hinge Stud Set Screw for 62-47 Machine	02
465C	6493	Looper Eccentric Set Screw for 38452 and 46149	02

NO.	PLATE	NAME	EACH
465C	6497	Thread (under) Nipper Cam Set Screw for 46049	$ 02
465C	6497	Thread (under) Nipper Eccentric Set Screw for 38209, obsolete	02
465C	6497	Thread (under) Take-up Set Screw for 38475, 46210 and 46389	02
574D	6536	Knife Grinder Knife Holder Adjusting Thumb Screw for 41719 and 41720	15
574D	6536	Pressure Regulating Thumb Screw	15
578F	6532	Oil Cup (back of arm) Cover Spring Screw for 46202	02
578D	6515	Ruffling Blade Screw for 62-42 Machine	02
590D	6493	Looper Thread Guard Screw for 38434, 46066, 46203, 46335 and 52618	02
590D	6510	Looper (back) Thread Guard Screw for 38493, 46114, 46375, 46474, 52536 and 52774	02
590D	6497	Thread (under) Take-up Staple Thread Guard Screw for 38478	02
590D	6497	Thread (under) Take-up Thread Guard (right) Screw for 62-35 Machine, obsolete	02
590D	2148	Welt Guide Bed Spring Cap Screw for 35269	02
597C	2642	Under Driver Shaft Driving Pulley Clamping Screw for 27070	08
602D	6499	Vibrating Presser Bar Lifting Bell Crank Driving Arm Roller Cap Screw for 46284	02
602D	6499	Vibrating Presser Bar Lifting Bell Crank Driving Arm Slide Block Cap Screw for 46284, obsolete	02
621D	6521	Ruffling Regulator Connection Hinge Stud Screw for 62-43 Machine	02
624C	6520	Ruffling Regulator Set Screw for 52706	03
624C	6520	" Shaft Crank (right) Slide Block Pin Set Screw for 52714	03
637F	6496	Cord Tension Screw Stud for 62-40 Machine	08
641D	6502	Feed Eccentric Adjusting Screw Plate Screw for 46452	03
646C	6506	Knife Bar Connecting Link Hinge Stud for 62-32 Machine	02
647D	6534	Feed (front) Lifting Rock Shaft Crank (back) Clamping Screw for 46446	03
647D	6521	Ruffling Regulator Handle Clamping Screw for 52709	03

NO.	PLATE	NAME	EACH
649E	6532	Under Driver Belt Guard Screw for 27644	$ 05
652D	6495	Roller Screw for 1868, 1923, 1985 and 1986	08
662D	4848	Binder Tension Spring Screw for 36498..	02
662D	6552	Presser Foot Guide Screw for 46167.....	02
662D	6582	Ruffling Regulating Screw Stud Stop Screw for 52811..........................	02
662D	6518	Ruffling Separating Blade Screw for 62-42 Machine..........................	02
664D	6556	Presser Foot Edge Guide Screw for 36532	02
664D	6556	" " " " (lower) Screw for 36540..........................	02
664D	6520	Ruffling Separating Blade Screw for 52718..........................	02
665D	6522	Needle Bar Stop Collar Connection Screw for 62-45 and 62-50 Machines.........	02
665D	6532	Oil Cup (back of arm) Cover Stripper Screw for 46202....................	02
665D	6556	Presser Foot Edge Folder Screw for 36532..........................	02
665D	6556	Presser Foot Edge Folder (lower) Screw for 36537..........................	02
665D	6556	Presser Foot Edge Folder (upper) Screw for 36537..........................	02
665D	6556	Presser Foot Edge Guide (upper) Screw for 36540..........................	02
665D	6549	Presser Foot Guide Screw (front) for 46299, 46303 and 52582.............	02
665D	6556	Presser Foot Ruffle Retaining Blade Screw for 36532, 36537 and 36540...........	02
665D	6520	Ruffling Blade Screw for 62-29 and 62-43 Machines..........................	02
665D	6542	Throat Plate Cutting Bar Screw for 52628	02
665D	6542	" " Thread Retainer Screw for 36007, 46074, 46094, 46095, 46137, 46139, 46172, 46194, 46258, 46274, 46276, 46277, 46308, 46394, 46395, 46460, 52666 to 52668 and 52785......	02
690D	6534	Thread (under) Take-up Staple Bracket Screw..........................	05
691F	6534	Cloth Plate Bracket Screw for 62-28 Machine..........................	04
691F	6534	Cloth Plate Screw for 62-28 and 62-43 Machines..........................	04
691F	6534	Cloth Plate Screw (left) for all machines except 62-28 and 62-43..............	04
691F	6534	Cloth Plate Support Bracket Screw for 62-43 Machine......................	04

NO.	PLATE	NAME	EACH
691F	6534	Throat Plate Screw for all machines except 62-43........................	$ 04
691F	6534	Throat Plate Screw (back) for 62-43 Machine..........................	04
704C	6531	Feed (back) Dog Screw for 62-28 Machine and obsolete for 62-49 Machine.......	04
704C	6499	Lifting Presser Bar Lifting Bracket Clamping Screw for 46282 and 52548........	04
704C	6529	Slack Thread Regulator Bracket Clamping Screw for 52569.................	04
723D	6535	Guide Thumb Screw for 62-25 Machine, obsolete..........................	08
724C	6527	Lifting Presser Bar Lifting Bracket Connecting Link Hinge Screw for 62-47 Machine..........................	05
725H	6500	Cloth Plate Slide (large) Spring Screw for 38417, 46108, 46255, 46265, 46470, 52528 and 52686....................	02
725H	6500	Cloth Plate Slide (small) Spring Screw for 38420 and 46437.................	02
725H	6500	Cloth Plate Slide (large) Spring (left) Screw for 46435.....................	02
725H	6500	Cloth Plate Slide (large) Spring (right) Screw for 46435.....................	02
725H	6500	Cloth Plate Slide (left) Spring Screw for 38420, 46323H, 46462 and 52649H.....	02
725J	6569	Presser Foot Guide Screw for 52804.....	02
733D	6506	Knife Bar Coupling Pin Bushing for 46407..........................	08
735F	6511	Needle Set Screw for 46269.............	02
735C	6499	Vibrating Presser Bar Stop Adjusting Screw for 46281 and 46402...........	02
736D	6480	Tape Holder Set Screw for 28809........	10
777C	6535	Looper Bell Crank Pitman Ball Screw Stud (lower) for 62-46 Machine and obsolete for 62-25 to 62-27, 62-30, 62-31, 62-35 to 62-37, 62-39 to 62-41 and 62-45 Machines..........................	12
777C	6535	Looper Bell Crank Pitman Ball Screw Stud (upper) for 62-25 to 62-27, 62-30, 62-31, 62-35 to 62-37 and 62-39 to 62-41 Machines, obsolete..................	12
793D	6480	Tape Holder Shaft Bushing Thumb Screw for 35917..........................	08
794E	6534	Ruffling Connecting Rod Adjusting Screw for 62-42 Machine, obsolete..........	05

NO.	PLATE	NAME	EACH
797C	6516	Ruffling Shaft Crank (back) Set Screw for 52517	$ 03
802D	6535	Lifting Lever Hinge Screw for 23768, 23769, 38385, 46263, 52522 to 52524, 52549 to 52551 and 52604 to 52606	10
812D	6520	Ruffling Blade Holder Spring Adjusting Screw for 62-43 Machine	06
857H	6506	Knife Bar Guide Set Screw for 52525	02
857H	6534	Needle Set Screw for 38008 and 38455	02
871D	6535	Lifting Lever Stop Screw for 52549 to 52551	04
878D	2641	Under Driver Cone Pulley Oil Hole Stop Screw for 27750	06
892C	6494	Lifting Presser Bar Lifting Bracket Adjusting Screw for 46282 and 46421	05
892C	6494	Lifting Presser Bar Guide Bracket Adjusting Screw for 46421	05
892C	6494	Presser Bar Lifting Bracket Adjusting Screw for 38466 and 46482	05
896E	6534	Crank Connecting Rod Cap (lower) Screw for 46221	04
896E	6534	Feed (upper) Bar Lifting Bell Crank Driving Arm Shaft Bracket Screw for 52589	04
896E	6534	Feed Connecting Rod Cap Screw for 38427	04
896E	6534	Feed (back) Connecting Rod Cap Screw for 38427	04
896E	6534	Feed (lower) Connecting Rod Cap Screw for 38427	04
896E	6534	Feed (upper) Connecting Rod Cap Screw for 52589	04
896E	6505	Lifting Presser Bar Bell Crank Driving Arm Shaft Bracket Screw for 62-32 Machine	04
896E	6534	Ruffling Regulator Connecting Rod Cap Screw for 52812	04
898D	6534	Feed Dog Screw for 62-27, 62-29, 62-31, 62-35, 62-39, 62-41, 62-43, 62-44, 62-48 and 62-51 Machines	04
898D	6534	Feed (lower) Dog Screw for 62-47 Machine	04
898D	6534	Knife Bracket Screw for 62-31 and 62-49 Machines	04
904C	6504	Knife (movable) Connection Hinge Pin Set Screw for 46346 and 52741	02
904C	6504	Feed (upper) Connecting Rod Hinge Pin Set Screw for 52589	02

NO.	PLATE	NAME	EACH
904F	6504	Needle Set Screw for 46053, obsolete	$ 02
910F	4849	Binder Adjusting Screw for 36473	03
910C	6520	Ruffling Blade Holder Stop Screw for 62-43 Machine	03
910C	6497	Thread (under) Take-up Staple Bracket Screw for 38479, obsolete	03
910C	6497	Thread (under) Take-up Staple Stop Screw for 46040 and 52717	03
910F	2148	Welt Guide Adjusting Screw for 35269	03
916F	6496	Tension (under thread) Screw Stud	08
916F	6496	" (upper thread) Screw Stud	08
922D	6535	Cloth Plate Slide (right) Thumb Screw for 46079, obsolete	10
934D	6491	Feed Eccentric Pressure Spring Cap Screw for 38128 and 52731	02
934D	6491	Feed (lower) Eccentric Pressure Spring Cap Screw for 38128	02
934D	6491	Feed (upper) Eccentric Pressure Spring Cap Screw for 52592	02
939D	4875	Cutter Grinder Cutter Holder Clamp Thumb Screw for 27934	10
949E	6534	Ruffling Frame Screw for 52679	06
957D	6534	Lifting Lever Link Hinge Screw for 52604 to 52606	05
965D	6534	Feed (front) Lifting Rock Shaft Bracket Screw (front) for 46430 and 52646	04
990F	6527	Lifting Presser Bar Lifting Bracket Connecting Link Cap Screw for 62-47 Machine	03
1002D	6535	Lifting Lever Stop Screw for 23768, 23769, 38385, 46263 and 52604 to 52606	03
1012E	6534	Ruffling Connecting Rod Adjusting Screw for 46489	05
1012C	6520	Ruffling Driving Crank Slide Block Clamping Screw for 52701	05
1012C	6521	Ruffling Shaft Crank (right) Slide Block Clamping Screw for 52715	05
1037C	6493	Looper Bell Crank Pitman Ball Stud (lower) Set Screw for 46226 and obsolete for 62-38 Machine	04
1038C	6582	Ruffling Regulating Screw Stud for 62-29 Machine	10
1042C	6504	Knife (movable) Hinge Screw for 46356	06
1048C	6526	Feed (upper) Bar Connecting Link Hinge Screw for 62-47 Machine	05
1053D	6504	Knife (movable) Chip Ejector Screw for 52744	02

NO.	PLATE	NAME	EACH
1057E	6534	Crank Connecting Rod Cap (upper) Screw for 46221	$ 04
1057E	6534	Feed Connecting Rod Cap Screw for 38427, obsolete	04
1057E	6534	Feed (back) Connecting Rod Cap Screw for 38427, obsolete	04
1057E	6534	Feed (lower) Connecting Rod Cap Screw for 38427, obsolete	04
1057E	6534	Feed Connecting Rod Hinge Pin Clamping Screw for 38427	04
1057E	6534	Feed (back) Connecting Rod Hinge Pin Clamping Screw for 38427	04
1057E	6534	Feed (lower) Connecting Rod Hinge Pin Clamping Screw for 38427	04
1057E	6526	Feed (upper) Shaft Crank (front) Clamping Screw for 52595	04
1072F	6534	Needle Set Screw for 38093 and 46053	02
1076F	6562	Presser Foot Guide (right) Set Screw for 46193	03
1092E	2642	Under Driver Lever Hinge Screw for 27770	20
1093C	2642	Under Driver Lever Adjusting Screw for 27770	10
1094F	6534	Cloth Plate Screw (right) for all machines except 62-28 and 62-43	03
1099F	6539	Cutting Lever Connection Hinge Screw for 62-30 Machine, obsolete	03
1103C	6491	Feed Regulating Screw for 38128 and 52731	15
1103C	6491	Feed (lower) Regulating Screw for 38128	15
1106C	6527	" (upper) Regulating Screw for 52592	18
1115D	6534	" (front) Dog Screw for 62-49 Machine	04
1120C	6510	Looper (back) Set Screw for 38496 for 62-42 Machine	03
1120C	6510	Looper (front) Set Screw for 38496 for 62-35, 62-36 and 62-43 to 62-47 Machines and for 52778 for 62-53 Machine	03
1122C	2641	Under Driver Driving Pulley Shaft Screw Bearing Ball Case (left) Set Screw for 27766	03
1122C	2641	Under Driver Driving Pulley Shaft Screw Bearing Ball Case (right) Set Screw for 27766	03
1131C	6535	Feed (front) Connecting Rod Hinge Screw for 62-28 and 62-49 Machines	10

NO.	PLATE	NAME	EACH
1133E	6493	Lifting Presser Bar Bushing (lower) Set Screw for 62-27, 62-32, 62-41, 62-44 and 62-47 Machines	$ 02
1133E	6493	Lifting Presser Bar Bushing (upper) Set Screw for 62-27, 62-32, 62-41, 62-44 and 62-47 Machines	02
1133E	6493	Needle Bar Bushing Set Screw	02
1133E	6493	Presser Bar Bushing (lower) Set Screw for 62-25, 62-26, 62-28 to 62-31, 62-35 to 62-40, 62-42, 62-43, 62-45, 62-46, 62-48 to 62-51 and 62-53 Machines	02
1133E	6493	Presser Bar Bushing (upper) Set Screw for 62-25, 62-26, 62-28 to 62-31, 62-35 to 62-40, 62-42, 62-43, 62-45, 62-46, 62-48 to 62-51 and 62-53 Machines	02
1136B	4848	Binder Bracket Lock Spring Thumb Screw for 36305 and 36498	10
1143C	6493	Looper Set Screw for 38439 and 52784	03
1143C	6493	" (front) Set Screw for 38496, obsolete	03
1143C	2641	Under Driver Cone Pulley Ball Bearing Adjusting Ring Set Screw for 27770	03
1147C	6493	Looper Carrier Hinge Pin Set Screw for 38439, 38496, 52619, 52778 and 52784	03
1147C	6493	Looper Carrier Pitman Ball Stud (left) Set Screw for 38439, 38496, 52619, 52778 and 52784	03
1147C	6493	Looper Set Screw for 52619	03
1147C	6510	" (back) Set Screw for 38496 for 62-35, 62-36 and 62-43 to 62-47 Machines and for 52775 for 62-53 Machine	03
1147C	6510	Looper (front) Set Screw for 38496 for 62-42 Machine	03
1149D	6534	Ruffling Shaft Bracket (front) Screw (short) for 46464	04
1149C	6534	Thread Unwinder Spool Rest Set Screw for 41435, 41531 and 41535	04
1186D	6505	Feed (upper) Bar Lifting Bell Crank Driving Arm Clamping Screw for 46416	04
1186D	6505	Lifting Presser Bar Bell Crank Driving Arm Clamping Screw for 46416	04
1208D	6549	Presser Foot Needle Guard Screw for 46004 and 46215	02
1246C	6503	Cutting Plate Adjusting Screw for 46331 and 52636	12
1247C	6503	Cutting Lever Connection Hinge Screw for 62-30 Machine	05

NO.	PLATE	NAME	EACH
1247C	6503	Cutting Lever Hinge Screw for 46331 and 52636	$ 05
1247C	6503	Cutting Plate Friction Plate Screw for 46331 and 52636	05
1247C	6515	Ruffling Blade Holder Hinge Screw for 62-42 Machine	05
1250F	6504	Knife (stationary) Adjusting Lever Screw Stud for 46356	03
1253C	6524	Tension (upper thread, automatic) Cam Set Screw for 46383	03
1259C	6528	Knife Holder Adjusting Screw for 62-48 Machine	03
1259C	6534	Looper Bell Crank Pitman Ball Stud (lower) Set Screw for 46145	03
1284D	6532	Oil Cup Oil Regulating Screw for 46381	08
1284D	6532	" " (front of arm) Oil Regulating Screw for 46381	08
1316C	6505	Feed (upper) Bar Lifting Bell Crank Driving Arm Connection Screw Stud for 62-47 Machine	08
1316C	6505	Lifting Presser Bar Bell Crank Driving Arm Connection Screw Stud for 62-32 Machine	08
1356E	6527	Lifting Presser Bar Lifting Bracket Clamping Screw for 52599	04
1389F	6503	Cutting Lever Adjusting Screw for 46331 and 52636	03
1423B	6534	Binder Bracket Plate Screw (right) for 36305 and 36498	04
1423D	6534	Binder Hinge Plate Screw for 36192	04
1423D	6534	Edge Folder Hinge Plate Screw for 36192	04
1423D	6534	Hemmer Hinge Plate Screw for 36192	04
1423D	6518	Ruffling Separating Blade Bar Handle Stop Clamp Screw for 62-42 Machine	04
1423D	6526	Feed (upper) Bar Connecting Link Cap Screw for 62-47 Machine	04
1423D	6526	Feed (upper) Bar Lifting Bell Crank Driving Arm Connection Cap Screw for 62-47 Machine	04
1425B	4848	Binder Bracket Lock Spring Guide Screw for 36305 and 36498	06
1425D	4848	Binder Hinge Screw for 36199	06
1425D	4848	Edge Folder Hinge Screw for 36545	06
1425D	4848	Hemmer Hinge Screw for 36193	06
1443F	4848	Binder Bracket Lock Spring Screw for 36305 and 36498	04
1443F	4848	Binder Screw for 36305 and 36498	04

NO.	PLATE	NAME	EACH
1443D	4848	Edge Folder Screw for 36362	$ 04
1443D	6518	Ruffling Separating Blade Holder Screw for 62-42 Machine	04
1443F	4848	Strip Folder Screw for 36541	04
1460H	6534	Edge Folder Holder Screw for 36627	07
1460H	6534	Folder Holder Seat Cover Screw for 46079	07
1460H	6534	" " Screw for 35998	07
1460H	6534	Lap Seam Feller Holder Screw for 35998	07
1492D	6534	Needle Guard (back) Screw for 62-45 and 62-46 Machines	03
1497C	6491	Arm Rock Shaft Crank (back) Set Screw for 38411, 46217 and 46364	05
1498F	6511	Needle Set Screw for 38499, 46152 and 46477	02
1499F	6516	Ruffling Lever Arm Lifting Bracket Cap Screw for 62-42 Machine	04
1499D	4849	Stay Guide Screw for 35719	04
1507E	2642	Under Driver Lever Hinge Screw Nut for 27770	05
1508E	1105	Cutter Grinder Emery Wheel Clamping Nut for 27934	06
1508E	1105	Knife Grinder Emery Wheel Clamping Nut for 41721	06
1508E	6493	Looper Carrier Rock Shaft Hinge Pin Nut	06
1508E	1101	Under Driver Lever Centre Plug Adjusting Screw Nut for 27644	06
1513E	2642	Under Driver Lever Adjusting Screw Nut for 27770	05
1516D	1105	Cutter Grinder Emery Wheel Shaft Screw Centre Nut for 27934	05
1516D	1105	Cutter Grinder Cutter Holder Bracket Screw Centre Nut for 27934	05
1516D	1105	Knife Grinder Emery Wheel Shaft Screw Centre Nut for 41721	05
1516D	1105	Knife Grinder Knife Holder Guide Bar Bracket Screw Centre Nut for 41721	05
1517E	6535	Ruffling Connecting Rod Hinge Screw Nut for 62-42 Machine	04
1518E	6535	Crank Connecting Rod Hinge Screw Nut for 62-25 to 62-27, 62-30, 62-31, 62-35 to 62-41, 62-45 and 62-46 Machines, obsolete	04
1518E	6535	Looper Carrier Pitman Ball Screw Stud (right) Nut for 62-48 Machine and obsolete for 62-25, 62-27, 62-30, 62-36 to 62-40, 62-45 and 62-46 Machines	04

NO.	PLATE	NAME	EACH
1519E	6535	Looper Bell Crank Pitman Ball Screw Stud (lower) Nut for 777C, obsolete....	$ 03
1519E	6535	Looper Bell Crank Pitman Ball Screw Stud (upper) Nut for 777C, obsolete..	03
1519E	6535	Thread (upper) Controller (right) Fork Screw Stud Nut for 62-38 Machine, obsolete..........................	03
1520E	6494	Needle Bar Connecting Link Hinge Stud Nut..............................	03
1520E	6518	Ruffling Connecting Link Hinge Screw Nut for 62-42 Machine..................	03
1528H	6536	Knife Grinder Knife Holder Adjusting Thumb Screw Lock Nut for 41719 and 41720............................	03
1528D	6495	Roller Screw Nut for 1868, 1923, 1985 and 1986............................	03
1539D	6535	Pressure Regulating Thumb Screw Lock Nut..............................	05
1547D	6495	Roller Arm Adjusting Screw Nut for 24000, 38012, 38286, 46252, 46253, 52670 and 52671....................	03
1547D	6495	Roller Arm Screw Centre Nut for 24000, 38012, 38286, 46252, 46253, 52670 and 52671............................	03
1549D	6495	Roller Arm Lock Spring Screw Nut for 24000, 38012, 38286, 46252, 46253, 52670 and 52671....................	03
1550H	6582	Ruffling Blade Holder Hinge Stud Nut for 52807............................	03
1550H	6520	Ruffling Blade Holder Stop Screw Nut for 62-43 Machine.....................	03
1554E	6504	Knife (movable) Hinge Screw Nut for 46356............................	04
1560C	6496	Cord Tension Regulating Thumb Nut for 62-40 Machine.....................	04
1560C	6496	Tension (under thread) Regulating Thumb Nut..............................	04
1560C	6496	Tension (upper thread) Regulating Thumb Nut..............................	04
1560C	6524	Tension (upper thread, automatic) Regulating Thumb Nut for 62-45 and 62-50 Machines.........................	04
1563D	6506	Knife Bar Coupling Pin Head for 46407..	04
1602H	6535	Cloth Plate Slide (large) Bushing for 38415, 46254 and 46264.............	02

NO.	PLATE	NAME	EACH
1602H	6535	Cloth Plate Slide (right) Bushing for 38105H, 46400, 46163H, 52610 and 52631H...........................	$ 02
1602H	6535	Cloth Plate Slide (right) Thumb Screw Nut for 286D, obsolete...............	02
1619E	6535	Crank Connecting Rod Ball Screw Stud Nut..............................	05
1620E	6496	Slack Thread Regulator Screw Nut for 62-25, 62-26, 62-28, 62-29, 62-35 to 62-38, 62-43, 62-48, 62-49 and 62-53 Machines..........................	03
1620D	6524	Thread (upper) Controller Hinge Screw Nut for 62-45 and 62-50 Machines....	03
1621C	6520	Ruffling Blade Holder Spring Adjusting Screw Lock Nut for 62-43 Machine....	02
1636E	6535	Looper Bell Crank Pitman Ball Screw Stud (lower) Nut for 777C, for 62-46 Machine and obsolete for 62-25 to 62-27, 62-30, 62-31, 62-35 to 62-37, 62-39 to 62-41 and 62-45 Machines...........	03
1636E	6535	Looper Bell Crank Pitman Ball Screw Stud (upper) Nut..................	03
1636E	6535	Looper Carrier Pitman Ball Screw Stud (right) Nut for all machines except 62-48............................	03
1643D	6503	Cutting Plate Adjusting Screw Thumb Nut for 46331 and 52636...........	06
1656D	6536	Knife Grinder Knife Clamping Thumb Nut for 41719 and 41720...........	10
1697E	6535	Looper Carrier Pitman Rod Nut (left) for 38441, 46175 and 52620..........	03
1698E	6535	Looper Carrier Pitman Rod Nut (right) for 38441, 46175 and 52620..........	03
1701C	6502	Feed (front) Regulating Stud Nut for 62-28 and 62-49 Machines...........	10
1706E	6535	Looper Bell Crank Pitman Rod Nut (lower) for 46227 and 46314..........	03
1707E	6535	Looper Bell Crank Pitman Rod Nut (upper) for 46227, obsolete..........	03
1708E	6535	Looper Carrier Pitman Rod Nut (left) for 46236 and 46367................	03
1709E	6535	Looper Carrier Pitman Rod Nut (right) for 46236 and 46367................	03
1713E	6535	Looper Bell Crank Pitman Rod Nut (upper) for 46227 and 46314..........	03
1719C	6515	Ruffling Regulating Stud Nut for 62-42 Machine..........................	15

NO.	PLATE	NAME	EACH
1730J	6582	Ruffling Regulating Screw Stud Thumb Nut for 62-29 Machine..............	$ 10
1823	6496	Slack Thread Regulator Roller and Stud for 38473 and 52569................	18
1868	6541	Roller, 7/8 in. diam., coarse, with 652D and 1528D, for 38286 and 52670...........	25
1923	6495	Roller, 1 1/4 in. diam., coarse, with 652D and 1528D, for 24000, 38012 and 52671	40
1964	6524	Thread (upper) Controller Roller for 46393............................	20
1981	6525	Slack Thread Regulator Bracket Roller (roller only) for 46129..............	08
1985	6495	Roller, 7/8 in. diam., coarse, with 652D and 1528D, for 46252..................	25
1986	6495	Roller, 7/8 in. diam., fine, with 652D and 1528D, for 46253..................	25
1989	6499	Vibrating Presser Bar Lifting Bell Crank Driving Arm Roller (roller only) for 46284............................	10
2015	6533	Machine Cushion, rubber (Attachments and Accessories)....................	02
2049	6521	Ruffling Regulator Pin for 62-29 and 62-43 Machines.........................	01
2077	6520	Ruffling Driving Crank Slide Block Pin Holder Pin for 52697...............	01
2102	6496	Cord Tension Disc for 62-40 Machine...	05
2102	6496	Tension (under thread) Disc...........	05
2102	6496	" (upper thread) Disc...........	05
2102	6524	" " " automatic) Disc for 62-45 and 62-50 Machines.........	05
2103	6496	Tension (upper thread) Spring for 62-25, 62-26, 62-29 to 62-32, 62-35 to 62-37, 62-40, 62-43 to 62-46, 62-48 to 62-51 and 62-53 Machines....................	03
2205	6495	Roller Arm Lock Spring for 38012, 46252 and 46253.........................	04
2206	6495	Roller Arm Bracket for 46252 and 46253.	20
2269	6503	Cutting Plate Bracket Dowel Pin for 62-30 Machine.....................	01
2269	6533	Needle Stop Pin for 46292.............	01
2273	6506	" Clamp Pin for 46068, 46165 and 46176............................	01
2291	6582	Ruffling Arm Adjusting Screw Washer for 52806............................	01
2424	6506	Knife for 62-32 Machine...............	08
2532	6533	Presser Foot Hinge Pin for 38471..per 100	10
2656	4851	" " Tension Plate Spring for 36203............................	02

NO.	PLATE	NAME	EACH
2718	2642	Under Driver Dress Guard Screw Washer for 27770............................	$ 01
2762	2642	Under Driver Treadle Stop Collar with 362F, for 27640.....................	10
2763	2114	Rock Shaft for 23767 and 46262.........	10
2766	2114	" " Knee Arm Hub with 356C, for 6336 and 16647.....................	15
2767	2114	Rock Shaft Knee Plate with 356C, for 6336 and 16647.....................	18
2770	2114	Rock Shaft Stop Dog with 356C, for 23767 and 46262.........................	12
2818	6570	Strip Folder Friction Washer for 36630..	01
2878	363	Under Driver Treadle Stand for 27642...	15
4604	6480	Tape Holder Disc Rivet for 35909, per 100...........................	10
4604	6524	Thread (upper) Take-up Thread Guide Rivet for 52728..............per 100	10
4718	6533	Machine Rest, felt (Attachments and Accessories).......................	01
4784	6533	Arm Rotary Shaft Oil Pad (felt)........	01
4784	6533	Ruffling Connecting Rod Oil Pad (felt) for 46489............................	01
4822	2112	Wrench for 1528, 1547 and 1549 (Attachments and Accessories).............	05
4879	6508	Chain Connecting Link for 4885........	03
		Nos. 4881 TO 4884 FOR 4885.	
4881	2114	Treadle............................	30
4882	6508	" Shaft.........................	05
4883	6508	" Spring........................	10
4884	2114	" Stand.........................	25
4885	2114	Treadle complete for 23769, 52522, 52549 and 52604, Nos. 4879, 4881 to 4884 and two wood screws 1 in. No. 16.........	75
6335	2114	Rock Shaft Knee Arm for 6336.........	10
6336	——	Rock Shaft Knee Arm complete for 23767, Nos. 2766, 2767 and 6335............	40
6337	2114	Rock Shaft Lifting Bracket with two 356C, for 23767 and 46262.................	20
6439	——	Chain, 36 in. to 45 in., for 23769, 52522, 52549 and 52604....................	20
7070	6582	Ruffling Regulating Screw Stud Bushing for 62-29 Machine..................	10
7071	4849	Lap Seam Guide Screw Washer for 36384	01
7071	4849	Welt Guide Screw Washer for 35269.....	01
7125	2114	Rock Shaft Lifting Bracket Hook for 23767 and 46262....................	15
7298	6533	Presser Foot Hinge Pin for 38048 and 38366.......................per 100	10

NO.	PLATE	NAME	EACH
*7320	——	Looper Bell Crank Pitman Cap (lower) for 38437, obsolete..................	$ 30
7480	2148	Welt Guide Switch Lever Spring Hook for 35265 and 35268.................	01
7539	6537	Rock Shaft Hanger with two wood screws 1 in. No. 10, for 46262..............	08
7556	6541	Roller Arm Lock Spring for 24000, 38286, 52670 and 52671....................	05
7958	2642	Under Driver Driving Pulley Friction Ring Stop Pin for 27630 and 27756....	01
7958	2642	Under Driver Driving Pulley Screw Centre Bearing Dowel Pin for 27630..	01
8505	4849	Edge Folder Holder Spring Rivet for 35998......................per 100	10
8505	4849	Folder Holder Spring Rivet for 35998, per 100...........................	10
8505	4849	Lap Seam Feller Folder Slide Spring Rivet for 35998...................per 100	10
8569	6540	Needle Clamp Pin for 38498, obsolete....	02
8908	2112	Wrench for 1520, 1620, 1706, 1708 and 1709 (Attachments and Accessories)..	08
9079	362	Under Driver Treadle Pitman Rod Clamp with 354c, for 27640................	12
9082	1101	Under Driver Treadle Bearing Cotter Pin for 27642.........................	01
9525	6521	Ruffling Regulator Thumb Screw Washer for 62-43 Machine..................	01
9533	6533	Arm Side Cover (upper) Pin for all machines except 62-42...............	02
9558	6520	Ruffling Blade Holder Spring Pin for 52693 and 52713....................	01
9792	6533	Ruffling Regulator Crank Pin for 62-42 Machine..........................	01
9792	6533	Ruffling Shaft Crank (front) Pin for 62-42 Machine......................	01
10148	6496	Cord Tension Spring for 62-40 Machine..	03
10148	6496	Tension (under thread) Spring for all machines except 62-38, 62-45 and 62-46	03
10309	2148	Welt Guide Switch Lever Spring for 35269................................	02
11204	6504	Knife (movable) Connection Crank Hinge Stud for 62-31 and 62-49 Machines....	15
11833	6536	Knife Grinder Knife Position Pin for 41719 and 41720....................	01
11833	6533	Presser Foot Hinge Pin for 38044........	01
12178	1101	Under Driver Lever Centre Plug (wood) for 27644.........................	01

NO.	PLATE	NAME	EACH
12242	2114	Rock Shaft Hanger with two wood screws 1 in. No. 10 for 23767................	$ 08
12257	6495	Roller Arm for 38012..................	15
12443	6533	Oil Cup (take-up) Packing (felt) for 46003	01
12459	2641	Under Driver Cone Pulley Oil Hole Stop Screw Washer (leather) for 27750, per 100..........................	50
13211	6480	Tape Holder Tension Adjusting Spring for 28809 and 35827....................	02
13710	6496	Tension (upper thread) Spring for 62-27, 62-28, 62-38, 62-39, 62-41, 62-42 and 62-47 Machines.....................	03
14057	6532	Oil Cup (back of arm) Cover Hinge Pin for 46202..........................	03
15261	6502	Needle Bar Stop Collar with 237F, for 62-39, 62-40 and 62-46 Machines and obsolete for 62-45 Machine...........	15
15261	6502	Presser Bar Stop Collar with 237F, for 62-30, 62-31, 62-39, 62-40, 62-45, 62-46, 62-49 and 62-50 Machines............	15
15588	6540	Needle Stop Pin for 38497, obsolete......	01
16646	6537	Rock Shaft Knee Arm for 16647........	10
16647	——	Rock Shaft Knee Arm complete for 46262, Nos. 2766, 2767 and 16646...........	40
17509	6490	Arm Side Cover (lower)................	15
17540	6492	Presser Bar for 62-25, 62-28, 62-29, 62-31, 62-35, 62-36, 62-38 to 62-40, 62-42, 62-43, 62-45, 62-46, 62-48, 62-49, 62-51 and 62-53 Machines.................	30
17540	6492	Lifting Presser Bar for 62-32 Machine...	30
17541	6494	" " " Lifter for 62-27, 62-32, 62-41 and 62-44 Machines............	20
17541	6494	Presser Bar Lifter for 62-25, 62-26, 62-28 to 62-31, 62-35 to 62-40, 62-42, 62-43, 62-45, 62-46, 62-48 to 62-51 and 62-53 Machines..........................	20
17542	6494	Lifting Presser Bar Lifter Hinge Pin for 62-27, 62-32, 62-41 and 62-44 Machines	05
17542	6494	Presser Bar Lifter Hinge Pin for 62-25, 62-26, 62-28 to 62-31, 62-35 to 62-40, 62-42, 62-43, 62-45, 62-46, 62-48 to 62-51 and 62-53 Machines............	05
17547	6496	Tension (under thread) Thread Guide...	25
17547	6496	" (upper thread) Thread Guide...	25
18055	6533	Presser Foot Hinge Pin for 46271 to 46273, 46309, 46342, 46362, 46369, 52638, 52641, 52644, 52654 and 52677........	01

NO.	PLATE	NAME	EACH
18114	——	Lap Seam Feller Folder Slide for 26272..	$ 15
18116	4849	Edge Folder Holder Spring for 35998....	05
18116	4849	Folder Holder Spring for 35998.........	05
18116	4849	Lap Seam Feller Folder Slide Spring for 35998............................	05
19221	2112	Wrench for 1619 (Attachments and Accessories)......................	15
19356	6505	Feed (upper) Bar Lifting Bell Crank for 62-47 Machine.....................	1 00
19356	6505	Lifting Presser Bar Bell Crank for 62-32 Machine..........................	1 00
19357	6505	Lifting Presser Bar Bell Crank Connecting Link for 62-32 Machine.............	35
20251	6515	Ruffling Shaft Collar with 456c, for 62-42 Machine..........................	20
*21230	——	Feed (upper) Eccentric for 52592, obsolete	—
21331	6491	Feed Eccentric Pressure Spring for 38128 and 52731.........................	03
21331	6491	Feed (lower) Eccentric Pressure Spring for 38128..........................	03
21331	6491	Feed (upper) Eccentric Pressure Spring for 52592..........................	03
21332	6491	Feed Eccentric Pressure Spring Cap for 38128 and 52731...................	10
21332	6491	Feed (lower) Eccentric Pressure Spring Cap for 38128.....................	10
21332	6491	Feed (upper) Eccentric Pressure Spring Cap for 52592.....................	10
21506	6582	Ruffling Shaft Collar with 457c, for 62-29 Machine..........................	10
22003	2112	Wrench for 1550 (Attachments and Accessories)......................	05
23702	6538	Arm Rock Shaft for 62-25, 62-26, 62-30, 62-31, 62-35 to 62-40, 62-45 and 62-46 Machines, obsolete.................	1 00
23716	6491	Feed Bar Bushing for 62-25 to 62-27, 62-29, 62-31, 62-32, 62-35 to 62-46, 62-48, 62-50, 62-51 and 62-53 Machines	40
23716	6491	Feed (back) Bar Bushing for 62-28 and 62-49 Machines.....................	40
23716	6491	Feed (lower) Bar Bushing for 62-47 Machine..........................	40
23724	6491	Arm Rock Shaft Crank (front) Pin......	01
23726	6491	Feed Bar Hinge Pin for 62-25 to 62-27, 62-29 to 62-32, 62-35 to 62-46, 62-48, 62-50, 62-51 and 62-53 Machines.....	50
23726	6491	Feed (back) Bar Hinge Pin for 62-28 and 62-49 Machines.....................	50

NO.	PLATE	NAME	EACH
23726	6491	Feed (lower) Bar Hinge Pin for 62-47 Machine..........................	$ 50
*23729	——	Feed Eccentric Body for 38128..........	2 50
*23729	——	" (lower) Eccentric Body for 38128...	2 50
23738	6540	Looper Carrier Rock Shaft Hinge Pin for 62-25 and 62-35 Machines, obsolete...	50
23759	2114	Lifting Lever for 23768, 23769, 38385 and 46263.............................	25
23760	2114	Lifting Lever Connecting Rod for 23768, 52523, 52550 and 52605.............	05
23761	2114	Lifting Lever Spring for 23768, 23769, 38385, 46263 and 52604 to 52606......	05
23766	2112	Wrench for 1508 and 1636 (Attachments and Accessories)....................	10
23767	2114	Rock Shaft complete for 23768, 38385, 52523, 52524, 52550, 52551, 52605 and 52606, Nos. 2763, 2770, 6336, 6337, 7125 and two 12242......................	1 10
23768	——	Knee Lifter complete (power table) for 62-25 to 62-28, 62-30, 62-31, 62-35 to 62-38, 62-40, 62-41, 62-43 to 62-46 and 62-48 to 62-51 Machines, Nos. 802D, 1002D, 23759 to 23761 and 23767......	1 55
23769	——	Foot Lifter complete for 62-25 to 62-28, 62-30, 62-31, 62-35 to 62-41, 62-43 to 62-46 and 62-48 to 62-51 Machines, Nos. 802D, 1002D, 4885, 6439, 23759 and 23761..........................	1 35
23777	——	Presser Foot Plate for 46272...........	1 50
23778	——	" " " " 46273...........	1 50
23787	6552	Throat Plate Slide, for cording, for 46277 and 52668..........................	1 00
23788	6552	Throat Plate Slide, for imitation cording and tucking, for 46276 and 52667....	75
23789	6552	Throat Plate Slide Stop for 46276, 46277 and 52666 to 52668................	50
23793	6508	Needle Bar (hollow) for 46476..........	60
23859	——	Presser Foot Plate for 46271...........	1 00
*23865	——	Feed Connecting Rod Cap for 38427....	30
*23865	——	" (back) Connecting Rod Cap for 38427.............................	30
*23865	——	Feed (lower) Connecting Rod Cap for 38427.............................	30
23866	6491	Feed Connecting Rod Hinge Pin (eccentric) for 62-25 to 62-27, 62-29 to 62-32, 62-35 to 62-46, 62-48, 62-50, 62-51 and 62-53 Machines...........	20

NO.	PLATE	NAME	EACH
23866	6491	Feed (back) Connecting Rod Hinge Pin (eccentric) for 62-28 and 62-49 Machines	$ 20
23866	6491	Feed (lower) Connecting Rod Hinge Pin Eccentric for 62-47 Machine	20
23872	6490	Arm Rotary Shaft Flanged Bushing for all machines except 62-42	1 00
23873	6482	Balance Wheel with two 430c, for all machines except 62-29, 62-45 and 62-50	80
23907	——	Presser Foot Shank for 38044	75
23933	6507	Arm Side Cover (upper) for 62-25, 62-27, 62-30, 62-31, 62-40 and 62-41 Machines, obsolete	15
24000	6541	Roller Presser complete, 1¼ in. coarse roller, for 62-37 Machine, Nos. 171F, 176D, 440F, 1549D, 1923, 7556, 38081, 38219, 38302, two 316F and three 1547D, obsolete	1 65
24203	6582	Ruffling Blade Holder for 52807	75
24206	6582	" " " Hinge Stud for 52807	10
24581	6582	Ruffling Blade Holder Spring for 52807	05
24691	6502	Feed Eccentric Adjusting Screw Plate for 46452	35
25303	2641	Under Driver Cone Pulley Ball, size ¼ in., for 27770 per 100	1 00
25303	2641	Under Driver Driving Pulley Shaft Ball, size ¼ in., for 27760 and 27765 per 100	1 00
25303	2641	Under Driver Driving Pulley Shaft Screw Bearing Ball Case (left) Friction Stud Ball, size ¼ in., for 27760 per 100	1 00
25618	4846	Guide for 62-25 and 62-38 Machines	15
25717	4849	Binder Ribbon Tension complete for 36473, Nos. 26614, 26616 and four 26615	25
25876	4846	Guide for 62-25 and 62-26 Machines	15
26026	2112	Screw Driver, large (Attachments and Accessories)	10
26069	——	Tape Holder Disc Hub for 26917	25
26070	6480	" " " " Rivet for 26917 and 35825 per 100	10
26073	6480	Tape Holder Tension Adjusting Collar with 286D, for 28809	15
26092	6531	Arm Side Cover (upper) Thread Eyelet Rivet for 38490, obsolete per 100	15
*26269	——	Lap Seam Feller Folder for 26272	3 25
26272	6476	Lap Seam Feller (right hand) complete for 62-36 Machine, Nos. 18114 and 26269	3 40

NO.	PLATE	NAME	EACH
26276	6533	Presser Foot Hinge Pin for 35993, 36031, 36039, 36127, 36146, 36196, 36350, 36354, 36356, 36358, 36446, 36603, 46058, 46077, 46088, 46100, 46155, 46178, 46183, 46188, 46190, 46299, 46303, 46457, 52582, 52625 and 52722	$ 01
26341	2148	Welt Guide Slide Stop for 35269	25
26485	2112	Screw Driver, small (Attachments and Accessories)	05
		Nos. 26614 TO 26616 FOR 25717.	
26614	4849	Binder Ribbon Tension Pin (bent)	05
26615	4849	" " " " (straight)	05
26616	4849	" " " Plate	35
26912	1016	Tape Holder Bracket Wire for 26913	——
26913	——	Tape Holder Bracket Wire complete for 28809, Nos. 26912, 26915 and 26919	60
26915	1016	Tape Holder Disc for 26913 and 26917	15
26917	1016	Tape Holder Disc complete for 28809, Nos. 26069, 26915 and three 26070	40
26918	1518	Tape Holder Tape Guide for 35822	——
26919	1016	" " " " " 26913	——
27070	363	Under Driver Shaft Driving Pulley (sectional, grooved) 10 in. diam., $1\frac{3}{16}$ in. bore, with two 597c, for 27645 and 27771	45
27114	6506	Knife Bar Coupling Pin Spring for 46407	02
27323	1105	" Grinder Knife Holder Guide Bar for 41721	05
27473	1101	Under Driver Cone Pulley Centre Bearing for 27509	08
27474	363	Under Driver Dress Guard (right hand) for 27644	08
27483	1101	Under Driver Lever Brake Spring for 27644	02
27485	1101	Under Driver Lever Hinge Pin for 27644	01
27497	1101	" " " Brake Strip (leather) for 27644	02
27508	362	Under Driver Belt Guard for 27644	08
27509	362	" " Cone Pulley (grooved) three speed, 2½ in., 3¾ in. and 5¼ in. diam., with 27473, for 27644	60
27564	1104	Knife Grinder Frame with 27574, for 41721	75
27565	1104	Cutter Grinder Emery Wheel, 2 in. diam., for 27934	25
27565	1104	Knife Grinder Emery Wheel, 2 in. diam., for 41721	25

NO.	PLATE	NAME	EACH
27567	1105	Cutter Grinder Emery Wheel Shaft for 27934	$1 00
27567	1105	Knife Grinder Emery Wheel Shaft for 41721	1 00
27568	1105	Cutter Grinder Emery Wheel Shaft Oil Hole Cover (rubber) for 27934	01
27568	1105	Knife Grinder Emery Wheel Shaft Oil Hole Cover (rubber) for 41721	01
27569	1105	Cutter Grinder Emery Wheel Shaft Pulley for 27934	30
27569	1105	Knife Grinder Emery Wheel Shaft Pulley for 41721	30
27572	1104	Knife Grinder Knife Holder Guide Bar Bracket with 27574, for 41721	30
27573	1105	Cutter Grinder Cutter Holder Bracket Spring for 27934	05
27573	1105	Knife Grinder Knife Holder Guide Bar Bracket Spring for 41721	05
27574	1105	Cutter Grinder Cutter Holder Bracket Spring Hook for 27925 and 27927	02
27574	1105	Knife Grinder Knife Holder Guide Bar Bracket Spring Hook for 27564 and 27572	02
27598	——	Under Driver Driving Pulley Friction Ring (leather) for 27630 and 27756	05
27600	1101	Under Driver Driving Pulley Hollow Stud Position Stud for 27631	02
27623	2837	Thread Unwinder Spool Pin for 41435, 41531 and 41535	08
27630	362	Under Driver Driving Pulley (grooved) 6 in. diam., with 433C, 27598 and two 7958, for 27644	60
27631	1101	Under Driver Driving Pulley Hollow Stud with 27600, for 27644	15
27632	——	Under Driver Driving Pulley Hollow Stud Wick for 27633	01

Nos. 27633 to 27635 for 27644.

NO.	PLATE	NAME	EACH
27633	——	Under Driver Driving Pulley Hollow Stud Wick Wire with 27632	05
27634	362	Under Driver Frame	60
27635	362	" " Oil Cup	25
27636	363	" " Treadle for 27642	30

Nos. 27637 to 27639 for 27640.

NO.	PLATE	NAME	EACH
27637	362	Under Driver Treadle Pitman Rod (lower)	05
27638	1101	" " " " " " Spring	03

NO.	PLATE	NAME	EACH
27639	362	Under Driver Treadle Pitman Rod (upper)	$ 05
27640	362	Under Driver Treadle Pitman complete for 27643, Nos. 2762, 9079 and 27637 to 27639	35
27642	——	Under Driver Treadle complete for 27643, Nos. 2878, 9082, 27636 and four wood Screws 1 in. No. 16	45
27643	——	Under Driver Treadle and Pitman complete for 27645 and 27771, Nos. 27640 and 27642	80
27644	——	Under Driver Transmitter complete for 27645, Nos. 138E, 356C, 427E, 649E, 1508E, 12178, 27474, 27483, 27485, 27497, 27508, 27509, 27630, 27631, 27633 to 27635, 41338, two 127E and four wood screws 1½ in. No. 16	3 00
27645	——	Under Driver, lever pressure, three speed, right hand (oil controlling pulley) complete, Nos. 27070, 27643 and 27644	4 00
27659	1105	Knife Grinder Knife Holder Stop Collar with 237F, for 41721	10
27662	1104	Wrench for 1508 and 1516 for 27934 and 41721	15
27739	2837	Thread Unwinder Thread Cone (wood) for 41438, 41533 and 41537	05

Nos. 27750 to 27757 for 27770.

NO.	PLATE	NAME	EACH
27750	2640	Under Driver Cone Pulley (grooved) two speed, 3¾ in. and 5¼ in. diam., with 878D and 12459	60
27751	2641	Under Driver Driving Pulley Shaft Ball Bearing Collar	25
27752	2641	Under Driver Driving Pulley Shaft Ball Bearing Collar Pin	04
27753	2641	Under Driver Cone Pulley Ball Bearing Adjusting Ring	15
27754	2641	Under Driver Driving Pulley Shaft Screw Bearing Ball Case (left) Friction Stud Extension Pin	02
27755	2640	Under Driver Dress Guard	10
27756	2640	" " Driving Pulley (grooved) 6 in. diam., with 315C, 7958 and 27598.	60
27757	2641	Under Driver Driving Pulley Shaft	60
27758	2641	" " " " " Ball Safety Washer for 27760 and 27765	01
27759	2641	Under Driver Driving Pulley Shaft Screw Bearing Ball Case (left) for 27760	20

NO.	PLATE	NAME	EACH
27760	——	Under Driver Driving Pulley Shaft Screw Bearing Ball Case (left) complete for 27770, Nos. 27758, 27759, 27761 to 27763 and twelve 25303....................	$ 50

Nos. 27761 to 27763 for 27760.

NO.	PLATE	NAME	EACH
27761	2641	Under Driver Driving Pulley Shaft Screw Bearing Ball Case (left) Friction Stud.	10
27762	2641	Under Driver Driving Pulley Shaft Screw Bearing Ball Case (left) Friction Stud Ball Plate..........................	05
27763	2641	Under Driver Driving Pulley Shaft Screw Bearing Ball Case (left) Friction Stud Ball Plate Washer..................	01
27764	2641	Under Driver Driving Pulley Shaft Screw Bearing Ball Case (right) for 27765....	20

Nos. 27765 to 27767 for 27770.

NO.	PLATE	NAME	EACH
27765	——	Under Driver Driving Pulley Shaft Screw Bearing Ball Case (right) complete, Nos. 27758, 27764 and eight 25303.........	30
27766	2640	Under Driver Frame with two 1122c....	75
27767	2640	" " Lever with 27768 and two 27878..............................	35
27768	2642	Under Driver Lever Brake (leather) two pieces, for 27767.....................	03
27769	2642	Under Driver Lever Spring for 27770....	10
27770	——	Under Driver Transmitter complete for 27771, Nos. 348c, 1092E, 1093c, 1507E, 1513E, 2718, 27750 to 27752, 27754 to 27757, 27760, 27765 to 27767, 27769, two each 1143c, 27753, 27795, three wood screws 2 in. No. 16 and twenty-two 25303..........................	3 00
27771	——	Under Driver (ball bearing) lever pressure, two speed, right hand, complete, Nos. 27070, 27643 and 27770..............	4 00
27795	2641	Under Driver Cone Pulley Ball Bearing Adjusting Ring Set Screw Washer for 27770.......................per 100	25
27822	1105	Cutter Grinder Emery Wheel Clamping Nut Washer for 27934...............	10
27822	1105	Knife Grinder Emery Wheel Clamping Nut Washer for 41721...............	10
27878	2642	Under Driver Lever Brake Rivet for 27767.............................	01

Nos. 27925 to 27933 for 27934.

NO.	PLATE	NAME	EACH
27925	4874	Cutter Grinder Frame with 27574.......	$ 75
27926	4875	" " Cutter Holder..........	25
27927	4874	" " " " Bracket with 27574..........................	30
27928	4875	Cutter Grinder Cutter Holder Clamp with 27930...............................	15
27929	4875	Cutter Grinder Cutter Holder Clamp Spring...............................	03
27930	4875	Cutter Grinder Cutter Holder Clamp Steady Pin for 27928...............	05
27931	4875	Cutter Grinder Cutter Holder Collar with two 460c...........................	15
27932	4875	Cutter Grinder Cutter Holder Handle...	05
27933	4875	" " " " Stop......	10
27934	——	Cutter Grinder complete for 62-30 Machine, Nos. 261D, 286D, 939D, 1508E, 27565, 27567, 27569, 27573, 27662, 27822, 27925 to 27929, 27931 to 27933, two 27568, three wood screws 1 in. No. 10 and four each 310F and 1516D......	4 50
27940	2837	Thread Unwinder Spool Stand with 453c, for 41438, 41533 and 41537..........	20
28809	1016	Tape Holder (straight) 8 in. disc, complete, Nos. 13211, 26073, 26913 and 26917...	1 15
28991	2148	Welt Guide Width Guide for 35269......	50
28994	2116	Tape Holder (5 in. diam.) with two wood screws 1¼ in. No. 10, for under the bench, for Two-Needle Machines.....	1 50
29086	6509	Vibrating Presser Bar Spring for 46402..	02
32572	6524	Tension (upper thread, automatic) Releasing Disc for 62-45 and 62-50 Machines..........................	05
35095	2112	Tweezers, 6 in. (Attachments and Accessories)........................	40
35250	6477	Presser Foot Spring for 35993 and 36350.	02

Nos. 35260 to 35268 for 35269.

NO.	PLATE	NAME	EACH
35260	2148	Welt Guide Bed......................	2 00
35261	2148	" " " Extension............	75
35262	2148	" " " Spring................	20
35263	2148	" " " " Cap (left).......	15
35264	2148	" " " " " (right)......	15
35265	2148	" " Cap with 7480............	1 75
35266	2148	" " Slide with 35267...........	50
35267	2148	" " " Stud for 35266........	05
35268	2148	" " Switch Lever with 7480.....	75

NO.	PLATE	NAME	EACH
35269	2148	Welt Guide (adjustable) complete for 62-26 and 62-27 Machines, Nos. 106D, 910F, 10309, 26344, 28991, 35260 to 35266, 35268, two 240D, three 238D and four 590D	$7 00
35717	4849	Stay Guide (lower) for 35719	20
35718	4849	" " (upper) for 35719	20
35719	——	Stay Guide complete for 62-35 Machine, Nos. 35717 and 35718	40
35724	4848	Binder Ribbon Tension Block for 35728	30
35725	4848	" " " Pin for 35728	10
35726	4848	" " " Bracket with two 185H, for 36305 and 36498	30
35727	4848	Binder Ribbon Tension Stud for 35728	10
35728	4848	" " " " 35727 with 35724 and two 35725, for 36305 and 36498	60
35821	1518	Tape Holder Bracket Wire for 35822	—
35822	1518	Tape Holder Bracket Wire complete for 35827, Nos. 26918, 35821 and 35823	75
35823	——	Tape Holder Disc for 35822 and 35825	20
35824	1518	" " " Hub for 35825	25
35825	1518	Tape Holder Disc complete for 35827, Nos. 35823, 35824 and three 26070	45
35826	6480	Tape Holder Tension Adjusting Collar with 286D, for 35827	15
35827	1518	Tape Holder (straight) 6 in. disc, complete, for 62-42 Machine, Nos. 13211, 35822, 35825 and 35826	1 45
35859	2112	Oiler with Cap and 35861 for 35860	07
35860	——	" 35859 filled with oil (Attachments and Accessories)	10
35861	2112	Oiler Spout, 3½ in. long, for 35859	03
35908	——	Tape Holder Disc for 35909	15
35909	6479	" " " 35908 with 35910 and five 4604, for 35917	90
35910	6479	Tape Holder Disc Hub for 35909	75
35911	6480	" " Shaft for 35917	75
35912	6480	" " " Bushing with 35913, for 35917	1 25
35913	6480	Tape Holder Shaft Bushing Guide for 35912	40

Nos. 35914 TO 35916 FOR 35917.

NO.	PLATE	NAME	EACH
35914	6480	Tape Holder Spindle	30
35915	6479	" " Stand	75
35916	6480	" " Tension Spring	25

NO.	PLATE	NAME	EACH
35917	——	Tape Holder, 10 in. disc, complete, for 62-28 Machine, Nos. 288D, 793D, 35909, 35911, 35912, 35914 to 35916 and three wood screws 1 in. No. 10	$5 00
35964	2112	Stiletto (Attachments and Accessories)	10

Nos. 35990 TO 35992 FOR 35993.

NO.	PLATE	NAME	EACH
35990	6477	Presser Foot Guide	1 25
35991	——	" " Plate	2 00
35992	——	" " Shank	75
35993	6477	Presser Foot (spring hinged) complete, with left hand stationary guide, for 26272, Nos. 233D, 26276, 35250 and 35990 to 35992	4 00
35998	4856	Edge Folder Holder with 8505 and 18116, for 36627	1 50
35998	4856	Folder Holder with 8505 and 18116, for 36027 and 36444	1 50
35998	4856	Lap Seam Feller Holder with 8505 and 18116, for 26272	1 50
36006	4849	Binder Friction Washer for 36199	05
36006	4849	Edge Folder Friction Washer for 36545	05
36006	4849	Hemmer Friction Washer for 36193	05
36007	4851	Throat Plate with 665D and 46075, for 36417 for 35269	1 75
36027	4856	Folder on Slide complete, for belt loops of trousers, for short lengths of material, for 62-38 Machine, Nos. 36326 to 36328, 36330 and two each 218B and 50004B	8 00
36028	4857	Feed Dog for 36027 and 36444	4 00
36029	——	Presser Foot Plate for 36031	2 75
36030	——	" " Shank for 36031 and 36446	75
36031	4857	Presser Foot (hinged) complete for 36027, Nos. 26276, 36029 and 36030	3 50
36032	4857	Throat Plate for 36028	3 50
36037	——	Presser Foot Plate for 36039	3 25
36038	——	" " Shank for 36039 and 36127	75
36039	4853	Presser Foot (hinged) with right hand edge folder, complete, for top facings for shoe linings, for 36040, Nos. 26276, 36037 and 36038	4 00
36040	4853	Edge Guide for 36039 for 62-25 Machine	50
36126	——	Presser Foot Plate for 36127	3 25
36127	4853	Presser Foot (hinged) with left hand edge folder, complete, for top facings for shoe linings, for 36128, Nos. 26276, 36038 and 36126	4 00

NO.	PLATE	NAME	EACH
36128	4853	Edge Guide for 36127 for 62-25 Machine	$ 50
36144	6478	Strip Folder on Slide 18114, to fold over the edges so that they will meet in centre with two lines of braid effect on under side of strip produced by coarse looper thread, for 62-36 Machine	4 50
36145	——	Presser Foot Plate for 36146	1 75
36146	6478	Presser Foot (hinged) complete, grooved on bottom for 36144, Nos. 26276, 36145 and 46087	2 50
36191	4858	Hemmer on Shank for 36193	5 50
36192	4850	Binder Hinge Plate for 36199	1 50
36192	4850	Edge Folder Hinge Plate for 36545	1 50
36192	4858	Hemmer Hinge Plate for 36193	1 50
36193	4858	Hemmer on Shank (hinged) complete, for towels, for 62-25 Machine, Nos. 1425D, 36006, 36191 and 36192	7 00
36194	4851	Feed Dog for 36193 and 36199	1 50
36195	——	Presser Foot Plate for 36196	2 25
36196	4851	Presser Foot (hinged) complete for 36193, Nos. 26276, 36195 and 46057	3 00
36197	4851	Throat Plate for 36194	1 25
36198	4850	Binder on Shank for 36199	6 50
36199	4850	Binder on Shank (hinged) complete, for mattress work, for 62-25 Machine, Nos. 1425D, 36006, 36192 and 36198	8 00
36200	——	Presser Foot Body for 36203	2 00
36201	4851	" " Tension Plate with 36202, for 36203	1 00
36202	4851	Presser Foot Tension Plate Guide Pin for 36201	15
36203	4851	Presser Foot (tension plate) complete for 36199, Nos. 93H, 2656, 36200 and 36201	3 00
36301	6475	Lap Seam Feller, to turn top edge only, for 62-25 Machine	2 50
36302	6475	Feed Dog for 36301	1 00
36303	6475	Presser Foot for 36301	1 00
36304	6475	Throat Plate for 36302	1 00
36305	4847	Binder with 36306 and two 1443F, for 62-28 Machine	11 00

Nos. 36306 to 36308 for 36305 and 36498.

36306	4847	Binder Bracket with two 194D	2 00
36307	4848	" " Lock Spring	75
36308	4847	" " Plate	1 50

Nos. 36326 to 36328 for 36027.

36326	4856	Folder	4 50

NO.	PLATE	NAME	EACH
36327	4856	Folder Block	$ 50
36328	4856	" Tongue with 36567	2 25
36330	4856	" Slide for 36027	75

Nos. 36347 to 36349 for 36350.

36347	6477	Presser Foot Guide	1 25
36348	——	" " Plate	2 00
36349	——	" " Shank	75
36350	6477	Presser Foot (spring hinged) complete, with right hand stationary guide, for 26272, Nos. 233D, 26276, 35250 and 36347 to 36349	4 00
36352	——	Presser Foot Plate for 36354	7 25
36353	——	" " Shank for 36354, 36356 and 36358	75
36354	6554	Presser Foot (strip folding) hinged, complete, for general work, for 62-42 Machine, 36360 and 36361, Nos. 26276, 36352 and 36353	8 00
36355	——	Presser Foot Plate for 36356	7 25
36356	6554	Presser Foot (strip folding) hinged, complete, for lawn, for 62-42 Machine, 36360 and 36361, Nos. 26276, 36353 and 36355	8 00
36357	——	Presser Foot Plate for 36358	7 75
36358	6554	Presser Foot (strip folding) hinged, complete, grooved for $\frac{1}{16}$ in. to $\frac{3}{16}$ in. cord, for cord covered headings, for 62-42 Machine, 36360 and 36361, Nos. 26276, 36353 and 36357	8 50
36359	6481	Edge Folder (adjustable) on Shank, for bottom of skirts, etc., for 46470, obsolete	8 00

Nos. 36360 to 36362 for 52513 for 62-42 Machine

36360	4852	Edge Folder on Shank, for joined or endless ruffles, for right hand needle only, to be used with either 36354, 36356 or 36358	3 50
36361	4852	Edge Folder on Shank, for folded headings, used without covering strip, for two row stitching	3 50
36362	4852	Edge Folder on Shank, for folded headings ($\frac{3}{8}$ in. wide) used without covering strip, for two row stitching	4 00
36363	4854	Edge Guide (adjustable) on Shank, for bottom of skirts, etc., for 46470 for 62-42 Machine	3 50

NO.	PLATE	NAME	EACH
36364	4852	Edge Guide on Shank, for joined or endless ruffles, for right hand needle only, for 52513 for 62-42 Machine, to be used with either 36354, 36356 or 36358.....	$3 00
36380	4851	Lifting Presser Foot for 35269 for 62-27 Machine..........................	80
36381	4851	Vibrating Presser Foot for 35269 for 62-27 Machine..........................	80
36384	4849	Lap Seam Guide on Shank for 62-44 Machine..........................	1 25
36417	4851	Feed Dog for 35269..................	75
36418	4851	Presser Foot for 35269 for 62-26 Machine	75

Nos. 36440 to 36443 for 36444.

NO.	PLATE	NAME	EACH
36440	4855	Folder..............................	6 75
36441	4855	" Block.........................	75
36442	4855	" Tongue.......................	3 50
36443	4855	" Slide..........................	1 00
36444	4855	Folder on Slide complete, for buckle straps, for short lengths of material, for 62-38 Machine, Nos. 36440 to 36443 and two each 131B and 50004B...........	12 00
36445	——	Presser Foot Plate for 36446............	2 75
36446	4857	Presser Foot (hinged) complete for 36444, Nos. 26276, 36030 and 36445.........	3 50
36473	4849	Binder on Block with two 910F, for 62-48 Machine..........................	4 00
36474	4849	Binder Pin (long) for 36476............	01
36475	4849	" " (short) for 36476...........	01
36476	4849	" Plate with 36474 and 36475, for 36473.............................	50
36498	4847	Binder with 36306, 36499 and two each 662D and 1443F, for neck binding, for selvage edge material, for 62-28 Machine	12 00
36499	4848	Binder Tension Spring for 36498........	75
36528	6556	Presser Foot for 36532.................	6 75
36529	6556	" " Edge Folder for 36532......	4 50
36530	6556	" " " Guide for 36532......	3 00
36530	6556	" " " " (lower) for 36540	3 00
36531	6556	" " Ruffle Retaining Blade for 36532 and 36540..................	75
36532	6556	Presser Foot complete, with left hand upper folder and right hand lower guide, for 62-43 Machine, Nos. 36528 to 36531, two 664D and four 665D..............	15 00

Nos. 36533 to 36536 for 36537.

NO.	PLATE	NAME	EACH
36533	6557	Presser Foot..........................	$5 00
36534	6557	" " Edge Folder (lower)........	5 00
36535	6557	" " " " (upper)........	4 50
36536	6557	" " Ruffle Retaining Blade.....	50
36537	6557	Presser Foot (lap seam feller) complete for 62-43 Machine, Nos. 36533 to 36536 and six 665D.......................	15 00
36538	6558	Presser Foot (strip folding) for 36540....	10 00
36539	6558	" " Edge Guide (upper) for 36540............................	3 00
36540	6558	Presser Foot (strip folding) complete, with right hand upper guide and left hand lower guide, for 62-43 Machine, Nos. 36530, 36531, 36538, 36539, two 664D and four 665D......................	17 00
36541	4849	Strip Folder on Shank for 62-43 Machine.	3 00
36544	4850	Edge Folder on Shank for 36545........	6 50
36545	4850	Edge Folder on Shank (hinged) complete, for bottom of skirts, etc., for 62-42 Machine, Nos. 1425D, 36006, 36192 and 36544............................	8 00
36557	4846	Guide Chip Guard for 36573 for 62-32 Machine..........................	15
36567	4856	Folder Tongue Tip for 36328...........	50
36573	4846	Guide (cast iron) for 62-32 Machine.....	15
36596	4848	Binder Edge Guide for 36305...........	50
36599	6476	Lap Seam Feller (right hand) on Slide 18114 for 62-36 Machine............	3 40
36600	6478	Feed Dog, for 1/4 in. to 3/8 in. gauge, for 36599 and 36609....................	2 00
36601	——	Presser Foot Plate for 36603...........	1 75
36602	——	" " Shank for 36603...........	75
36603	6478	Presser Foot (hinged) complete for 36599 and 36609, Nos. 26276, 36601 and 36602	2 50
36604	6478	Throat Plate for 36600................	1 75
36609	6476	Lap Seam Feller (left hand) on Slide 18114 for 62-36 Machine..................	3 40
36627	6584	Edge Folder (left hand) on Slide with separating blade and left hand upper guide, for 62-29 Machine............	4 50
36628	6570	Strip Folder for 36630................	10 00
36629	6570	" " Foot for 36630............	4 00
36630	6570	Strip Folder with Presser Foot complete, for folding the top edging of casket lining, for 62-29 Machine, Nos. 76D, 197D, 2818, 36628, 36629 and 36631....	15 00

NO.	PLATE	NAME	EACH
36631	6570	Strip Folder Ruffling Blade Tripping Arm for 36630	$1 00
38008	6492	Needle Bar (hollow) with 857H, for 62-30 Machine	75
38010	——	Presser Foot Shank for 38048 and obsolete for 38366	60
38012	6495	Roller Presser complete, 1¼ in. coarse roller, for 46065 for 62-26 Machine, Nos. 176D, 440F, 1549D, 1923, 2205, 12257, 46037, two 316F and three 1547D	1 05
38014	——	Presser Foot Plate for 46309	1 75
38043	——	" " " " 38044	1 00
38044	6547	Presser Foot (hinged) complete for 62-30 Machine, Nos. 11833, 23907 and 38043	1 75
38047	——	Presser Foot Plate for 38048	65
38048	6544	Presser Foot (hinged) complete for 38428 and 52552 for 62-26 Machine, Nos. 7298, 38010 and 38047	1 25
38081	6541	Roller Needle Guard with 242D and 38082, for 24000 and 38286, obsolete	75
38082	6541	Roller Needle Guard Edge Guide for 38081, obsolete	20
38093	6508	Needle Bar (hollow) with 1072F, for 62-32 Machine	60
38094	6548	Throat Plate Cutting Bar for 46426 and 52727	30
38095	6565	Throat Plate Slide for 46426, obsolete	20
38096	6548	" " " Spring for 46426 and 52727	05
38100	6532	Oil Cup Packing (felt) for 46381	01
38100	6532	" " (front of arm) Packing (felt) for 46381	01
38105H	6486	Cloth Plate Slide (right) with 1602H, for 46079	30
*38127	——	Feed Eccentric for 38128 and 52731	2 50
*38127	——	" (lower) Eccentric for 38128	2 50
38128	6491	Feed Eccentric (adjustable) complete for 62-25 to 62-27, 62-29 to 62-32, 62-35 to 62-42, 62-44 to 62-46, 62-48, 62-50, 62-51 and 62-53 Machines, Nos. 196F, 934D, 1103C, 21331, 21332, 23729, 38127 and two 443C	5 00
38128	6491	Feed (lower) Eccentric (adjustable) complete for 62-47 Machine, Nos. 196F, 934D, 1103C, 21331, 21332, 23729, 38127 and two 443C	5 00

NO.	PLATE	NAME	EACH
38150	6532	Cutting Plate for 46331 and 52636, obsolete	$ 40
38152	6503	Cutting Plate Adjusting Slide for 46331 and 52636	2 00
38155	6503	Cutting Plate Friction Plate for 46331 and 52636	25
38179	6582	Ruffling Arm (upper) with two 190D, for 52806	1 25
*38184	——	Ruffling Regulator Connecting Rod Cap for 52812	—
38209	6510	Thread (under) Nipper Eccentric with 465C, for 62-25 and 62-35 Machines, obsolete	50
38210	6497	Thread (under) Nipper Spring (lower)	15
38211	6497	" " " " (upper)	25
38219	6541	Roller Arm for 24000 and 52671	15
38225	6497	Thread (under) Eyelet (back)	10
38284	6497	" " " (front)	05
38285	6541	Roller Arm for 38286 and 52670	15
38286	6541	Roller Presser complete, ⅞ in. coarse roller, for 62-37 Machine, Nos. 171F, 176D, 440F, 1549D, 1868, 7556, 38081, 38285, 38302, two 316F and three 1547D, obsolete	1 75
38296H	——	Cloth Plate Slide (right) with 1602H, for 46097, obsolete	30
38302	6541	Roller Arm Bracket for 24000, 38286, 52670 and 52671	20
38329	6491	Arm Rotary Shaft Collar with two 457C, for all machines except 62-42	25
38365	——	Presser Foot Plate for 38366	1 00
38366	6551	Presser Foot (hinged) complete for 46065 for 62-37 Machine, Nos. 7298, 38365 and 46091	1 75
38384	2114	Lifting Lever Connecting Rod for 38385, 52524, 52551 and 52606	05
38385	——	Knee Lifter complete (bench stand) for 62-25 to 62-28, 62-30, 62-31, 62-35 to 62-41, 62-43 to 62-46 and 62-48 to 62-51 Machines, Nos. 802D, 1002D, 23759, 23761, 23767 and 38384	1 60
38393	6493	Looper Thread Guard for 38434, 46066, 46203, 46335 and 52618	03
38393	6493	Looper (back) Thread Guard for 52536	03
*38410	——	Arm, upper and lower (solid) for 62-25 and 62-26 Machines, obsolete	20 00

NO.	PLATE	NAME	EACH
38411	6531	Arm Rock Shaft Crank (back) with two 1497c, for 62-25 to 62-27, 62-30, 62-31, 62-35 to 62-37, 62-39 to 62-41, 62-45 and 62-46 Machines, obsolete.........	$ 80
38412	6491	Arm Rock Shaft Crank (front) with 143c, for 62-25, 62-26, 62-28 to 62-31, 62-35 to 62-40, 62-42, 62-43, 62-45, 62-46, 62-48 to 62-51 and 62-53 Machines..	1 25
38413	6482	Arm Rotary Shaft for 62-25 to 62-27, 62-30, 62-35 to 62-37, 62-39 to 62-41, 62-45 and 62-46 Machines, obsolete..........................	3 00
38414	6483	Cloth Plate for 38421, 46109, 46256 and 52529............................	2 50
38415	——	Cloth Plate Slide (large) with 1602H, for 38417............................	60
38416	6500	Cloth Plate Slide (large) Spring for 38417, 46108, 46255, 46265, 46470 and 52528.	05
38416	6500	Cloth Plate Slide (large) Spring (right) for 46435..........................	05
38417	6486	Cloth Plate Slide (large) complete for 38421, Nos. 38415, two 38416 and four 725H............................	75
38418	——	Cloth Plate Slide (left) for 38420........	30
38418	——	" " " (small) for 38420.......	30
38419	6500	" " " (left) Spring for 38420, 46323H, 46462 and 52649H...........	05
38419	6500	Cloth Plate Slide (small) Spring for 38420 and 46437..........................	05
38420	6486	Cloth Plate Slide (left) complete for 46401, Nos. 38418, 38419 and two 725H......	40
38420	6486	Cloth Plate Slide (small) complete for 38421, 46097, 46109, 46256, 46266, 46471, 52529 and 52687, Nos. 38418, 38419 and two 725H................	40
38421	——	Cloth Plate complete for 62-25, 62-35, 62-37, 62-39, 62-41, 62-47, 62-50 and 62-51 Machines, Nos. 38414, 38417 and 38420............................	3 65
38422	6538	Crank Connecting Rod with 38423 and two 158E, for 62-25, 62-26, 62-35 to 62-40 and 62-46 Machines, obsolete...	1 25
*38423	——	Crank Connecting Rod Cap for 38422, obsolete...........................	—
38424	6514	Face Plate for 62-25, 62-26, 62-35 and 62-36 Machines, obsolete............	50

NO.	PLATE	NAME	EACH
38425	6490	Feed Bar with 231c and 460c, for 62-25 to 62-27, 62-29, 62-32, 62-35 to 62-46, 62-48, 62-50, 62-51 and 62-53 Machines	$2 50
38425	6490	Feed (back) Bar with 231c and 460c, for 62-28 Machine......................	2 50
38425	6490	Feed (lower) Bar with 231c and 460c, for 62-47 Machine......................	2 50
38426	6491	Feed Bar Slide Block for 62-25 to 62-27, 62-29 to 62-32, 62-35 to 62-46, 62-48, 62-50, 62-51 and 62-53 Machines......	50
38426	6491	Feed (back) Bar Slide Block for 62-28 and 62-49 Machines....................	50
38426	6491	Feed (lower) Bar Slide Block for 62-47 Machine..........................	50
38427	6490	Feed Connecting Rod with 1057E, 23865 and two 896E, for 62-25 to 62-27, 62-29 to 62-32, 62-35 to 62-46, 62-48, 62-50, 62-51 and 62-53 Machines............	1 50
38427	6490	Feed (back) Connecting Rod with 1057E, 23865 and two 896E, for 62-28 and 62-49 Machines..........................	1 50
38427	6490	Feed (lower) Connecting Rod with 1057E, 23865 and two 896E, for 62-47 Machine	1 50
38428	6512	Feed Dog, 15 teeth (16 teeth to the inch) for 62-25 to 62-27 and 62-51 Machines.	75
38429	6491	Feed Lifting Eccentric with two 465c, for 62-25 to 62-27, 62-29, 62-30, 62-32, 62-35 to 62-46, 62-50, 62-51 and 62-53 Machines..........................	1 00
38429	6491	Feed (back) Lifting Eccentric with two 465c, for 62-28 Machine............	1 00
38429	6491	Feed (lower) Lifting Eccentric with two 465c, for 62-47 Machine............	1 00
38430	6531	Feed Lifting Eccentric Cover for 62-25, 62-26 and 62-35 to 62-37 Machines, obsolete..........................	10
38431	6492	Feed Rocking Frame for 62-25 to 62-27, 62-29 to 62-32, 62-35 to 62-46, 62-48, 62-50, 62-51 and 62-53 Machines......	1 25
38431	6492	Feed (lower) Rocking Frame for 62-47 Machine..........................	1 25
38432	6492	Feed Rocking Frame Bracket with two 465c, for 62-25 to 62-32, 62-35 to 62-46, 62-49 to 62-51 and 62-53 Machines...	50
38432	6492	Feed (lower) Rocking Frame Bracket with two 465c, for 62-47 Machine..........	50

NO.	PLATE	NAME	EACH
38433	6492	Feed Rocking Frame Hinge Pin for all machines except 62-47	$ 50
38433	6492	Feed (lower) Rocking Frame Hinge Pin for 62-47 Machine	50
38434	6529	Looper with 590D and 38393, for 62-25 Machine, obsolete, use 46335	2 25
38435	6512	Looper Bell Crank for 62-46 Machine and obsolete for 62-25 to 62-27, 62-30, 62-31, 62-35 to 62-37, 62-39 to 62-41 and 62-45 Machines	50
38436	6490	Looper Bell Crank Hinge Stud	1 00
38437	6538	" " " Pitman with 7320, 38438 and four 187D, for 62-25 to 62-27, 62-30, 62-31, 62-35 to 62-37, 62-39 to 62-41, 62-45 and 62-46 Machines, obsolete, use 46101	2 00
*38438	——	Looper Bell Crank Pitman Cap (upper) for 38437, obsolete	35
38439	6493	Looper Carrier with 1143C and two 1147C, for 62-25 to 62-32, 62-37 to 62-41, 62-50 and 62-51 Machines	1 50
38440	6493	Looper Carrier Hinge Pin	20
38441	6538	Looper Carrier Pitman complete for 62-25 to 62-27, 62-30, 62-31, 62-35 to 62-41, 62-45 and 62-46 Machines, Nos. 1697E, 1698E and 38445 to 38447, obsolete	3 25
38442	6529	Looper Carrier Pitman Ball Stud (left) for 38445	25
*38443	——	Looper Carrier Pitman End Bearing (left) for 38445	—
*38444	——	Looper Carrier Pitman End Bearing (right) for 38446	—
38445	6512	Looper Carrier Pitman Head (left) for 38441, 46175 and 52620, Nos. 38442, 38443, 42525 and two 187E	1 50
38446	6512	Looper Carrier Pitman Head (right) for 38441, 46175 and 52620, Nos. 38444, 42524, 50016C and two 187E	1 50
38447	6538	Looper Carrier Pitman Rod for 38441, obsolete, use 46243	10
38448	——	No. cancelled.	
38449	6540	Looper Carrier Rock Shaft for 62-25 and 62-35 Machines, obsolete	2 50
38450	6493	Looper Carrier Rock Shaft Crank (forked) with 159E	2 00
38451	6493	Looper Carrier Rock Shaft Crank Slide Block	50

NO.	PLATE	NAME	EACH
38452	6493	Looper Eccentric with two 465C, for all machines except 62-38	$1 00
38453	6494	Looper Shaft for all machines except 62-31, 62-48 and 62-49	50
38454	6540	Looper Shaft Bracket for 62-25 to 62-28, 62-30, 62-32, 62-35 to 62-44, 62-46, 62-47 and 62-50 Machines, obsolete, use 52553	30
38454	6540	Looper Shaft and Feed Lifting Eccentric Bracket for 62-31 and 62-48 Machines, obsolete, use 52553	30
38455	6492	Needle Bar (hollow) with 857H, for 62-25 to 62-29, 62-31, 62-48, 62-49 and 62-51 Machines	1 00
38456	6493	Lifting Presser Bar Bushing (upper) for 62-27, 62-32, 62-41, 62-44 and 62-47 Machines	50
38456	6493	Needle Bar Bushing	50
38456	6493	Presser Bar Bushing (upper) for 62-25, 62-26, 62-28 to 62-31, 62-35 to 62-40, 62-42, 62-43, 62-45, 62-46 and 62-48 to 62-51 and 62-53 Machines	50
38457	——	No. cancelled.	
38458	6494	Needle Bar Connecting Link for 62-25 to 62-31, 62-35 to 62-37, 62-39 to 62-44, 62-46 to 62-49, 62-51 and 62-53 Machines	50
38459	6494	Needle Bar Connecting Link Hinge Stud	30
38460	6494	" " " Stud with two 391E, for 62-25 to 62-31, 62-35 to 62-37, 62-39 to 62-44, 62-46 to 62-49, 62-51 and 62-53 Machines	1 00
38461	6510	Needle Guard for 62-25 Machine, obsolete	75
38461	6510	" " (back) for 62-35, 62-44 and 62-47 Machines	75
38462	6533	Oil Cup with 38463, for 62-26 and 62-27 Machines	20
38463	6533	Oil Cup Packing (felt) for 38462 and 46002	02
38463	6533	Oil Cup (tension) Packing (felt) for 46002	02
38464	6494	Lifting Presser Bar Bushing (lower) for 62-32 Machine, obsolete	80
38464	6494	Presser Bar Bushing (lower) for 62-25, 62-28, 62-29, 62-35, 62-36, 62-38 to 62-40, 62-43, 62-46, 62-48, 62-51 and 62-53 Machines and obsolete for 62-45 Machine	80

NO.	PLATE	NAME	EACH
38465	——	No. cancelled.	
38466	6494	Presser Bar Lifting Bracket with 453c and 892c, for 62-25, 62-26, 62-28 to 62-31, 62-35 to 62-40, 62-43, 62-45, 62-46, 62-48 to 62-51 and 62-53 Machines	$1 00
38467	6492	Lifting Presser Bar Spring (flat) for 62-27, 62-41 and 62-44 Machines.	50
38467	6492	Presser Bar Spring (flat) for 62-25, 62-28 to 62-31, 62-36 to 62-40, 62-42, 62-43, 62-46, 62-48 to 62-51 and 62-53 Machines and obsolete for 62-35 Machine.	50
38468	6494	Lifting Presser Bar Spring Stud for 62-27, 62-32, 62-41, 62-44 and 62-47 Machines	03
38468	6494	Presser Bar Spring Stud for 62-25, 62-26, 62-28 to 62-31, 62-35 to 62-40, 62-42, 62-43, 62-45, 62-46, 62-48 to 62-51 and 62-53 Machines.	03
38469	——	Presser Foot Plate for 38471.	85
38470	——	" " Shank for 38471.	65
38471	6544	Presser Foot (hinged) complete for 62-25 Machine, Nos. 2532, 38469 and 38470.	1 50
38472	6496	Slack Thread Regulator for 62-25, 62-26, 62-28 and 62-29 Machines.	1 50
38473	6496	Slack Thread Regulator Bracket with 172c and 1823, for 62-25, 62-26, 62-28, 62-29, 62-35 to 62-38, 62-43 and 62-53 Machines.	1 25
38474	6496	Slack Thread Regulator Bushing for 62-25, 62-26, 62-28, 62-29, 62-35 to 62-38, 62-43, 62-48, 62-49 and 62-53 Machines.	20
38474	6496	Thread (upper) Controller Bushing for 62-46 Machine and obsolete for 62-45 Machine.	20
38474	6496	Thread (upper) Controller (right) Bushing for 62-38 Machine, obsolete.	20
38475	6497	Thread (under) Take-up with 465c, for all machines except 62-38, 62-45 and 62-50	1 00
38476	6497	Thread (under) Take-up Thread Guard (left).	15
38477	6497	Thread (under Take-up Thread Guard (right).	20
38478	6497	Thread (under) Take-up Staple with two each 590D and 38481, for 62-25 to 62-32, 62-37, 62-39 to 62-41 and 62-48 to 62-51 Machines.	75
38479	6538	Thread (under) Take-up Staple Bracket for 62-25 and 62-35 Machines, obsolete	2 00

NO.	PLATE	NAME	EACH
38480	6540	Thread (under) Take-up Staple Spring for 62-25 and 62-35 Machines, obsolete	$ 05
38481	6497	Thread (under) Take-up Staple Thread Guard for 38478.	10
38482	6497	Thread (under) Take-up Stripper for all machines except 62-38, 62-45 and 62-50	60
38483	6496	Thread (upper) Controller for 62-25 to 62-32, 62-35 to 62-37, 62-39 to 62-44, 62-48, 62-49, 62-51 and 62-53 Machines	40
38484	6496	Thread (upper) Eyelet for 62-25, 62-26, 62-28, 62-29 and 62-51 Machines.	25
38485	6496	Thread (under) Take-up with 457c, for 62-25, 62-26, 62-28 and 62-29 Machines	80
38486	6542	Throat Plate for 38428 and 52552 for 62-25 Machine.	1 00
38487	2112	Threading Wire (Attachments and Accessories)	05
*38488		Arm, upper and lower (solid) for 62-35 to 62-37 Machines, obsolete.	20 00
38489	——	Arm Side Cover (upper) for 38490, obsolete.	15
38490	6538	Arm Side Cover (upper) 38489 with 38491 and two 26092, for 62-26, 62-35 to 62-39, 62-45 and 62-46 Machines, obsolete. . .	25
38491	6534	Arm Side Cover (upper) Thread Eyelet (double) for 38490, obsolete.	40
38492	6549	Feed Dog for 62-35 Machine.	2 75
38493	6510	Looper (back) with 590D and 38494, for 62-35 and 62-36 Machines.	2 25
38494	6510	Looper (back) Thread Guard (double) for 38493.	05
38495	6510	Looper (front) for 62-35 and 62-36 Machines.	2 25
38496	6510	Looper Carrier with 1120c and three 1147c, for 62-35, 62-36 and 62-42 to 62-47 Machines.	1 75
38497	6538	Needle Bar (hollow) with 15588, for 38498, obsolete.	60
38498	——	Needle Bar complete for 62-35 Machine, Nos. 8569, 38497 and 38499, obsolete, use 46052.	1 20
38499	6540	Needle Clamp with 38500 and two 1498F, for 38498, obsolete.	60
38500	6540	Needle Clamp Thread Guide for 38499, obsolete.	03
40247	6504	Feed (upper) Connecting Rod Hinge Pin for 62-47 Machine.	05

NO.	PLATE	NAME	EACH
40247	6504	Knife (movable) Connection Hinge Pin for 62-31 and 62-49 Machines.........	$ 05
41338	362	Under Driver Lever for 27644..........	25
41434	5571	Thread Unwinder Spool Rest for 41435..	40
41435	——	" " " " 41434 with 1149c and three each 155c and 27623, for 41438..........................	75
41438	5571	Thread Unwinder complete, for three large spools or three large cones of thread, Nos. 27940, 41435, 41632, 41640 and three each 27739, 41514 and wood screws 1 in. No. 12.................	2 30
41514	2837	Thread Unwinder Spool Weight, 4 in. diam., with 41515, for 41438, 41533 and 41537.............................	15
41515	6531	Thread Unwinder Spool Weight Centre Pin for 41514......................	05
41530	2837	Thread Unwinder Spool Rest for 41531..	30
41531	——	" " " " 41530 with 1149c and two each 155c and 27623, for 41533.............................	50
41533	2837	Thread Unwinder complete, for two large spools or two large cones of thread, Nos. 27940, 41531, 41631, 41640, two each 27739, 41514 and three wood screws 1 in. No. 12......................	1 80
41534	2838	Thread Unwinder Spool Rest for 41535..	50
41535	——	" " " " 41534 with 1149c and four each 155c and 27623, for 41537.............................	1 00
41537	2838	Thread Unwinder complete, for four large spools or four large cones of thread, Nos. 27940, 41535, 41633, 41640, three wood screws 1 in. No. 12 and four each 27739 and 41514...............	2 80
41569	6531	Thread Unwinder Thread Guard Eyelet for 41631 to 41633..................	02
41631	2837	Thread Unwinder Thread Guard with 208E and two 41569, for 41533........	35
41632	5571	Thread Unwinder Thread Guard with 208E and three 41569, for 41438...........	40
41633	2838	Thread Unwinder Thread Guard with 208E and four 41569, for 41537...........	45

NOS. 41637 TO 41639 FOR 41640.

NO.	PLATE	NAME	EACH
41637	2837	Thread Unwinder Thread Guard Rod (lower)...........................	10

NO.	PLATE	NAME	EACH
41638	2837	Thread Unwinder Thread Guard Rod (upper)...........................	$ 15
41639	2837	Thread Unwinder Thread Guard Rod Coupling with two 456c.............	20
41640	——	Thread Unwinder Thread Guard Rod complete, 30 in. long, for 41438, 41533 and 41537, Nos. 41637 to 41639.......	45
41717	——	Knife Grinder Knife Holder Body for 41719............................	25
41718	——	Knife Grinder Knife Holder Body for 41720............................	25
41719	6536	Knife Grinder Knife Holder complete for 46345 and 52744 for 41721, Nos. 38D, 574D, 1528H, 1656D, 11833 and 41717..	65
41720	6536	Knife Grinder Knife Holder complete for 46351 for 41721, Nos. 38D, 574D, 1528H, 1656D, 11833 and 41718.............	65
41721	——	Knife Grinder complete for 46345, 46351 and 52744, for 62-31 and 62-49 Machines, Nos. 261D, 1508E, 27323, 27564, 27565, 27567, 27569, 27572, 27573, 27659, 27662, 27822, 41719, 41720, two 27568, three wood screws 1 in. No. 10 and four each 310F and 1516D..	5 00
42007	6506	Knife Bar Guide Bar for 62-32 Machine.	15
42121	6496	Tension (under thread) Spring for 62-38, 62-45 and 62-46 Machines............	03
*42524	——	Looper Carrier Pitman Cap (right) for 38446.............................	—
*42525	——	Looper Carrier Pitman Cap (left) for 38445.............................	—
46001	6510	Needle Guard (front) for 62-35 and 62-47 Machines and for $\frac{3}{32}$ in. to $\frac{5}{32}$ in. gauge for 62-36 and 62-44 Machines........	75
46002	6533	Oil Cup with two 38463, for 62-39 and 62-47 Machines................	30
46002	6533	Oil Cup (tension) double, with two 38463, for 62-35, 62-37, 62-41 and 62-44 Machines.........................	30
46003	6533	Oil Cup (take-up) with 12443, for 62-35 and 62-37 Machines................	30
46004	6549	Presser Foot with 46005, 46006 and four 1208D, for 62-35 Machine............	2 50
46005	6549	Presser Foot Needle Guard (left) for 46004 and 46215.........................	25
46006	6549	Presser Foot Needle Guard (right) for 46004 and 46215...................	25

NO.	PLATE	NAME	EACH
46007	6510	Slack Thread Regulator for 62-35 to 62-37, 62-43 and 62-53 Machines......	$1 25
46008	——	No. cancelled, order 46047.	
46009	6510	Thread (upper) Controller (right) Thread Eyelet for 62-38 Machine, obsolete....	25
46009	6510	Thread (upper) Eyelet for 62-35 to 62-37, 62-40, 62-42, 62-43 and 62-53 Machines	25
46010	6510	Thread (upper) Take-up with 457c, for 62-35 to 62-37, 62-42, 62-43 and 62-53 Machines..........................	80
46011	6549	Throat Plate for 38492.................	1 75
46034	6496	Slack Thread Controller for 62-25, 62-26, 62-28, 62-29, 62-35 to 62-37, 62-42, 62-43, 62-46 and 62-53 Machines and obsolete for 62-38 Machine...........	05
46035	6518	Ruffling Separating Blade Bar Handle Stop Clamp for 62-42 Machine........	10
46035	6496	Slack Thread Controller Clamp for 62-25, 62-26, 62-28, 62-29, 62-35 to 62-38, 62-42, 62-43, 62-45, 62-46, 62-50 and 62-53 Machines..........................	10
46037	6495	Roller Arm Bracket for 38012...........	20
46040	6498	Thread (under) Take-up Staple Bracket with 910c, for all machines except 62-43	2 00
46041	6497	Thread (under) Take-up Staple Spring..	05
46042	6493	Looper Carrier Rock Shaft with two 175D.............................	2 50
46043	6493	Looper Carrier Rock Shaft Hinge Pin....	75
46046	2112	Threading Wire (Accessories) for 62-25 and 62-35 Machines, obsolete, use 38487	05
46047	6510	Thread (under) Take-up Staple for 62-35, 62-36, 62-42 to 62-44, 62-46, 62-47 and 62-53 Machines and obsolete for 62-45 Machine.....................	1 50
46048	——	No. cancelled.	
46049	6497	Thread (under) Nipper Cam with 465c..	50
46050	6494	Needle Guard for 62-25 to 62-29, 62-37, 62-39 to 62-41, 62-50 and 62-51 Machines and obsolete for 62-31, 62-32 and 62-49 Machines..........................	75
46051	6508	Needle Bar for 46052, 46117 and 46268..	60
46052	——	Needle Bar complete for 62-35, 62-36, 62-44, 62-47 and 62-53 Machines, Nos. 46051 and 46053....................	1 20
46053	6510	Needle Clamp with 46051 and two 1072F, for 46052..........................	60

NO.	PLATE	NAME	EACH
46054	6510	Needle Clamp Thread Guide (two pieces) for 46053...........................	$ 03
46055	6543	Feed Dog, for shoe linings, for 62-25 Machine and for 36040 and 36128 for the same machine....................	1 50
46056	----	Presser Foot Plate for 46058............	1 40
46057	----	" " Shank for 36196, 46058 and 46077............................	60
46058	6544	Presser Foot (hinged) complete for 62-25 Machine, Nos. 26276, 46056 and 46057	2 00
46059	6543	Throat Plate for 46055.................	1 50
46060	6477	Feed Dog, for $\frac{3}{32}$ in. to $\frac{1}{4}$ in. gauge, for 26272............................	2 75
46061	6477	Throat Plate for 46060 and 52724.......	3 00
46062	6477	Feed Dog, for $\frac{9}{32}$ in. to $\frac{3}{8}$ in. gauge, for 26272............................	2 75
46063	6477	Throat Plate for 46062 and 52655.......	3 00
46064	6544	Face Plate for 62-37 Machine, obsolete...	50
46065	6543	Feed Dog for 62-26, 62-37 and 62-50 Machines and obsolete for 62-32 Machine...........................	1 00
46066	6499	Looper with 590D and 38393, for 62-26, 62-27, 62-37, 62-39 to 62-41, 62-50 and 62-51 Machines.....................	2 25
46067	6508	Needle Bar (hollow) for 46068 and 46165	60
46068	----	Needle Bar complete for 62-37 Machine, Nos. 2273, 46067, 46069 and 46070, obsolete, use 46165..................	1 50
46069	6540	Needle Clamp with 462F and 46071, for 46068, obsolete, use 46166............	75
46070	6506	Needle Clamp Gib for 46068 and 46165..	15
46071	6540	" " Thread Guide for 46069, obsolete...........................	02
46072	6498	Lifting Presser Bar for 62-27 and 62-41 Machines..........................	30
46072	6498	Presser Bar for 62-37 and 62-50 Machines	30
46073	6493	Lifting Presser Bar Bushing (lower) for 62-27, 62-32, 62-41, 62-44 and 62-47 Machines..........................	80
46073	6493	Lifting Presser Bar Bushing (upper) for 62-44 Machine, obsolete..............	80
46073	6493	Presser Bar Bushing (lower) for 62-26, 62-37 and 62-50 Machines............	80
46074	6551	Throat Plate with 665D and 46075, for 46065 for 62-37 and 62-50 Machines...	1 50

NO.	PLATE	NAME	EACH
46075	6542	Throat Plate Thread Retainer for 36007, 46074, 46094, 46095, 46137, 46139, 46172, 46194, 46258, 46274, 46276, 46277, 46308, 46460, 52666 to 52668 and 52785	$ 10
46076	——	Presser Foot Plate for 46077	65
46077	6544	Presser Foot (hinged) complete for 46055, for glove work, for 62-25 Machine, Nos. 26276, 46057 and 46076	1 25
46078	6484	Cloth Plate for 46079	2 50
46079	——	Cloth Plate complete for 62-29, 62-36, 62-38 and 62-53 Machines, Nos. 286D, 1460H, 38105H, 46078, 46082 and 46462	4 00
46080	6550	Feed Dog, for $\frac{3}{32}$ in. to $\frac{5}{32}$ in. gauge, for general work, for 62-36 Machine and for $\frac{1}{32}$ in. to $\frac{5}{32}$ in. gauge, for 62-53 Machine	2 75
46081	6550	Feed Dog, for $\frac{3}{16}$ in. to $\frac{3}{8}$ in. gauge, for general work, for 62-36 and 62-53 Machines and for 36144	2 75
46082	6501	Folder Holder Seat Cover for 46079	50
46083	6506	Needle Guard (back) for 62-36 Machine	75
46084	6506	" " (front) for $\frac{3}{16}$ in. to $\frac{1}{4}$ in. gauge, for 62-36 and 62-44 Machines	75
46085	6506	Needle Guard (front) for $\frac{5}{16}$ in. to $\frac{3}{8}$ in. gauge, for 62-36 and 62-44 Machines	75
46086	——	Presser Foot Plate for 46088	1 25
46087	——	" " Shank for 36146, 46088, 46155 and 46178	75
46088	6568	Presser Foot (hinged) complete, for general work, for 62-36 and 62-53 Machines, Nos. 26276, 46086 and 46087	2 00
46089	6550	Throat Plate for 46080	2 50
46090	6550	" " " 46081	2 75
46091	——	Presser Foot Shank for 38366	75
46092	6492	Lifting Presser Bar for 62-44 and 62-47 Machines	30
46092	6492	Presser Bar for 62-26 and 62-30 Machines	30
46093	6492	" " Spring (flat) for 62-26 Machine	50
46094	6543	Throat Plate with 665D and 46075, for 46065 for 62-26 Machine	1 50
46095	6542	Throat Plate with 665D and 46075, for 38428 for 62-26 and 62-27 Machines and for 52552 for 62-26 Machine	1 50
46096	6484	Cloth Plate for 46097 and 46401	2 50
46097	——	Cloth Plate complete for 62-26 Machine, Nos. 286D, 38296H, 38420 and 46096, obsolete, use 46256	3 25

NO.	PLATE	NAME	EACH
46098	——	Presser Foot Plate for 46100	$ 65
46099	——	" " Shank for 46100 and 52625	60
46100	6544	Presser Foot (hinged) complete, for drawer finishing, for 46055 for 62-25 Machine, Nos. 26276, 46098 and 46099	1 25
46101	6512	Looper Bell Crank Pitman with 46102, 46103 and four 187D, for 62-46 Machine and obsolete for 62-25 to 62-27, 62-30, 62-31, 62-35 to 62-37, 62-39 to 62-41 and 62-45 Machines	2 00
*46102	——	Looper Bell Crank Pitman Cap (lower) for 46101	30
*46103	——	Looper Bell Crank Pitman Cap (upper) for 46101	35
46104	6499	Looper Needle Guard with 46105, for 62-27, 62-28, 62-32, 62-37 and 62-39 to 62-41 Machines	40
46105	6499	Looper Needle Guard Pin for 46104, 46204, 52622 and 52661	01
46105	6499	Looper (front) Needle Guard Pin for 46377	01
*46106	——	Arm, upper and lower (solid) for 62-45 and 62-46 Machines, obsolete	20 00
46107	——	Cloth Plate Slide (large) for 46108	60
46108	6489	Cloth Plate Slide (large) complete for 46109, Nos. 46107, two 38416 and four 725H	75
46109	——	Cloth Plate complete for 62-46 Machine and for $\frac{1}{32}$ in. to $\frac{3}{64}$ in., $\frac{3}{16}$ in. to $\frac{11}{32}$ in. and $\frac{1}{32}$ in. to $\frac{3}{64}$ in. gauges, for 62-45 Machine, Nos. 38414, 38420 and 46108	3 65
46110	6498	Face Plate for 62-30, 62-31, 62-39, 62-40, 62-46 and 62-51 Machines	50
46111	6533	Face Plate Pin for 62-25, 62-26, 62-28 to 62-31, 62-35 to 62-40, 62-43, 62-45, 62-46, 62-48 to 62-51 and 62-53 Machines	02
46112	6564	Feed Dog, for $\frac{1}{32}$ in. to $\frac{3}{64}$ in., $\frac{1}{4}$ in. to $\frac{11}{32}$ in. and $\frac{1}{32}$ in. to $\frac{3}{64}$ in. gauges, for 62-45 Machine, obsolete	2 25
46113	6500	Feed Lifting Eccentric Cover for 62-25 to 62-27, 62-29, 62-32, 62-35 to 62-46, 62-50, 62-51 and 62-53 Machines	10
46113	6500	Feed (back) Lifting Eccentric Cover for 62-28 Machine	10
46113	6500	Feed (lower) Lifting Eccentric Cover for 62-47 Machine	10

NO.	PLATE	NAME	EACH
46114	6525	Looper (back) with 590D and 46115, for 62-46 Machine and obsolete for 62-45 Machine	$2 25
46115	6511	Looper (back) Thread Guard (double) for 46114, 46375 and 46474	05
46116	6525	Looper (front) for 62-46 Machine and obsolete for 62-45 Machine	2 25
46117	——	Needle Bar complete for 62-45 and 62-46 Machines, Nos. 46051 and 46122	2 25
46118	——	Needle Clamp Body for 46122	1 00
46119	6522	" " Collar with 46120 and three 457F, for 46122	60
46120	6522	Needle Clamp Thread Guard for 46119	03
46121	6522	" " Washer for 46122	01
46122	6522	Needle Clamp complete for 46117, Nos. 46118, 46119 and 46121	1 60
46123	6523	Needle Guard (back) for 62-46 Machine and for $\frac{1}{32}$ in. to $\frac{3}{64}$ in., $\frac{1}{8}$ in. to $\frac{1}{4}$ in. and $\frac{1}{32}$ in. to $\frac{3}{64}$ in. gauges, for 62-45 Machine	75
46124	6523	Needle Guard (front) for 62-46 Machine and for $\frac{1}{32}$ in. to $\frac{3}{64}$ in., $\frac{1}{8}$ in. to $\frac{1}{4}$ in. and $\frac{1}{32}$ in. to $\frac{3}{64}$ in. gauges, for 62-45 Machine	75
46125	6508	Presser Bar Spring (flat) for 62-35 and 62-45 Machines	50
46126	6561	Presser Foot (right guide) with 337D and 46127, for 62-45 Machine	3 00
46127	6561	Presser Foot Guide (right) for 46126	1 25

Nos. 46128 to 46130 for 62-46 Machine and obsolete for 62-45 Machine.

NO.	PLATE	NAME	EACH
46128	6525	Slack Thread Regulator	1 50
46129	6525	" " " Bracket with 190D and 1981	1 25
46130	6525	Slack Thread Regulator Bushing	20
46131	6525	Thread (upper) Controller for 62-46 Machine and obsolete for 62-45 Machine	1 50
46131	6525	Thread (upper) Controller (right) for 62-38 Machine, obsolete	1 50
46132	6525	Thread (upper) Controller Eyelet (left) for 62-46 Machine and obsolete for 62-45 Machine	35
46133	6525	Thread (upper) Controller Eyelet (right) for 62-46 Machine and obsolete for 62-45 Machine	25

NO.	PLATE	NAME	EACH
46134	6525	Thread (upper) Controller Fork for 62-46 Machine and obsolete for 62-45 Machine	$ 80
46134	6525	Thread (upper) Controller (right) Fork for 62-38 Machine, obsolete	80
46135	——	No. cancelled.	
46136	6525	Thread (upper) Take-up with 457C, for 62-46 Machine and obsolete for 62-45 Machine	90
46137	6564	Throat Plate with two each 665D and 46075, for 46112, obsolete	2 25
46138	6564	Feed Dog, for $\frac{1}{32}$ in. to $\frac{3}{64}$ in., $\frac{3}{16}$ in. to $\frac{7}{32}$ in. and $\frac{1}{32}$ in. to $\frac{3}{64}$ in. gauges, for 62-45 Machine, obsolete	2 25
46139	6564	Throat Plate with two each 665D and 46075, for 46138, obsolete	2 25
46143	6551	Feed Dog for 62-38 Machine	2 00
46145	6501	Looper Bell Crank with 1259C, for 62-38 Machine	50

Nos. 46149 to 46152 for 62-38 Machine.

NO.	PLATE	NAME	EACH
46149	6511	Looper Eccentric with two 465C	1 00
46150	6508	Needle Bar (hollow) for 46151	60
46151	——	Needle Bar complete, Nos. 46150 and 46152	1 85
46152	6511	Needle Clamp with two 1498F, for 46151	1 25
46154	——	Presser Foot Plate for 46155	1 25
46155	6551	Presser Foot (hinged) complete for 62-38 Machine, Nos. 26276, 46087 and 46154	2 00
46162	6551	Throat Plate for 46143	3 00
*46163	——	Arm, upper and lower (solid) for 62-39 and 62-40 Machines, obsolete	20 00
46164	6552	Feed Dog for 62-39 and 62-41 Machines	75
46165	——	Needle Bar complete for 62-37, 62-39 and 62-50 Machines and for $\frac{1}{32}$ in., $\frac{5}{64}$ in. and all gauges between these, for 62-40 Machine, Nos. 2273, 46067, 46070 and 46166	1 50
46166	6506	Needle Clamp with 462F, for 46165	75
46167	6552	Presser Foot with 46168 and two 662D, for 62-39 Machine	2 00
46168	6552	Presser Foot Guide for 46167	50
46169	6500	Slack Thread Controller for 62-27, 62-30 to 62-32, 62-39 to 62-41, 62-48, 62-49 and 62-51 Machines	05
46170	6519	Thread (upper) Eyelet for 62-39, 62-41 and 62-47 Machines	25

NO.	PLATE	NAME	EACH
46171	6519	Thread (upper) Take-up with 223D, for 62-39 to 62-41, 62-44 and 62-47 Machines	$ 80
46172	6552	Throat Plate with 665D, 46075 and 46304, for 46164	1 50
46173	6561	Presser Foot (left guide) with 337D and 46174, for 62-45 Machine	3 00
46174	6561	Presser Foot Guide (left) for 46173	1 25
46175	6538	Looper Carrier Pitman complete for 62-38 Machine, Nos. 1697E, 1698E, 38445, 38446 and 46176, obsolete	3 25
46176	6512	Looper Carrier Pitman Rod for 46175 and 46367	10
46177	——	Presser Foot Plate for 46178	1 25
46178	6551	Presser Foot (hinged) complete with centre guide for 62-38 Machine, Nos. 26276, 46087 and 46177	2 00
46179	6490	Face Plate for 62-25, 62-26, 62-28, 62-29, 62-35 to 62-38, 62-43, 62-48, 62-49 and 62-53 Machines	50
46180	6542	Feed Dog, to guide the material $\frac{1}{16}$ in. from the needle, for 62-25 Machine	75
46181	——	Presser Foot Plate for 46183	85
46182	——	" " Shank for 46183	65
46183	6544	Presser Foot (hinged) complete for 46180, Nos. 26276, 46181 and 46182	1 50
46184	6542	Throat Plate for 46180	1 00
46185	6562	Feed Dog, for $\frac{1}{16}$ in., $\frac{3}{16}$ in. and $\frac{1}{16}$ in. gauges, for 62-46 Machine	1 75
46186	——	Presser Foot Plate for 46188	2 40
46187	——	" " Shank for 46188 and 46190	60
46188	6562	Presser Foot (hinged) complete, for continuous tucking, for 62-46 Machine, Nos. 26276, 46186 and 46187	3 00
46189	——	Presser Foot Plate for 46190	2 40
46190	6562	Presser Foot (hinged) complete, for space tucking, for 62-46 Machine, Nos. 26276, 46187 and 46189	3 00

Nos. 46191 to 46193 for 62-40 and 62-46 Machines

NO.	PLATE	NAME	EACH
46191	6562	Presser Foot Guide (left)	10
46192	6562	" " " (right)	10
46193	6562	" " " Holder with 223F and 1076F	50
46194	6562	Throat Plate with 46305, 46306 and two each 665D and 46075, for 46185	3 50

Nos. 46195 to 46201 for 46202

NO.	PLATE	NAME	EACH
46195	6507	Oil Cup (back of arm)	$1 00
46196	6507	" " " " " Cover with 460C	35
46197	6532	" " " " " " Spring	10
46198	6532	" " " " " " Stripper (felt)	02
46199	6532	Oil Cup (back of arm) Cover Thread Guide	05
46200	6532	Oil Cup (back of arm) Oil Pad (felt)	02
46201	6532	" " " " " Stripper (felt)	02
46202	——	Oil Cup (back of arm) complete for 62-45 Machine, Nos. 578F, 14057, 46195 to 46197, 46199, two each 46198, 46200, 46201 and four 665D	1 75
46203	6511	Looper with 590D and 38393, for 62-38 Machine	2 25
46204	6511	Looper Needle Guard with 46105, for 62-38 Machine	40

Nos. 46205 to 46207 for 62-38, 62-45 and 62-50 Machines.

NO.	PLATE	NAME	EACH
46205	6511	Needle Bar Connecting Link	40
46206	6511	" " " Stud with two 391E	1 50
46207	6513	Slack Thread Controller	20

Nos. 46208 to 46214 for 62-38 Machine.

NO.	PLATE	NAME	EACH
46208	6513	Slack Thread Regulator	1 50
46209	6513	" " " Arm	50
46210	6513	Thread (under) Take-up with 465C	1 00
46211	6513	" " " Staple	50
46212	6513	" " " Stripper	60
46213	6513	" (upper) Controller	60
46214	6513	" " Take-up	80
46215	6549	Presser Foot with 46005, 46006 and four 1208D, for staying welted seams, for 62-35 Machine	3 00
46216	6490	Arm Rock Shaft for 62-25, 62-26, 62-28 to 62-31, 62-35 to 62-40, 62-42, 62-43, 62-46 to 62-49, 62-51 and 62-53 Machines	1 00
46217	6491	Arm Rock Shaft Crank (back) with two 1497C, for all machines except 62-38	80
46218	6482	Arm Rotary Shaft for 62-25 to 62-30, 62-32, 62-35 to 62-37, 62-39 to 62-41, 62-43 to 62-47, 62-50, 62-51 and 62-53 Machines	3 00

NO.	PLATE	NAME	EACH
46260	6523	Needle Guard (front) for $\frac{1}{32}$ in. to $\frac{3}{64}$ in., $\frac{9}{32}$ in. to $\frac{11}{32}$ in. and $\frac{1}{32}$ in. to $\frac{3}{64}$ in. gauges, for 62-45 Machine	$ 75
46261	——	Chain, 13 in. long, for 46263	10
46262	6537	Rock Shaft complete for 46263, Nos. 2763, 2770, 6337, 7125, 16647 and two 7539	1 15
46263	——	Knee Lifter complete (power table) for 62-39 Machine, Nos. 802D, 1002D, 23759, 23761, 46261 and 46262	1 70
46264	——	Cloth Plate Slide (large) with 1602H, for 46265	60
46265	6488	Cloth Plate Slide (large) complete for 46266, Nos. 46264, two 38416 and four 725H	75
46266	——	Cloth Plate complete for 62-40 Machine, Nos. 38420, 46265 and 46278	3 65
46267	6566	Feed Dog for 62-40 Machine, obsolete	1 75
46268	——	Needle Bar complete, for $\frac{3}{32}$ in. to $\frac{1}{8}$ in. gauge, for 62-40 Machine, Nos. 46051 and 46269	1 85
46269	6511	Needle Clamp with two 735F, for $\frac{3}{32}$ in. to $\frac{1}{8}$ in. gauge, for 46268	1 25
46270	——	Presser Foot Shank for 46271 to 46273, 46309, 52638, 52641 and 52644	75

Nos. 46271 to 46273 for 62-40 Machine.

NO.	PLATE	NAME	EACH
46271	6553	Presser Foot (hinged) complete for general work, Nos. 18055, 23859 and 46270	1 75
46272	6553	Presser Foot (hinged) complete, for imitation cording and tucking, Nos. 18055, 23777 and 46270	2 25
46273	6553	Presser Foot (hinged) complete, for cording, Nos. 18055, 23778 and 46270	2 25
46274	6566	Throat Plate (flush) with 665D and 46075, for 46267, obsolete	2 00
46275	——	Throat Plate Body for 46276 and 46277, obsolete	1 90
46276	——	Throat Plate complete for 46267, for imitation cording and tucking, Nos. 665D, 23788, 23789, 46075 and 46275, obsolete	3 25
46277	6566	Throat Plate complete for 46267, for cording, Nos. 665D, 23787, 23789, 46075 and 46275, obsolete	3 50
46278	6484	Cloth Plate for 46266	2 50

NO.	PLATE	NAME	EACH
*46279	——	Arm, upper and lower (solid) for 62-41 Machine and obsolete for 62-27 and 62-44 Machines	$20 00
46280	6499	Arm Rock Shaft Crank (front) with 443C, for 62-27, 62-41 and 62-44 Machines	1 25
46281	6507	Face Plate with 735C and 46289, for 62-27 and 62-41 Machines	75
46282	6499	Lifting Presser Bar Lifting Bracket with 704C and 892C, for 62-27, 62-41 and 62-44 Machines	2 50
46283	6552	Lifting Presser Foot for 62-41 Machine	1 00
46284	6499	Vibrating Presser Bar Lifting Bell Crank Driving Arm with 157D, 602D and 1989, for 62-27, 62-41 and 62-44 Machines	1 25
46285	——	No. cancelled, order 1989.	
46286	6499	Vibrating Presser Bar for 62-27 and 62-41 Machines	75
46287	6499	Vibrating Presser Bar Lifting Bell Crank for 62-27, 62-41 and 62-44 Machines	1 50
46288	6499	Vibrating Presser Bar Spring for 62-27 and 62-41 Machines	02
46289	6499	Vibrating Presser Bar Stop (raw hide) for 46281, 46402 and 52533	01
46290	6552	Vibrating Presser Foot for 62-41 Machine	80
46291	6498	Arm Rock Shaft for 62-27, 62-41 and 62-44 Machines	1 00
46292	6508	Needle Bar (hollow) with 2269, for $\frac{1}{32}$ in. to $\frac{1}{16}$ in. gauge, for 46293	80
46293	——	Needle Bar complete for 62-41 Machine, Nos. 46292 and 46294	1 40
46294	6511	Needle Clamp with 50078F, for 46293	60
46295	——	No. cancelled.	

Nos. 46296 to 46298 for 46299.

NO.	PLATE	NAME	EACH
46296	6561	Presser Foot Guide (left)	1 50
46297	——	" " Plate	3 50
46298	——	" " Shank	2 00
46299	6561	Presser Foot (side hinged) with left guide, complete, for 62-45 Machine, Nos. 337D, 665D, 26276 and 46296 to 46298	7 00

Nos. 46300 to 46302 for 46303.

NO.	PLATE	NAME	EACH
46300	6561	Presser Foot Guide (right)	1 50
46301	——	" " Plate	3 50
46302	——	" " Shank	2 00
46303	6561	Presser Foot (side hinged) with right guide, complete, for 62-45 Machine, Nos. 337D, 665D, 26276 and 46300 to 46302	7 00

NO.	PLATE	NAME	EACH
46304	6552	Throat Plate Tongue for 46172	$ 15
46305	6562	" " Ridge Guide (long) for 46194	25
46306	6562	Throat Plate Ridge Guide (short) for 46194	25
46307	6564	Feed Dog, for $\frac{1}{32}$ in. to $\frac{3}{64}$ in., $\frac{1}{8}$ in. to $\frac{5}{32}$ in. and $\frac{1}{32}$ in. to $\frac{3}{64}$ in. gauges, for 62-45 Machine, obsolete	2 25
46308	6564	Throat Plate with two each 665D and 46075, for 46307, obsolete	2 25
46309	6553	Presser Foot (hinged) complete, for gang cording and pin tucking, for 62-40 Machine, Nos. 18055, 38014 and 46270.	2 50
46310	6544	Lifting Presser Foot for 62-27 Machine	80
46311	6500	Thread (upper) Eyelet for 62-27 and 62-30 to 62-32 Machines	25
46312	6500	Thread (upper) Take-up with 223D, for 62-27, 62-30 to 62-32, 62-48, 62-49 and 62-51 Machines	80
46313	6544	Vibrating Presser Foot for 62-27 Machine	80
46314	6512	Looper Bell Crank Pitman complete for 62-38 Machine, Nos. 1706E, 1713E and 46317 to 46319	3 25
*46315	——	Looper Bell Crank Pitman End Bearing (lower) for 46317	—
*46316	——	Looper Bell Crank Pitman End Bearing (upper) for 46318	—
		Nos. 46317 to 46319 for 46314.	
46317	6512	Looper Bell Crank Pitman Head (lower) Nos. 46228, 46229, 46315 and two 171E	1 50
46318	6512	Looper Bell Crank Pitman Head (upper) Nos. 46230, 46316, 50081C and two 171E	1 50
46319	6512	Looper Bell Crank Pitman Rod	20
*46320	——	Arm, upper and lower (solid) for 62-30 and 62-31 Machines, obsolete	22 00
46321	6483	Cloth Plate for 46324	2 50
46322H	——	" " Slide (left) for 46323	40
46323H	6488	Cloth Plate Slide (left) complete for 46324 and 52611, Nos. 38419, 46322H and two 725H	50
46324	——	Cloth Plate complete for 62-30 and 62-31 Machines, Nos. 286D, 46321, 46323H and 52631H	3 50
46325	6539	Cutting Lever for 46331, obsolete	40
46326	6539	" " Adjusting Slide for 46331, obsolete	2 00

NO.	PLATE	NAME	EACH
46327	6503	Cutting Lever Cap for 46331 and 52636	$ 40
46328	6539	" " Connection for 62-30 Machine, obsolete	1 25
46329	6539	Cutting Plate Bracket for 46331, obsolete	6 25
46330	6503	" " " Holder for 62-30 Machine	60
46331	----	Cutting Plate Bracket complete for 62-30 Machine, Nos. 87F, 1246C, 1389F, 1643D, 38150, 38152, 38155, 46325 to 46327, 46329, two each 190D, 1247C and four 207F, obsolete	12 20
46332	6498	Feed Bar with 231C, for 62-30 and 62-31 Machines	2 50
46332	6498	Feed (back) Bar with 231C, for 62-19 Machine	2 50
46333	6502	Feed Bar Bushing for 62-30 Machine	40
46334	6565	" Dog for 62-30 Machine, obsolete	2 50
46335	6493	Looper with 590D and 38393, for 62-25, 62-28 to 62-32 and 62-49 Machines	2 25
46336H	6500	Looper Eccentric Cover for 62-30, 62-31 and 62-19 Machines	05
46337	6502	Needle Guard for 62-30 and 62-32 Machines	75
46338	6502	Presser Bar Bushing (lower) for 62-30 Machine	60
46339	6565	Throat Plate for 46334, 46344, 52651 and 52652, obsolete	1 50
46340	——	Presser Foot Plate for 46342	3 25
46341	----	" " Shank for 46342 and 46369	75
46342	6545	Presser Foot (hinged) complete, grooved on bottom for ready folded top facings in long lengths, for 62-25 Machine, Nos. 18055, 46340 and 46341	4 00
46343	6482	Arm Rotary Shaft for 62-31, 62-48 and 62-49 Machines	3 00
46344	6565	Feed Dog for 62-31 Machine, obsolete	2 50
46345	6539	Knife (movable) obsolete, use 52744	60
		Nos. 46346 to 46349 for 62-31 and 62-49 Machines	
46346	6539	Knife (movable) Connection with 904C, obsolete	2 50
46347	6504	Knife (movable) Connection Crank	50
46348	6504	" " " " Bracket with 453C	60
46349	6504	Knife (movable) Connection Extension	1 00
46350	6528	" Bar Eccentric with two 457C, for 62-48 Machine	1 00

NO.	PLATE	NAME	EACH
46350	6528	Knife (movable) Eccentric with two 457C, for 62-31 and 62-49 Machines, obsolete	$1 00
46351	6504	Knife (stationary) for 46356	40
46352	6504	“ “ Adjusting Lever for 46356	50
46353	6539	Knife (stationary) Stop for 46356, obsolete	1 00
46354	6539	“ Bracket for 46356, obsolete	5 00
46355	6504	“ “ Holder with two 178F, for 62-31 and 62-49 Machines	1 25
46356	——	Knife Bracket complete for 62-31 and 62-49 Machines, Nos. 191C, 1012C, 1250F, 1554E, 46351, 46352, 52659, 52660, 52744 and two 203D	7 75
46357H	6531	Looper Eccentric Cover for 62-31 and 62-49 Machines, obsolete, use 46336	10
46358	6502	Looper Shaft and Feed Lifting Eccentric for 62-31 and 62-48 Machines	2 50
46359	6505	Presser Bar Bushing (lower) for 62-31 and 62-49 Machines	80
46360	——	Presser Foot Plate for 46362	1 00
46361	——	“ “ Shank for 46362, 52654 and 52677	75
46362	6547	Presser Foot (hinged) complete for 52658 for 62-31 Machine and for 52651 and 52652 for 62-49 Machine, Nos. 18055, 46360 and 46361	1 75

Nos. 46363 to 46365 for 62-38 Machine.

NO.	PLATE	NAME	EACH
*46363	——	Arm, upper and lower (solid)	20 00
46364	6511	“ Rock Shaft Crank (back) with two 1497C	80
46365	6482	Arm Rotary Shaft	3 00
46366	6507	“ Side Cover (upper) for 62-28, 62-32 and 62-44 Machines, obsolete	20
46367	6512	Looper Carrier Pitman complete for 62-38 and 62-42 Machines, Nos. 1708E, 1709E, 46176, 46241 and 46242	3 15
46368	——	Presser Foot Plate for 46369	3 25
46369	6545	Presser Foot (hinged) complete, for plain top facings in long lengths, for 62-25 Machine, Nos. 18055, 46341 and 46368	4 00
*46370	——	Arm, upper and lower (solid) with 381D and 46384, for 62-45 Machine and obsolete for 62-50 Machine	20 00
46371	6512	Arm Rock Shaft for 62-45 and 62-50 Machines	1 00
46372	6514	Face Plate for 62-45 and 62-50 Machines	50

Nos. 46373 to 46377 for 62-45 Machine.

NO.	PLATE	NAME	EACH
46373	6560	Feed Dog, for $\frac{1}{32}$ in. to $\frac{3}{64}$ in., $\frac{3}{16}$ in. to $\frac{7}{32}$ in. and $\frac{1}{32}$ in. to $\frac{3}{64}$ in. gauges	$2 25
46374	6560	Feed Dog, for $\frac{1}{32}$ in. to $\frac{3}{64}$ in., $\frac{1}{4}$ in. to $\frac{13}{32}$ in. and $\frac{1}{32}$ in. to $\frac{3}{64}$ in. gauges	2 25
46375	6522	Looper (back) with 590D and 46115	2 25
46376	6522	“ (front)	2 25
46377	6522	“ “ Needle Guard with 46105	40
46378	6522	Needle Bar Stop Collar with 237F, for 62-45 and 62-50 Machines	15
46379	6522	Needle Bar Stop Collar Connection for 62-45 and 62-50 Machines	15
46380	6532	Oil Cup for 46381	1 35
46380	6532	“ “ (front of arm) for 46381	1 35
46381	6532	Oil Cup complete for 62-50 Machine, Nos. 1284D, 38100 and 46380	1 50
46381	6532	Oil Cup (front of arm) complete for 62-45 Machine, Nos. 1284D, 38100 and 46380	1 50

Nos. 46382 to 46389 for 62-45 and 62-50 Machines

NO.	PLATE	NAME	EACH
46382	6524	Tension (upper thread, automatic) Body Releasing Pin	03
46383	6524	Tension (upper thread, automatic) Cam with two 1253C	1 25
46384	6524	Tension (upper thread, automatic) Plate for 46370 and 52740	30
46385	6524	Tension (upper thread, automatic) Screw Stud Releasing Pin	01
46386	6524	Tension (upper thread, automatic) Separating Disc	10
46387	6524	Tension (upper thread, automatic) Spring	03
46388	6524	“ “ “ “ Thread Guide (double)	35
46389	6522	Thread (under) Take-up with 465C	1 00
46390	6522	“ “ “ Staple for 62-45 Machine	50

Nos. 46391 to 46393 for 62-45 and 62-50 Machines.

NO.	PLATE	NAME	EACH
46391	6522	Thread (under) Take-up Stripper	60
46392	6524	“ (upper) Controller	1 25
46393	6524	“ “ “ Roller Bracket with 453C and 1964	1 00
46394	6560	Throat Plate with two each 665D and 46396, for 46373	2 25
46395	6560	Throat Plate with two each 665D and 46396, for 46374	2 25

NO.	PLATE	NAME	EACH
46396	6560	Throat Plate Thread Retainer for 46394 and 46395	$ 10
*46397	——	Arm, upper and lower (solid) for 62-32 Machine	20 00
46398	6507	Arm Rock Shaft for 62-32 Machine	1 00
46399	6502	" " " Crank (front) with 448C and 457C, for 62-32 and 62-47 Machines	1 50

Nos. 46400 to 46415 for 62-32 Machine.

NO.	PLATE	NAME	EACH
46400	6487	Cloth Plate Slide (right) with 1602H, for 46401	30
46401	——	Cloth Plate complete, Nos. 286D, 38420, 46096 and 46400	3 30
46402	6498	Face Plate with 316F, 735C, 29086, 46289 and 46428	1 00
46403	6508	Knife Bar	30
46404	6506	" " Connecting Link	75
46405	6506	" " " " Hinge Bracket	1 00
46406	6506	" " " Stud for 46407	1 00
46407	——	Knife Bar Connecting Stud complete, Nos. 733D, 1563D, 27114, 46406 and 46408	1 25
46408	6506	Knife Bar Coupling Pin for 46407	10
46409	6539	" " Guide Bar with 237F, obsolete	30
46410	6539	" " " " Connecting Stud with 223D, obsolete	50
46411	6506	Knife Bar Lifting Spring	03
46412	6506	" Holder with 196F, for 46413	75
46413	——	Knife Holder complete, Nos. 46412, 46414, 46415 and two 335H	2 25
46414	6506	Knife Holder Adjusting Bracket for 46413	75
46415	6506	" " Body with 202F, for 46413	75
46416	6505	Feed (upper) Bar Lifting Bell Crank Driving Arm with 1186D, for 62-47 Machine	1 25
46416	6505	Lifting Presser Bar Bell Crank Driving Arm with 1186D, for 62-32 Machine	1 25
46417	6505	Feed (upper) Bar Lifting Bell Crank Driving Arm Connection for 62-47 Machine	75
46417	6505	Lifting Presser Bar Bell Crank Driving Arm Connection for 62-32 Machine	75
46418	6505	Feed (upper) Bar Lifting Bell Crank Driving Arm Connection Hinge Stud for 62-47 Machine	15
46418	6505	Lifting Presser Bar Bell Crank Driving Arm Connection Hinge Stud for 62-32 Machine	15

NO.	PLATE	NAME	EACH
46419	6505	Feed (upper) Bar Lifting Bell Crank Driving Arm Shaft for 62-47 Machine	$1 00
46419	6505	Lifting Presser Bar Bell Crank Driving Arm Shaft for 62-32 Machine	1 00
46420	6505	Lifting Presser Bar Bell Crank Driving Arm Shaft Bracket for 62-32 Machine	40
46421	6505	Lifting Presser Bar Guide Bracket with 157D and 892C, for 62-47 Machine	2 50
46421	6505	Lifting Presser Bar Lifting Bracket with 157D and 892C, for 62-32 Machine	2 50
46422	6508	Lifting Presser Bar Spring (flat) for 62-32 and 62-47 Machines	50

Nos. 46423 to 46425 for 62-32 Machine.

NO.	PLATE	NAME	EACH
46423	6548	Lifting Presser Foot	80
46424	6509	Needle Bar Connecting Link	75
46425	6509	" " " Stud with two 391E	1 00
46426	6565	Throat Plate complete for 46065, Nos. 242D, 38094, 38096, 52526 and two 238D, obsolete	2 00
46427	6509	Vibrating Presser Bar for 62-32 Machine	60
46428	6509	" " " Spring Stud for 46402 and 52533	05
46429	6548	Vibrating Presser Foot for 62-32 Machine	80
*46430	——	Arm, upper and lower (solid) with 129D, 965D and 46445, for 62-28 Machine	20 00
46431	6483	Cloth Plate for 46438	6 00
46432	6487	" " Bracket for 62-28 Machine	50
46433	——	" " Slide (large) for 46435	1 75
46434	6500	" " " " Spring (left) for 46435	05
46435	6487	Cloth Plate Slide (large) complete for 46438, Nos. 38416, 46433, 46434 and four 725H	2 00
46436	——	Cloth Plate Slide (small) for 46437	30
46437	6487	Cloth Plate Slide (small) complete for 46438, Nos. 38419, 46436 and two 725H	40
46438	——	Cloth Plate complete for 62-28 Machine, Nos. 46431, 46435 and 46437	8 40
46439	6502	Feed (back) Connecting Rod Hinge Pin Bushing for 62-28 and 62-49 Machines	50
46440	6546	Feed (back) Dog for 62-28 Machine	1 25
46441	6501	" (front) Bar with 174D, for 62-28 and 62-49 Machines	1 00
46442	6501	Feed (front) Connecting Rod with two 174D, for 62-28 and 62-49 Machines	1 00
46443	6546	Feed (front) Dog for 62-28 Machine	1 25

Nos. 46444 to 46454 for 62-28 and 62-49 Machines.

NO.	PLATE	NAME	EACH
46444	6501	Feed (front) Lifting Rock Shaft.........	$ 60
*46445	——	" " " " " Bracket for 46430 and 52646.................	75
46446	6501	Feed (front) Lifting Rock Shaft Crank (back) forked, with 647D.............	1 50
46447	6502	Feed (front) Lifting Rock Shaft Crank (back) Slide Block..................	1 00
46448	6501	Feed (front) Lifting Rock Shaft Crank (front) with two each 178D and 197D..	1 00
46449	6502	Feed (front) Regulating Stud Sleeve.....	50
*46450	——	" Eccentric for 46452...............	2 50
*46451	——	" " Body with two 443C, for 46452.............................	3 50
46452	6502	Feed Eccentric and Feed (front) Lifting Eccentric (adjustable) complete, Nos. 196F, 641D, 24691, 46450, 46451 and 50043C............................	6 50
46453	6502	Feed Eccentric Collar with two 454C.....	25
46454	6501	" Rocking Frame with 178F.........	2 50
46455	——	Presser Foot Plate for 46457............	3 00
46456	——	" " Shank for 46457...........	75
46457	6546	Presser Foot (hinged) complete for 62-28 Machine, Nos. 26276, 46455 and 46456	3 75
46458	6546	Throat Plate for 46440 and 46443.......	2 25
46459	6560	Feed Dog, for $\frac{1}{32}$ in. to $\frac{5}{64}$ in., $\frac{1}{8}$ in. to $\frac{5}{32}$ in. and $\frac{1}{32}$ in. to $\frac{5}{64}$ in. gauges, for 62-45 Machine......................	2 25
46460	6560	Throat Plate with two each 665D and 46075, for 46459....................	2 25
46461	——	Cloth Plate Slide (left) for 46462........	30
46462	6486	Cloth Plate Slide (left) complete for 46079, Nos. 38419, 46461 and two 725H......	40
46463H	6486	Cloth Plate Slide (right) with 1602H, for 46324 and 52650, obsolete............	40

Nos. 46464 to 46473 for 62-42 Machine.

NO.	PLATE	NAME	EACH
*46464	——	Arm, upper and lower (solid) with 1149D, 52515, 52516 and two each 129D and 134D.............................	22 50
46465	6482	Arm Rotary Shaft.....................	3 00
46466	6501	" " " Flanged Bushing.....	1 00
46467	6514	" Side Cover (upper) obsolete........	20
46468	6485	Cloth Plate for 46471..................	2 50
46469	——	" " Slide (large) for 46470.......	60

NO.	PLATE	NAME	EACH
46470	6488	Cloth Plate Slide (large) complete for 46471, Nos. 46469, two 38416 and four 725H...............................	$ 75
46471	——	Cloth Plate complete, Nos. 38420, 46468 and 46470.........................	3 65
46472	6514	Face Plate..........................	60
46473	6554	Feed Dog...........................	2 00

Nos. 46474 to 46478 for 62-42 and 62-43 Machines.

NO.	PLATE	NAME	EACH
46474	6511	Looper (back) with 590D and 46115.....	2 25
46475	6511	" (front).........................	2 25
46476	——	Needle Bar complete, Nos. 2273, 23793 and 46477.........................	1 20
46477	6511	Needle Clamp with 46478 and two 1498F, for 46476..........................	60
46478	6511	Needle Clamp Thread Guide for 46477..	02

Nos. 46479 to 46500 for 62-42 Machine.

NO.	PLATE	NAME	EACH
46479	6513	Needle Guard (back)..................	75
46480	6513	" " (front)..................	75
46481	6513	Presser Bar Bushing (lower)............	80
46482	6513	" " Lifting Bracket with 453C and 892C..............................	1 00
46483	6515	Ruffling Blade........................	75
46484	6515	" " Holder..................	3 00
46485	6515	" " " Spring...........	03
46486	6515	" " " " Bracket....	75
46487	6515	" " " Stop.............	03
46488	6518	" Connecting Link...............	50
46489	6517	" " Rod with 1012E, 4784, 46490, 46491 and two 127E...........	3 00
46490	6515	Ruffling Connecting Rod Adjusting Gib (brass) for 46489....................	02
*46491	——	Ruffling Connecting Rod Cap for 46489..	--
46492	6516	" Eccentric with two 448C.........	1 50
46493	6515	" Indicator.....................	30
46494	6515	" Lever........................	2 00
46495	6516	" " Arm with 454C...........	1 00
46496	6516	" " " Hinge Stud.........	50
46497	6516	" " " Lifting Bracket with two 171D..........................	1 00
46498	6515	Ruffling Lever Slide Block.............	20
46499	6515	" Regulating Stud Nut Handle with 220D.............................	75
46500	6515	Ruffling Regulating Stud Sleeve.........	25
49092	6533	Arm Oil Tube Packing (felt) for 52630...	01
50004B	6534	Binder Bracket Plate Screw (left) for 36305 and 36498....................	04

NO.	PLATE	NAME	EACH
50004B	6534	Folder Screw for 36027 and 36444	$ 04
50004D	6534	Slack Thread Controller Clamp Screw for 62-25, 62-28 and 62-35 Machines, obsolete	04
50016C	6535	Looper Bell Crank Pitman Ball Screw Stud (upper) for 62-38 Machine, obsolete	15
50016C	6535	Looper Carrier Pitman Ball Screw Stud (right) for 38446	15
50027F	6534	Throat Plate Screw (front) for 62-43 Machine	04
50039C	6535	Looper Bell Crank Pitman Ball Screw Stud (upper) for 62-46 Machine and obsolete for 62-45 Machine	20
50040D	6525	Slack Thread Regulator Screw for 62-46 Machine and obsolete for 62-45 Machine	07
50041C	6535	Thread (upper) Controller (right) Fork Screw Stud for 62-38 Machine, obsolete	12
50043C	6502	Feed Eccentric Adjusting Screw for 46452	04
50062D	6496	Slack Thread Regulator Screw for 62-25, 62-26, 62-28, 62-29, 62-35 to 62-38, 62-43, 62-48, 62-49 and 62-53 Machines	07
50069C	6535	Crank Connecting Rod Ball Screw Stud	20
50070C	6535	Looper Bell Crank Pitman Ball Screw Stud (upper) for 46234	15
50070C	6535	Looper Carrier Pitman Ball Screw Stud (right) for 46242	15
50073D	6534	Feed Dog Screw for 62-53 Machine and obsolete for $\frac{3}{64}$ in., $\frac{1}{32}$ in. and $\frac{3}{64}$ in. gauges for 62-45 Machine	05
50078F	6511	Needle Clamp Screw for 46294	04
50081C	6532	Looper Bell Crank Pitman Ball Screw Stud (upper) for 46318	15

Nos. 50105 to 50107 for 62-45 and 62-50 Machines.

NO.	PLATE	NAME	EACH
50105C	6524	Tension (upper thread, automatic) Body	25
50106F	6524	" " " " Screw Stud	10
50107F	6524	Thread (upper) Controller Hinge Screw	08
50109F	6535	Feed (front) Bar Hinge Screw for 62-28 and 62-49 Machines	15
50110C	6502	Feed (front) Regulating Stud for 62-28 and 62-49 Machines	15

Nos. 50118 to 50120 for 62-42 Machine.

NO.	PLATE	NAME	EACH
50118D	6515	Ruffling Blade Holder Spring Regulating Screw	45
50119C	6535	Ruffling Connecting Rod Hinge Screw	15

NO.	PLATE	NAME	EACH
50120C	6515	Ruffling Regulating Stud	$ 15
50140D	6520	" Blade Holder Hinge Screw for 62-43 Machine	08

Nos. 52501 to 52519 for 62-42 Machine.

NO.	PLATE	NAME	EACH
52501	6515	Ruffling Regulating Stud Stop	05
52502	6516	" Regulator	3 00
52503	6516	" " Bushing	75
52504	6516	" " Crank with 453C	20
52505	6518	" Separating Blade	1 00
52506	6518	" " " Bar	40
52507	6518	" " " " Bracket (lower) with 460C and two 453C	50
52508	6518	Ruffling Separating Blade Bar Bracket (upper) with 453C	50
52509	6518	Ruffling Separating Blade Bar Handle with 145D	75
52510	6518	Ruffling Separating Blade Bar Handle Plate	15
52511	6518	Ruffling Separating Blade Bar Handle Stop	02
52512	6518	Ruffling Separating Blade Bar Spring	03
52513	6518	" " " Holder	75
52514	6517	" Shaft	50
*52515	——	" " Bracket (back) for 46464	75
*52516	——	" " " (front) for 46464	1 50
52517	6516	" " Crank (back) with two 797C	75
52518	6516	Ruffling Shaft Crank (front) with 453C	50
52519	6554	Throat Plate for 46473	1 75
52520	6537	Lifting Lever for 52522 to 52524	25
52521	6508	" " Spring for 52522 to 52524	05

Nos. 52522 to 52524 for 62-42 Machine

NO.	PLATE	NAME	EACH
52522	——	Foot Lifter complete, Nos. 802D, 4885, 6439, 52520 and 52521	1 35
52523	——	Knee Lifter complete (power table) Nos. 802D, 23760, 23767, 52520 and 52521	1 55
52524	——	Knee Lifter complete (bench stand) Nos. 802D, 23767, 38384, 52520 and 52521	1 55
52525	6506	Knife Bar Guide with 857H, for 62-32 Machine	50
52526	6565	Throat Plate Slide for 46426, obsolete	25
52527	——	Cloth Plate Slide (large) for 52528	60
52528	6489	Cloth Plate Slide (large) complete for 52529, Nos. 52527, two 38416 and four 725H	75

NO.	PLATE	NAME	EACH
52599	6527	Lifting Presser Bar Lifting Bracket with 1356E	$1 25
52600	6527	Lifting Presser Bar Lifting Bracket Connecting Link	25
52601	6527	Thread (upper) Controller	50
52602	6537	Lifting Lever for 52604 to 52606	25
52603	6531	" " Link for 52604 to 52606	25
52604	——	Foot Lifter complete, Nos. 802D, 957D, 1002D, 4885, 6439, 23761, 52602 and 52603	1 70
52605	——	Knee Lifter complete (power table) Nos. 802D, 957D, 1002D, 23760, 23761, 23767, 52602 and 52603	1 90
52606	——	Knee Lifter complete (bench stand) Nos. 802D, 957D, 1002D, 23761, 23767, 38384, 52602 and 52603	1 90

Nos. 52607 to 52625 for 62-48 Machine.

NO.	PLATE	NAME	EACH
*52607	——	Arm, upper and lower (solid)	20 00
52608	6485	Cloth Plate for 52611	2 50
52609	6488	" " Chute (hinged) for 52611	1 25
52610	6488	" " Slide (right) with 1602H, for 52611	30
52611	——	Cloth Plate complete, Nos. 286D, 46323H, 52608 to 52610 and two 330D	4 70
52612	6563	Feed Dog	1 00
52613	6512	" Rocking Frame Bracket with two 465C	50
52614	6528	Knife	10
52615	6528	" Bar	4 00
52616	6528	" Holder	1 00
52617	6528	" Support	50
52618	6529	Looper with 590D and 38393	2 25
52619	6529	" Carrier with three 1147C	1 50
52620	6512	Looper Carrier Pitman complete, Nos. 1697E, 1698E, 38445, 38446 and 52621	3 25
52621	6512	Looper Carrier Pitman Rod for 52620	10
52622	6529	" Needle Guard with 46105	40
52623	6529	Needle Guard	75
52624	——	Presser Foot Plate for 52625	1 25
52625	6563	Presser Foot (hinged) complete, Nos. 26276, 46099 and 52624	1 85
52626	6529	Slack Thread Regulator for 62-48 and 62-49 Machines	1 50
52627	6529	Thread (upper) Eyelet for 62-48 and 62-49 Machines	25

NO.	PLATE	NAME	EACH
52628	6563	Throat Plate with 665D and 52629, for 52612	$1 75
52629	6563	Throat Plate Cutting Bar for 52628	25
52630	6533	Arm Oil Tube with 49092, for oiling 46221	20
52631H	6487	Cloth Plate Slide (right) with 1602H, for 46324 and 52650	40
52632	6532	Cutting Lever for 52636, obsolete	40
52633	6503	" " Adjusting Slide for 52636	2 00
52634	6503	" " Connection for 62-30 Machine	1 25
52635	6503	Cutting Plate Bracket for 52636	6 25
52636	——	Cutting Plate Bracket complete for 62-30 Machine, Nos. 87F, 1246C, 1389F, 1643D, 38152, 38155, 46327, 52633, 52635, 52780, 52781, two each 190D, 1247C and four 207F	12 20
52637	——	Presser Foot Plate for 52638	1 50
52638	6553	Presser Foot (hinged) complete, for 3/64 in. gauge, for air cording and tucking 1/32 in. high, for silk and thin cotton petticoats, waists, etc., for 62-40 Machine, Nos. 18055, 46270 and 52637	2 25
52639	6552	Throat Plate Slide for 52638	75
52640	——	Presser Foot Plate for 52641	1 50
52641	6553	Presser Foot (hinged) complete, for 3/64 in. and 1/16 in. gauges, for air cording and tucking 3/64 in. high, for cotton petticoats, waists, etc., for 62-40 Machine, Nos. 18055, 46270 and 52640	2 25
52642	6552	Throat Plate Slide for 52641	75
52643	——	Presser Foot Plate for 52644	1 50
52644	6553	Presser Foot (hinged) complete, for 3/64 in. and 1/16 in. gauges, for air cording and tucking 1/16 in. high, for cotton petticoats, waists, etc., for 62-40 Machine, Nos. 18055, 46270 and 52643	2 25
52645	6552	Throat Plate Slide for 52644	75
*52646	——	Arm, upper and lower (solid) with 129D, 965D and 46445, for 62-49 Machine	22 00
52647	6482	Cloth Plate for 52650	2 50
52648H	——	" " Slide (left) for 52649	40
52649H	6486	Cloth Plate Slide (left) complete for 52650, Nos. 38419, 52648H and two 725H	50

Nos. 52650 to 52654 for 62-49 Machine.

NO.	PLATE	NAME	EACH
52650	——	Cloth Plate complete, Nos. 286D, 52631H, 52647 and 52649H	3 70

NO.	PLATE	NAME	EACH
52651	6547	Feed (back) Dog	$1 25
52652	6547	" (front) Dog	1 25
52653	——	Presser Foot Plate for 52654, obsolete	1 00
52654	6547	Presser Foot (hinged) complete, Nos. 18055, 46361 and 52653, obsolete, use 46362	1 75
52655	6477	Feed Dog (spiked teeth) for $\frac{9}{32}$ in. to $\frac{3}{8}$ in. gauge, for 26272	3 00
52656	6547	Feed Dog for 62-30 Machine	2 50
52657	6565	Throat Plate for 52651, 52652, 52656 and 52658, obsolete, use 52662	1 50
52658	6547	Feed Dog for 62-31 Machine	2 50
52659	6504	Knife (stationary) Stop for 46356	1 00
52660	6504	" Bracket for 46356	5 00
52661	6500	Looper Needle Guard with 46105, for 62-30, 62-31 and 62-49 Machines	40
52662	6547	Throat Plate for 52651, 52652, 52656 and 52658	1 50
52663	6552	Feed Dog for 62-40 Machine	1 75
52664	——	Throat Plate Body for 52666 to 52668	1 90
52665	6552	" " Slide, for general work, for 52666	75
52666	——	Throat Plate complete for 52663, for general work, Nos. 665D, 23789, 46075, 52664 and 52665	3 25
52667	——	Throat Plate complete for 52663, for imitation cording and tucking, Nos. 665D, 23788, 23789, 46075 and 52664	3 25
52668	6552	Throat Plate complete for 52663, for cording, Nos. 665D, 23787, 23789, 46075 and 52664	3 50

Nos. 52669 to 52672 for 62-50 Machine.

NO.	PLATE	NAME	EACH
52669	6530	Roller Needle Guard for 52670 and 52671	45
52670	6530	Roller Presser complete, $\frac{7}{8}$ in. coarse roller, Nos. 171F, 176D, 440F, 1549D, 1868, 7556, 38285, 38302, 52669, two 316F and three 1547D	1 35
52671	6530	Roller Presser complete, $1\frac{1}{4}$ in. coarse roller, Nos. 171F, 176D, 440F, 1549D, 1923, 7556, 38219, 38302, 52669, two 316F and three 1547D	1 50
52672	6527	Thread (upper) Take-up	80
52673	6505	Needle Guard for 62-31 and 62-49 Machines	75

Nos. 52674 to 52678 for 62-49 Machine.

NO.	PLATE	NAME	EACH
52674	6563	Feed (back) Dog, spiked teeth	1 25
52675	6563	" (front) Dog, spiked teeth	1 25

NO.	PLATE	NAME	EACH
52676	— —	Presser Foot Plate for 52677	$1 00
52677	6563	Presser Foot (hinged) complete for 52674 and 52675, Nos. 18055, 46361 and 52676	1 75
52678	6563	Throat Plate for 52674 and 52675	1 50
*52679	——	Arm, upper and lower (solid) with 52705 and two 949E, for 62-43 Machine	27 50
52680	6485	Cloth Plate for 52687	3 00
52681	6485	" " Extension for 52687	75
52682	——	" " Slide (large) for 52686	60
52683	6500	" " " " Spring for 52686	05

Nos. 52684 to 52686 for 52687.

NO.	PLATE	NAME	EACH
52684	6519	Cloth Plate Slide (large) Spring Bracket (back)	25
52685	6519	Cloth Plate Slide (large) Spring Bracket (front)	25
52686	6489	Cloth Plate Slide (large) complete, Nos. 52682, two 52683 and four 725H	80

Nos. 52687 to 52718 for 62-43 Machine.

NO.	PLATE	NAME	EACH
52687	——	Cloth Plate complete, Nos. 38420, 52680, 52681, 52684 to 52686, two 157D and four 330E	5 60
52688	6519	Cloth Plate Support Bracket	40
52689	6555	Feed Dog	1 50
52690	6519	Needle Guard (back)	75
52691	6519	" " (front)	75
52692	6520	Ruffling Blade	75
52693	6520	" " Holder with 9558 and 52695	1 00
52694	6520	Ruffling Blade Holder Spring	05
52695	6520	" " Steady Pin for 52693	01
52696	6517	" Driving Crank (forked) with 52698 and two 448C, for 52697	3 00
52697	——	Ruffling Driving Crank (forked) 52696 with 52703 and two each 136D and 2077	3 85
52698	6533	Ruffling Driving Crank Oil Pad (felt) for 52696	01
52699	6521	Ruffling Driving Crank Shaft	25
52700	6520	" " " " Collar with two 457C	20
52701	6520	Ruffling Driving Crank Slide Block with 1012C	1 00
52702	6520	Ruffling Driving Crank Slide Block Pin	50
52703	6520	" " " " " " Holder with 440C, for 52697	75
52704	6520	Ruffling Eccentric with two 448C	1 50

NO.	PLATE	NAME	EACH
*52705	——	Ruffling Frame for 52679	$7 00
52706	6520	" Regulator with 624c	50
52707	6521	" " Connection	1 75
52708	6521	" " " Hinge Stud	75
52709	6521	" " Handle with 647D	75
52710	6521	" " Shaft	10
52711	6520	" Separating Blade for 52718	75
52712	6517	" Shaft	1 00
52713	6521	" " Crank (left) with 177c, 9558 and two 145D	1 25
52714	6521	Ruffling Shaft Crank (right) with 448c and 624c	50
52715	6521	Ruffling Shaft Crank (right) Slide Block with 1012c	1 00
52716	6521	Ruffling Shaft Crank (right) Slide Block Pin	10
52717	6501	Thread (under) Take-up Staple Bracket with 910c	2 00
52718	6555	Throat Plate with 52711 and two 664D, for 52689	3 25

Nos. 52719 to 52721 for 52722.

NO.	PLATE	NAME	EACH
52719	6549	Presser Foot Guide (right)	1 50
52720	——	" " Plate	3 50
52721	——	" " Shank	2 00
52722	6549	Presser Foot (side hinged) with right guide complete for 62-35 Machine, Nos. 26276, 52719 to 52721 and two 337D	7 00
*52723	——	Feed (upper) Eccentric for 52592	2 50
52724	6477	" Dog (spiked teeth) for $\frac{3}{32}$ in. to ¼ in. gauge, for 26272	2 75
52725	6548	Feed Dog for 62-32 Machine	1 00
52726	6548	Throat Plate Slide for 52727	25
52727	6548	Throat Plate complete for 52725, Nos. 242D, 38094, 38096, 52726 and two 238D	2 00
52728	6524	Thread (upper) Take-up with 52729 and two 4604, for 62-45 Machine	1 00
52729	6524	Thread (upper) Take-up Thread Guide for 52728	20
*52730	——	Feed Eccentric Body for 52731	2 50
52731	6519	Feed Eccentric (adjustable) complete for 62-43 Machine, Nos. 196F, 934D, 1103c, 21331, 21332, 38127, 52730 and two 443c	5 00
52732	6501	Arm Side Cover (upper) for 62-42 Machine	20
*52733	——	" upper and lower (solid) for 62-25 and 62-26 Machines	20 00

NO.	PLATE	NAME	EACH
*52734	——	Arm, upper and lower (solid) for 62-27 Machine	$20 00
*52735	——	Arm, upper and lower (solid) for 62-30 and 62-31 Machines	22 00
*52736	——	Arm, upper and lower (solid) for 62-35 to 62-37 and 62-53 Machines	20 00
*52737	——	Arm, upper and lower (solid) for 62-39 and 62-40 Machines	20 00
*52738	——	Arm, upper and lower (solid) for 62-44 Machine	20 00
*52739	——	Arm, upper and lower (solid) for 62-46 Machine	20 00
*52740	——	Arm, upper and lower) solid) with 381D and 46384, for 62-50 Machine	20 00
52741	6504	Knife (movable) Connection with 904c, for 62-31 and 62-49 Machines	2 50
52742	6504	Knife (movable) Eccentric with two 457c, for 62-31 and 62-49 Machines	1 00
52743	6529	Looper Shaft and Feed (back) Lifting Eccentric for 62-49 Machine	2 50
52744	6504	Knife (movable) with 52745 and two 1053D, for 46356	60
52745	6504	Knife (movable) Chip Ejector for 52744	50

Nos. 52746 to 52748 for 62-51 Machine.

NO.	PLATE	NAME	EACH
*52746	——	Arm, upper and lower (solid)	20 00
52747	6548	Presser Foot	1 00
52748	6548	Throat Plate for 38428, obsolete	3 00

Nos. 52774 to 52779 for 62-53 Machine.

NO.	PLATE	NAME	EACH
52774	6585	Looper (back) with 590D and 52776	2 25
52775	6585	" " Carrier with 1147c, for 52779	1 25
52776	6585	Looper (back) Thread Guard (double) for 52774	05
52777	6585	Looper (front)	2 25
52778	6585	" " Carrier with 1120c and two 1147c, for 52779	2 00
52779	6585	Looper Carrier (adjustable) complete, for $\frac{1}{32}$ in. to $\frac{3}{16}$ in. gauge, Nos. 193F, 52775 and 52778	3 25
52780	6503	Cutting Lever for 52636	40
52781	6503	" Plate for 52636	40
52782	6559	Feed Dog, for $\frac{3}{16}$ in. to $\frac{3}{8}$ in. gauge, for 62-44 Machine	2 50
52783	6559	Throat Plate for 52782	2 25
52784	6527	Looper Carrier with 1143c and two 1147c, for 62-49 Machine	1 50

NO.	PLATE	NAME	EACH
52785	6567	Throat Plate with 665D and 46075, for 38428, for 62-51 Machine	$3 25
		Nos. 52799 to 52816 for 62-29 Machine.	
*52799	——	Arm, upper and lower (solid) with 52814, 52815 and two each 129E and 190D	22 00
52800	6482	Balance Wheel and Ruffling Eccentric with two 430C	1 50
52801	6569	Feed Dog	1 00
52802	6569	Presser Foot for 52804	4 00
52803	6569	" " Guide for 52804	35
52804	6569	Presser Foot complete, Nos. 197D, 52802, 52810 and two each 725J and 52803	5 00
52805	6582	Ruffling Arm (lower) for 52806	1 00
52806	6582	" " (adjustable) for 52807, Nos. 2291, 38179, 52805 and two 175D	2 30
52807	——	Ruffling Arm (adjustable) complete, Nos. 226D, 1550H, 24203, 24206, 24581, 52806, 52808, 52809 and two 665D	3 85
52808	6582	Ruffling Blade for 52807	40
52809	6582	" " Holder Spring Stop for 52807	15
52810	6569	Ruffling Blade Tripping Arm for 52804	1 00
52811	6582	" Regulator with 662D	1 50
52812	6583	" " Connecting Rod with 38184 and two 896E	1 00
52813	6583	Ruffling Shaft	25
52814	6583	" " Bracket (left) for 52799	40
52815	6583	" " " (right) for 52799	75
52816	6569	Throat Plate for 52801	1 25
		Nos. 52817 to 52826 for 62-53 Machine.	
52817	6550	Feed Dog, for $\frac{13}{32}$ in. to $\frac{9}{16}$ in. gauge	2 75
52818	——	No. cancelled, order 52817 and give gauge required.	
52819	6586	Needle Guard (back)	75
52820	6586	" " (front) for $\frac{1}{32}$ in. to $\frac{5}{32}$ in. gauge	75
52821	6586	Needle Guard (front) for $\frac{3}{16}$ in. to $\frac{1}{4}$ in. gauge	75
52822	6586	Needle Guard (front) for $\frac{9}{32}$ in. to $\frac{3}{8}$ in. gauge	75
52823	6586	Needle Guard (front) for $\frac{13}{32}$ in. to $\frac{1}{2}$ in. gauge	75
52824	6586	Needle Guard (front) for $\frac{17}{32}$ in. to $\frac{9}{16}$ in. gauge	75
52825	6550	Throat Plate for 52817	2 75
52826	——	No. cancelled, order 52825 and give gauge required.	

PLATE 362—ONE-FOURTH SIZE




PLATE 363—ONE-FOURTH SIZE




PLATE 1016—ONE-FOURTH SIZE




PLATE 1101—FULL SIZE




PLATE 1104—ONE-HALF SIZE




PLATE 1105—FULL SIZE




PLATE 1518—ONE-HALF SIZE




PLATE 2112—ONE-HALF SIZE




PLATE 2114—ONE-FOURTH SIZE




PLATE 2116—ONE-HALF SIZE




PLATE 2148—FULL SIZE




PLATE 2640—ONE-FOURTH SIZE




PLATE 2641—FULL SIZE




PLATE 2642—FULL SIZE




PLATE 2837—ONE-FOURTH SIZE




PLATE 2838—ONE-FOURTH SIZE




PLATE 4846—FULL SIZE




PLATE 4847—ONE-HALF SIZE




PLATE 4848—FULL SIZE




PLATE 4849—FULL SIZE




PLATE 4850—ONE-HALF SIZE




PLATE 4851—FULL SIZE




PLATE 4852—FULL SIZE




PLATE 4853—FULL SIZE




PLATE 4854—FULL SIZE




PLATE 4855—ONE-HALF SIZE




PLATE 4856—ONE-HALF SIZE




PLATE 4857—FULL SIZE




PLATE 4858—ONE-HALF SIZE




PLATE 4874—ONE-HALF SIZE




PLATE 4875—FULL SIZE




PLATE 5571—ONE-FOURTH SIZE




PLATE 6475—FULL SIZE




PLATE 6476—FULL SIZE




PLATE 6477—FULL SIZE




PLATE 6478—FULL SIZE




PLATE 6479—ONE-FOURTH SIZE




PLATE 6480—FULL SIZE




PLATE 6481—FULL SIZE






PLATE 6482—ONE-FOURTH SIZE

46218 46365 46465 38413 46343




46220



23873



52800



52647






PLATE 6483—ONE-FOURTH SIZE

38414



46321



46431






PLATE 6484—ONE-FOURTH SIZE

46096



46078



46278






PLATE 6485—ONE-FOURTH SIZE


46468



52680



52681



52608




PLATE 6486—ONE-HALF SIZE




PLATE 6487—ONE-HALF SIZE






PLATE 6488—ONE-HALF SIZE


46265




46470



52609



52610



46323






PLATE 6489—ONE-HALF SIZE

52528



46108



52686




PLATE 6490—ONE-HALF SIZE




PLATE 6491—FULL SIZE




PLATE 6492—ONE-HALF SIZE




PLATE 6493—FULL SIZE




PLATE 6494—FULL SIZE




PLATE 6495—FULL SIZE




PLATE 6496—FULL SIZE




PLATE 6497—FULL SIZE




PLATE 6498—ONE-HALF SIZE




PLATE 6499—FULL SIZE




PLATE 6500—FULL SIZE




PLATE 6501—ONE-HALF SIZE




PLATE 6502—FULL SIZE




PLATE 6503—FULL SIZE




PLATE 6504—FULL SIZE




PLATE 6505—FULL SIZE




PLATE 6506—FULL SIZE




PLATE 6507—ONE-HALF SIZE




PLATE 6508—ONE-HALF SIZE




PLATE 6509—FULL SIZE




PLATE 6510—FULL SIZE




PLATE 6511—FULL SIZE




PLATE 6512—ONE-HALF SIZE




PLATE 6513—FULL SIZE




PLATE 6514—ONE-HALF SIZE




PLATE 6515—FULL SIZE




PLATE 6516—FULL SIZE




PLATE 6517—ONE-HALF SIZE




PLATE 6518—FULL SIZE




PLATE 6519—FULL SIZE




PLATE 6520—FULL SIZE




PLATE 6521—FULL SIZE




PLATE 6522—FULL SIZE




PLATE 6523—FULL SIZE




PLATE 6524—FULL SIZE




PLATE 6525—FULL SIZE




PLATE 6526—FULL SIZE




PLATE 6527—FULL SIZE




PLATE 6528—FULL SIZE




PLATE 6529—FULL SIZE






PLATE 6530—FULL SIZE

52670



52671



52669



PLATE 6531—FULL SIZE




PLATE 6532—FULL SIZE




PLATE 6533—FULL SIZE




PLATE 6534—FULL SIZE




PLATE 6535—FULL SIZE




PLATE 6536—FULL SIZE




PLATE 6537—ONE-FOURTH SIZE




PLATE 6538—ONE-HALF SIZE




PLATE 6539—FULL SIZE




PLATE 6540—FULL SIZE




PLATE 6541—FULL SIZE




PLATE 6542—FULL SIZE




PLATE 6543—FULL SIZE




PLATE 6544—FULL SIZE




PLATE 6545—FULL SIZE




PLATE 6546—FULL SIZE




PLATE 6547—FULL SIZE




PLATE 6548—FULL SIZE




PLATE 6549—FULL SIZE




PLATE 6550—FULL SIZE




PLATE 6551—FULL SIZE




PLATE 6552—FULL SIZE




PLATE 6553—FULL SIZE




PLATE 6554—FULL SIZE




PLATE 6555—FULL SIZE




PLATE 6556—FULL SIZE




PLATE 6557—FULL SIZE






PLATE 6558—FULL SIZE

36540



36538



36539





PLATE 6559—FULL SIZE

52783



52782




PLATE 6560—FULL SIZE




PLATE 6561—FULL SIZE




PLATE 6562—FULL SIZE




PLATE 6563—FULL SIZE




PLATE 6564—FULL SIZE




PLATE 6565—FULL SIZE






PLATE 6566—FULL SIZE

46274



46277




46267



PLATE 6567—FULL SIZE

52785



38428




PLATE 6568—FULL SIZE




PLATE 6569—FULL SIZE




PLATE 6570—FULL SIZE




PLATE 6582—FULL SIZE




PLATE 6583—ONE-HALF SIZE


52813



52812



52814



52815




PLATE 6584—FULL SIZE

36627




PLATE 6585—FULL SIZE




PLATE 6586—FULL SIZE

